

**Customer Specification Revision Levels**

<b>Customer</b>	<b>Specification</b>	<b>Specification Name</b>	<b>Revision</b>	<b>Notes</b>
<b><u>Cessna</u></b>	Click the hyperlink to view the current specification revision.			
	<a href="https://supplier.cessna.com/cgi-bin/technical/mtl_specs.pl">https://supplier.cessna.com/cgi-bin/technical/mtl_specs.pl</a>			
<b><u>Beechcraft</u></b>				4/20/2017
	SPEC - 03-02-023	PRODUCTION QUALITY CONTROL MANUAL	-	
	SPEC - 04-15-004	MAG PARTICLE INSPECT	G	
	SPEC - 131967	EXTRUSION - U SECTION	A	
	SPEC - 132396	FASTENER CODES	G	
	SPEC - 132420	EXTRUSION REINFORCEMENT	A	
	SPEC - 132430	EXTRUSION - ZEE UPPER STRINGER AFTER	A	
	SPEC - 132473	HINGE - EXTRUSION	A	
	SPEC - 132475	EXTRUSION - SPAR CAP, AFT, FRACTURE CRITICAL MATERIAL	5	
	SPEC - 132493	EXTRUSION - ANGLE	B	
	SPEC - 132504	EXTRUSION - ZEE UPPER STRINGER AFTER	B	
	SPEC - 231814	EXTRUSION - CONTROL COLUMN GUIDE	B	
	BP-16258	SPECIAL LEVEL FLUORESCENT PENETRANT, ALUMINUM	D	
	BP-16259	SPECIAL LEVEL FLUORESCENT PENETRANT, 718 INCONEL	C	
	BP-16260	SPECIAL LEVEL RADIOGRAPHY PRSA, ALUMINUM PRESSURE VESSELS	A	
	BP-16261	SPECIAL RADIOGRAPHY PRSA, 718 INCONEL PRESSURE VESSELS	A	
	BS-201	ADHESIVES, CEMENTS, AND SEALERS, APPLICATION AND USE OF	38	
	BS22639	ALUMINUM ALLOY, ALCLAD 2024-T3 COILED SHEET, ALL MODELS	-	
	BS23198	FINISH SPECIFICATION FOR BEECH MODELS 1900, 1900C, & 1900d AIRCRAFT	A	
	BS23369	CHEMICAL LOCKING OF METAL PARTS, ALL MODELS	5	
	BS23378	MODEL B200 SERIES SPECIFICATION	B	
	BS23673	FINISH SPECIFICATION	G	
	BS23675	COLOR CODING OF FLIGHT CONTROL SYSTEM COMPONENTS	-	
	BS24554	PHOSPHORIC ACID ANODIZING OF ALUMINUM ALLOYS FOR STRUCTURAL BONDING	4	
	BS24580	PARTS LIST (PL) INTERPRETATION SPEC	-	
	BS24757	FINISH CODES FOR CORROSION PROTECTION PRIOR TO TOP COATING	6	
	BS24765	MATERIAL SUBSTITUTION FOR SELECTED PARTS	2	

**Customer Specification Revision Levels**

	BS24942	RAW MATERIAL SUBSTITUTION SPEC	13	
	BS25032	CORROSION RESISTANT FUEL CELL EPOXY PRIMER	4	
	BS25065	FINISH SPEC FOR THE MODEL 390	13	
	BS25210	SURFACE PREP OF METALS PRIOR TO ADHESIVE BONDING NON ANODIZED	R2	
	BS25314	FINISH SPEC FOR THE MODEL 4000	21	
	BS25328	PROCEDURES FOR THE APPLICATION OF THERMAL SPRAY COATINGS	A	
	BS25339	HOT BENDING OR FORMING OF ALUMINUM ALLOYS	3	
	BS25526	SPEC FOR STRESS & EMBRITTLEMENT, RELIEF REQUIREMENTS FOR CHEMICAL PROCESSES	-	
	BS25649	NON-DESTRUCTIVE INSPECTION PROCESSES, SUBSTITUTION SPEC	1	
	BS25691	CONTROL OF PRODUCT MANUFACTURING PROCESSES FOR SUPPLIERS AND OUTSIDE PRODUCTION	21	
	BS25707	FLUORESCENT PENETRANT AND MAG PARTICLE INSPECTION PART EXEMPTION LIST	18	
	BS2591	STANDARD ENGINEERING DRAWING CALLOUTS FOR GENERAL MATERIALS, PRACTICES, AND PROCESSES	D	
	BS305511	APPROVED RAW MATERIAL SUBSTITUTION BY PART NUMBER	2	
	BS311327	FORMING OF ALUMINUM ALLOYS	3	
	BS361	STANDARD FINISH SPEC	12	
	BS383	MATERIALS, EQUIPMENT, AND REQUIREMENTS FOR IDENTIFICATION MARKING	28	
	BS392875	REPROCESSING SPEC FOR HBC PARTS	1	
	EDS011	GENERAL DIMENSIONING AND TOLERANCING	C	
	P2000	HEAT TREATMENT - CARBON STEEL, ALLOY STEEL, HEAT & CORROSION RESISTANT STEEL - GENERAL	B	
	P2001	HEAT TREATMENT - CARBON STEELS & ALLOY STEELS	F	
	P2010	TEMPERATURE CONTROL FOR HEAT TREATING AND THERMAL PROCESSING	-	
	P2303	HARD ANODIZE TREATMENT - ALUMINUM ALLOYS	E	
	P2304	CHEMICAL FILM TREATMENT - ALUMINUM	E	
	P2480	APPLICATION OF NITROCELLULOSE LACQUER	-	
	P2700	FINISHES AND COATINGS; GENERAL SPEC	U	
	P2705	SHOT PEENING	E	
	P7503	MAG PARTICLE INSPECT - GENERAL	D	
	P7511	PENETRANT INSPECTION - GENERAL	K	
	P9000	MASTER SPECIFICATION	E	

**Customer Specification Revision Levels**

	SPEC - 1272	CHEMICAL FILM MATERIAL FOR ALUMINUM	U	
<b>Boeing</b>	4/20/2017			
	BAC1503	ANGLE, 90 DEGREE, ALUMINUM EXTRUDED	BC	
	BAC1505	TEE, 90 DEGREE, ALUMINUM, EXTRUDED	BC	
	BAC1514	ANGLE, ACUTE AND OBTUSE, ALUMINUM, EXTRUDED	BE	
	BAC5019	CHROMIC ACID ANODIZING	U	6-135, 6-145, 6-143, 6-155, 6-158, 6-162, 6-166, 6-163, 6-167, 6-168, 6-169
	BAC5022	SULFURIC ACID ANODIC FILMS	J	
	BAC5024	TIN-LEAD SOLDERING	D	6-6, 6-7
	BAC5030	SMOOTHING AND FAIRING	M	9-14, 9-16, 9-15, 6-36, 6-45, 6-40, 6-43, 6-41, 6-42, 6-46
	BAC5032	GRINDING OF CHROMIUM PLATE	G	6-9, 6-11
	BAC5034	TEMPORARY PROTECTION OF PRODUCTION MATERIALS, PARTS, ASSEMBLIES	N	9-5, 9-4, 6-131, 6-134, 6-136
	BAC5034-1	TEMPORARY PROTECTION OF PRODUCTION MATERIALS, PARTS, ASSEMBLIES WITH COATINGS	G	6-56, 9-2, 6-55, 6-57
	BAC5117	ELECTRICAL BONDING	AE	9-71, 9-70, 9-73
	BAC5117-1	ELECTRICAL BONDING OF RECEPTACLES	G	9-10, 8-4, 6-6
	BAC5117-6	ELECTRICAL FAYING SURFACE BONDS	K	9-9, 9-16, 9-17
	BAC5117-8	ELECTRICAL BONDING - GROUND BLOCK INSTALLATION	F	
	BAC5227	APPLICATION OF SOLDER PASTE	E	
	BAC5300	FORMING, STRAIGHTENING AND FITTING METAL PARTS	N	
	BAC5300-1	SURFACE AND EDGE INTEGRITY OF METAL PARTS	J	6-1, 9-2, 6-6
	BAC5300-2	METAL PART FORMING, STRAIGHTENING AND FITTING	J	6-2, 6-1, 6-5, 8-2, 6-19, 6-21
	BAC5307	PART MARKING	U	8-8, 8-11, 8-12, 8-17, 8-20, 8-21, 8-23, 8-24, 8-28, 9-60, 9-58, 9-65, 9-82, 9-84, 9-99, 6-288, 6-289, 6-294, 6-295, 6-296, 6-297, 9-105, 9-107
	BAC5408	VAPOR DEGREASING	M	6-39, 6-46, 6-54, 6-56, 6-57, 6-58, 8-13, 9-8, 6-60, 6-62, 6-61, 6-67, 6-70, 6-51, 9-10, 8-14, 9-11, 6-63, 6-68, 6-69, 6-66, 6-71

**Customer Specification Revision Levels**

	BAC5423	PENETRANT METHODS OF INSPECTION	W	6-159, 8-14, 9-21, 6-155, 6-156, 6-158, 8-16
	BAC5424	MAGNETIC PARTICLE INSPECTION	U	9-12, 6-40, 8-22
	BAC5436	ETCH INSPECTION OF GROUND OR MACHINED STEEL PARTS	G	6-71, 8-23, 6-51, 8-25, 6-70, 6-53, 9-7, 6-61, 6-72
	BAC5439	ULTRASONIC INSPECTION	J	
	BAC5439-1	ULTRASONIC INSPECTION OF WELDS	A	
	BAC5439-3	ULTRASONIC INSPECTION OF WROUGHT MATERIALS, IMMERSION TESTING	A	
	BAC5555	PHOSPHORIC ACID ANODIZING OF ALUMINUM FOR STRUCTURAL BONDING	T	6-120, 6-119, 9-2, 8-2, 8-3, 6-122, 6-118, 8-1, 6-98, 6-111, 6-112, 6-113, 6-114, 6-116, 6-115, 6-117, 9-1, 6-121
	BAC5602	HEAT TREATMENT OF ALUMINUM ALLOYS	AF	6-202, 6-203, 6-201, 6-145, 6-182, 6-183, 6-184, 6-193, 6-195, 6-200, 6-174, 6-40, 8-15, 6-205, 6-204, 9-3, 6-206
	BAC5611	HEAT TREATMENT OF COPPER AND COPPER ALLOYS	B	6-6, 6-2, 6-3, 6-5
	BAC5613	HEAT TREATMENT OF TITANIUM AND TITANIUM ALLOYS	T	6-29, 8-3, 9-15, 6-39, 6-44, 6-46, 6-48, 9-26, 9-29, 9-28, 9-30, 6-52, 8-5, 6-49, 8-6, 6-53
	BAC5616	HEAT TREATMENT OF NICKEL BASE AND COBALT BASE ALLOYS	J	6-23, 6-29, 6-24, 6-25, 6-26, 6-27
	BAC5617	HEAT TREATMENT OF ALLOY STEELS	U	8-21, 8-19, 8-20, 6-88
	BAC5618	CARBURIZING AND NITRIDING OF STEELS	F	
	BAC5619	HEAT TREATMENT OF CORROSION RESISTANT STEELS	H	8-10, 6-51, 6-52, 6-53, 8-11, 6-56, 9-12
	BAC5620	INDUCTION HEAT TREATMENT OF AIRCRAFT STEELS	B	
	BAC5621	TEMPERATURE CONTROL FOR PROCESSING OF MATERIALS	K	8-7, 9-7, 8-6, 6-41, 6-42
	BAC5622	ELECTROPOLISHING AND ELECTROCHEMICAL DEBURRING	C	
	BAC5625	SURFACE TREATMENTS FOR FERROUS ALLOYS	E	6-64, 6-65, 6-60, 6-62, 6-40, 6-42, 6-61, 6-66
	BAC5626	COLORING CHEMICAL CONVERSION COATINGS FOR ALUMINUM	C	9-31, 9-27, 9-28
	BAC5629	APPLICATION OF URETHANE EXTERIOR COATINGS	E	
	BAC5632	BORIC ACID - SULFURIC ACID ANODIZING	D	6-31, 6-39, 6-43, 6-50, 6-55, 6-60, 6-63, 6-62, 6-64, 6-67, 6-69, 6-76, 6-68, 6-71, 6-79, 6-72, 6-74, 6-73, 6-75, 6-78, 6-77, 9-9, 6-80
	BAC5637	ZINC-NICKEL ALLOY PLATING	E	

**Customer Specification Revision Levels**

	BAC5639	APPLICATION OF ANTI-STATIC COATINGS	B	
	BAC5640	NITRIDING OF STEEL	-	6-1, 6-2, 6-3, 6-4, 6-5, 8-1, 9-1
	BAC5641	CARBURIZING OF CARBON AND ALLOY STEELS	-	6-8, 6-3, 6-4, 6-7
	BAC5650	HARDNESS TESTING	E	6-7, 8-1, 6-4, 6-5, 6-8
	BAC5651	EDDY CURRENT ELECTRICAL CONDUCTIVITY INSPECTION	D	
	BAC5664	LOW HYDROGEN EMBRITTLEMENT STYLUS ZINC-NICKEL ALLOY PLATING	-	
	BAC5701	CADMIUM PLATING	N	8-20, 6-66, 6-64, 6-63, 6-65, 8-22, 8-23, 9-10, 6-51, 8-17, 6-54, 6-55, 6-57, 6-58, 6-61, 6-60, 6-62, 8-19
	BAC5705	APPLICATION OF FLOOR COVERING MATERIALS	L	
	BAC5706	APPLICATION OF ORGANIC FINISHES	N	9-4, 6-13
	BAC5709	HARD CHROMIUM PLATING	W	8-8, 6-57, 8-9, 8-10
	BAC5710	APPLICATION OF SPECIAL PURPOSE COATINGS	Y	9-23, 6-134, 6-109, 8-2, 9-22, 9-21, 6-130, 6-137, 6-138, 6-114, 6-135
	BAC5716	PREPERATION OF COLORED ANODIC FILMS	G	
	BAC5717	TIN COATING	K	
	BAC5719	CHEMICAL CONVERSION COATINGS FOR ALUMINUM AND ALUMINUM ALLOYS	AA	6-153, 8-1, 6-150, 9-12, 6-154, 6-155, 6-82, 6-96, 6-111, 6-131, 6-137, 6-136, 6-138, 6-142, 6-144, 6-143, 6-145, 6-147, 6-148, 6-149, 6-152, 6-156
	BAC5722	COPPER PLATING	E	
	BAC5723	APPLICATION OF ORGANIC FINISHES HIGH SPEED	A	
	BAC5724	APPLICATION OF SILICONIZED COATINGS TO MOLYBDENUM ALLOYS	Y	
	BAC5725	STRIPPING ORGANIC MATERIALS	G	
	BAC5728	ELECTROLESS NICKEL PLATING	L	8-2, 8-1, 6-15
	BAC5730	SHOT PEENING	R	9-8, 6-103, 6-104, 8-17, 6-105, 8-19, 8-18, 6-106
	BAC5730-1	SHOT PEEN FORM	D	
	BAC5730-2	SHOT PEENING-SELF CONTAINED	C	6-4, 6-2, 6-5, 6-6
	BAC5731	RHODIUM PLATING	F	
	BAC5736	APPLICATION OF CHEMICAL AND SOLVENT RESISTANT FINISHES	W	9-24, 8-5, 6-201, 6-202, 6-194, 6-196, 6-198, 6-200, 6-199, 9-26, 9-27, 6-197, 9-28

**Customer Specification Revision Levels**

	BAC5744	MANUAL CLEANING(COLD ALKALINE, SOLVENT EMULSION AND FOAM CLEANERS)	G	6-16, 6-20, 8-10, 6-21, 6-17, 8-8, 6-19
	BAC5746	NICKEL PLATING (ELECTRODEPOSITED)	M	6-42, 6-43, 6-44
	BAC5748	ABRASIVE CLEANING, DEBURRING, AND FINISHING	U	9-16, 8-9, 8-8, 6-107, 6-106
	BAC5749	ALKALINE CLEANING	W	8-16, 6-170, 6-161, 6-146, 6-119, 6-166, 6-157, 6-168, 6-164, 6-172, 6-169, 6-174, 6-79, 6-91, 6-102, 6-111, 6-118, 6-129, 6-133, 6-140, 6-152, 8-15, 6-165, 6-167, 6-158, 6-163, 6-173
	BAC5750	SOLVENT CLEANING	R	6-105, 6-64, 9-38, 9-41, 9-40, 6-106, 6-109
	BAC5751	CLEANING, DESCALING AND SURFACE PREP OF FERROUS ALLOYS	M	6-69, 8-13
	BAC5753	CLEANING, DESCALING AND SURFACE PREP OF TITANIUM AND TITANIUM ALLOYS	V	8-5, 6-160, 6-164, 8-7, 8-6, 6-88, 6-97, 6-101, 6-119, 6-114, 6-116, 6-136, 6-138, 6-140, 6-145, 9-51, 9-62, 9-61, 6-149, 6-148, 6-147, 9-64, 6-152, 6-153, 6-156, 6-162, 6-165, 6-167, 6-168, 6-169
	BAC5755	APPLICATION OF INTERIOR DECORATIVE FINISHES	AC	9-18, 9-15, 9-16, 6-96, 6-99
	BAC5756	APPLICATION OF HEAT-TREAT PROTECTIVE COATINGS	K	6-29, 9-2
	BAC5763	EMULSION CLEANING AND AQUEOUS DEGREASING	L	6-68, 8-4, 6-65, 6-67, 6-69, 6-63, 6-47, 6-51, 6-54, 6-55, 6-59, 8-5, 9-15, 6-71, 6-70
	BAC5765	CLEANING AND DEOXIDIZING ALUMINUM ALLOYS	W	6-223, 6-229, 6-197, 6-205, 6-207, 6-217, 6-218, 9-11, 6-224, 9-13, 6-227, 6-230, 6-233, 6-234, 6-235
	BAC5771	STRIPPING INORGANIC FINISHES	J	8-5, 6-82, 6-80, 6-81, 8-6, 8-7
	BAC5774	ALKYD PRIMERS, APPLICATION OF	J	
	BAC5775	COATINGS, SYNTHETIC ENAMEL	L	
	BAC5786	ETCH CLEANING OF ALUMINUM ALLOYS	M	6-46, 6-48, 6-49, 6-62, 6-61, 6-64, 6-67, 6-66
	BAC5793	APPLICATION OF CORROSION RESISTANT FINISH FOR INTEGRAL FUEL TANKS	V	6-106, 9-22, 6-110, 6-109, 6-107, 6-108, 6-113, 6-112, 6-111
	BAC5797	COATING SYSTEMS, FOR CORROSION PRONE AREAS, APPLICATION OF	F	
	BAC5800	APPLICATION OF METALLIC PIGMENTED PRIMERS	K	
	BAC5801	APPLICATION OF PRESSURE SENSITIVE TAPE	F	8-3, 6-20, 6-11, 6-15, 6-16, 6-17

**Customer Specification Revision Levels**

	BAC5804	LOW HYDROGEN EMBRITTLEMENT CADMIUM-TITANIUM ALLOY PLATING	AC	9-9, 6-105, 6-100, 6-104, 9-8, 8-2, 6-106, 6-99, 6-102, 6-103, 6-107
	BAC5807	APPLICATION OF HIGH TEMPERATURE PRIMER	N	8-5, 9-31
	BAC5821	HARD ANODIZING	E	6-10, 6-4, 6-5, 6-8
	BAC5824	APPLICATION OF LOW FRICTION COATINGS	H	
	BAC5840	APPLICATION OF HEAT AND CORROSION RESISTANT INORGANIC COATINGS	G	6-7, 6-8
	BAC5845	APPLICATION OF POLYURETHANE TOPCOAT	R	6-49, 6-53, 6-54, 6-55, 6-57, 6-58, 6-60, 6-61, 6-62, 9-14, 9-16
	BAC5849	BRUSH PLATING, ANODIZING AND ELECTROCHEMICAL ETCHING	N	
	BAC5851	APPLICATION OF THERMAL SPRAY COATINGS	H	
	BAC5854	LOW HYDROGEN EMBRITTLEMENT STYLUS CADMIUM PLATING	L	8-4, 6-9, 6-10, 6-11, 6-12
	BAC5882	APPLICATION OF URETHANE COMPATIBLE PRIMER	K	6-21, 9-8, 6-19, 6-22, 6-20
	BAC5884	ANODIZING OF ALUMINUM ALLOYS	E	
	BAC5946	TEMPER INSPECTION OF ALUMINUM ALLOYS	AA	6-57, 6-59, 8-4, 6-60
	BMS10-11	CHEMICAL AND SOLVENT RESISTANT FINISH	AC	
	BMS10-20	CORROSION RESISTANT FINISH FOR INTEGRAL FUEL TANKS	N	
	BMS10-60	PROTECTIVE TOPCOAT	W	
	BMS10-72	EXTERIOR DECORATIVE PAINT SYSTEM	AG	
	BMS10-79	URETHANE COMPATIBLE, CORROSION RESISTANT PRIMER	R	
	BMS20-2	GENERAL REQUIREMENTS FOR ALUMINUM ALLOY SHEET AND PLATE	C	
	BMS7-118	2219 ALUMINUM ALLOY EXTRUSIONS	G	
	BMS7-240	15-5PH(UNS S15500)SHEET, PLATE, AND STRIP	H	
	BMS7-323	HIGH STRENGTH FATIGUE TOLERANT, STRESS CORROSION RESISTANT 7050 ALUMINUM ALLOY PLATE	E	
	BMS7-342	SHOT PEENING MEDIA	A	
	D2-5000	PROTECTIVE FINISH CODES	CH	9-1
	D6-5000	SPECIAL COMMERCIAL AIRPLANE COMPANY FINISH CODES	BG	
<b><i>Bombardier</i></b>				4/20/2017
	BAEMM-001	BOMBARDIER AEROSPACE ENGINEERING MATERIAL MANUAL	A	
	BAERD GEN-004	PROTECTIVE FINISH CODES	J	

**Customer Specification Revision Levels**

	BAMS516-002	7475-T7351	B	
	BAMS516-003	7050-T7451	B	
	BAMS516-007	MARKING INKS	C	
	BAMS552-008	NON-CHROMATED PRESSURE AND ENVIRONMENTAL SEALANT	B	
	BAMS565-001	FLUID RESISTANT (FR) EPOXY PRIMER FOR AIRCRAFT INTERIOR	D	
	BAMS565-002	FLUID RESISTANT (FR) ENAMEL COATING FOR AIRCRAFT INTERIOR	B	
	BAMS565-007	FLUID RESISTANT (FR) POLYURETHANE COATING FOR TOUCH UP WORK	A	
	BAPS138-044	APPLICATION OF FLUID RESISTANT (FR) ENAMELS AND DECORATIVE TOPCOATS	D	
	BAPS144-005	IDENTIFICATION OF AIRCRAFT PARTS AND ASSEMBLIES	D	
	BAPS145-002	ELECTRICAL BONDING OF AIRCRAFT	E	
	BAPS150-000	INSTALLATION OF NUTS, BOLTS, SCREWS AND STUDS	B	
	BAPS151-001	INSTALLATION OF CONVENTIONAL RIVETS	B	
	BAPS151-042	INSTALLTION OF CHERRY RIVETLESS NUTPLATES	C	
	BAPS157-028	PRESSURE AND ENVIRONMENTAL SEALING	G	
	BAPS157-030	APPLICATION OF HIGH TEMPERATURE FIREWALL SEALING	B	
	BAPS160-010	CHROMIC ACID ANODIZING	D	
	BAPS160-020	CHEMICAL CONVERSION TREATMENT FOR ALUMINUM ALLOYS	C	
	BAPS160-023	HARD ANODIZING OF ALUMINUM ALLOYS	B	
	BAPS160-032	SULPHURIC ACID ANODIZING	C	
	BAPS160-034	ZINC-NICKEL ALLOY PLATING	NC	
	BAPS168-006	BAKING OF STEELS FOR RELIEF OF HYDROGEN EMBRITTLEMENT	NC	
	BAPS168-007	HEAT TREATMENT OF ALUMINUM ALLOYS	G	
	BAPS168-013	HARDNESS AND ELECTRICAL CONDUCTIVITY TESTING OF METALS	D	
	BAPS168-014	HEAT TREATMENT OF CARBON AND LOW ALLOY STEELS	B	
	BAPS168-015	STRESS RELIEF OF METALS	B	
	BAPS168-030	HEAT TREATMENT OF CORROSION RESISTANT AND MARAGING STEELS	B	
	BAPS175-004	INSTALLATION AND RETENTION OF SELF ALIGNING GROOVE BEARINGS BY ROLLER OR ANVIL SWAGING	A	
	BAPS175-005	INSTALLTION OF INTERFERENCE FIT BUSHINGS	NC	
	BAPS176-002	FLUORESCENT PENETRANT INSPECTION	D	



**Customer Specification Revision Levels**

	BAPS176-004	MAGNETIC PARTICAL INSPECTION	A	
	BAPS180-009	MANUAL SOLVENT CLEANING	C	
	BAPS180-015	PASSIVATION OF CORROSION RESISTANT STEELS	B	
	BAPS180-031	CLEANING AND DEOXIDIZING CORROSION AND HEAT RESISTANT ALLOYS AND TITANIUM ALLOYS	NC	
	BAPS183-4	CONTOUR SMOOTHNESS REQUIREMENTS CL-215 AND CL-215T AIRCRAFT	A	
	BAPS183-7	FLUSHNESS REQUIREMENTS FOR FASTENERS	C	
	BAPS185-000	GRINDING OF STEEL PARTS	A	
	BAPS185-002	SATURATION SHOT PEENING OF METAL PARTS	B	
	BAPS188-000	STANDARD FABRICATION DETAILS	E	
	BAPS188-001	STANDARD MACHINING PRACTICES FOR METALLIC PARTS	B	
	EMCM-001	ENGINEERING MATERIAL CONTROL MANUAL - CANADAIR PROGRAM	AM	
<b><u>Gulfstream</u></b>				4/20/2017
	AML2010	7055-O ALUMINUM ALLOY EXTRUSIONS	A	
	AML4001	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	D	
	AML4002	SPECIFIES THE PRODUCTS AND MANUFACTURES	A	
	AML4003	SHIM MATERIAL, CAST PLASTIC, EPOXY RESIN	F	
	AML4005	FASTENER INSERT AND EDGE SEALING MATERIALS	N	
	AML4008	GMS PREIMPREGNATED FIBERGLASS CLOTH (PREPREG)	E	
	AML4009	SPECIFIES MATERIALS LIST FOR GMS 4009	B	
	AML4013	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	-	
	AML4015	FILM AND TAPE, PLASTIC, SELF EXTINGUISHING, HEAT SEALABLE	-	
	AML4016	SPECIFIES PRODUCTS & MANUFACTURES QUALIFIED	A	
	AML4017	FM 300M ECS - APPROVED BY GMS 4017	A	
	AML4018	APPROVE MATERIAL LIST FOR GMS 4018	B	
	AML4019	APPROVED MATERIAL LIST FOR GMS4019	B	
	AML4020	GMS 4020 - 350 DEGREE F AUTOCLAVE CURE, TOUGHENED EPOXY CAR	B	
	AML4029	APPROVED MATERIAL LIST FOR GMS 4029	B	
	AML4030	SPECIFIES THE PRODUCTS AND MANUFACTURERS OF MATERIALS	A	
	AML4107	SEALING COMPOUND, FUEL RESISTANT, INTERMITTENT USE TO 360	B	

**Customer Specification Revision Levels**

	AML4109	AML FOR GMS4109 NON-SETTING, CORROSION-INHIBITING JOINTING	B	
	AML4112	AML FOR GMS4112 SEALING COMPOUND,POLYTHIOETHER, ELASTOMERIC	-	
	AML4113	AML FOR GMS4113-LIGHT LENS & WINDSHIELD SEALANT	A	
	AML4114	AML FOR GMS4114-AERODYNAMIC SMOOTHING COMPOUND, RAPID CURING	-	
	AML4116	APPROVED MATERIAL LIST:GMS 4116, AERODYNAMIC GAP-FILLING	-	
	AML4201	ABRASION RESISTANT (ANTI-CHAFE) COATING MATERIAL	D	
	AML4301	FILM ADHESIVE,STRUCTURAL METAL & THERMOSET PLASTIC	B	
	AML4302	AML FOR GMS4302 - ADHESIVE, CORE SPLICE, STRUCTURAL	E	
	AML4306	AML FOR GMS4306 INK, SILK SCREEN, ACRYLIC FOR DECAL MARKING	C	
	AML4309	APPROVED MATERIALS LIST FOR: GMS4309-"FILM ADHESIVE, STR	-	
	AML4311	GMS 4311 - FILM ADHESIVE, 250 DEG F CURE, 300 DEG F SERVICE,	A	
	AML4315	ADHESIVE PRIMER, STRUCTURAL, METAL SUSTRATES	-	
	AML4316	APPROVED MATERIAL LIST FOR GMS 4316	-	
	AML5002	APPROVED MATERIAL LIST FOR GMS 5002 EPOXY TOPCOAT SYS	-	
	AML5005	GMS 5005-EPOXY PRIMER COATING,WATERBORNE,LOW VOC	G	
	AML5006	EPOXY TOPCOAT,HIGH-SOLIDS, DIPHOSPHATE ESTER HYDRAULIC FLUID	K	
	AML5007	GMS 5007 - EPOXY SMOOTHING PRIMER, TROWELABLE	B	
	AML6002	SPECIFIES PRODUCTS AND MANUFACTURES OF MATERIALS	-	
	AMN-6323	CANCELS THIS AMN. NEW PART NUMBER IS NO LONGER REQUIRED	F	
	AMN-6376	RQAAT WINDOR LEAKS	-	
	CCS1000	COMPLETION CENTER STANDARD REQUIREMENTS/INDEX	V	
	CCS1001	HONEYCOMB PANEL JOINTS	U	
	CCS1002	INSERT INSTALLATION SPECIFICATION	U	
	CCS1003	STANDARD DRAWER ASSY/ INSTL	U	
	CCS1004	COMPOSITE HONEYCOMB/ FIBERGLASS FLAT PANEL	V	
	CCS1005	STANDARD ALUM ANGLES	G	
	CCS1006	INSULATED ICE DRAWER CONSTRUCTION	U	
	CCS1007	PADDLE LATCH INSTL	AA	
	CCS1008	STAINLESS STEEL FLEX LINE ASSY	H	

**Customer Specification Revision Levels**

	CCS1009	OXYGEN BOX INSTALLATION	A	
	CCS1010	PUSH BUTTON LATCH INSTALLATION	B	
	CCS1011	SPRING PIN ASSYS	G	
	CCS1012	AIR GASPER,COOLING INSTALL	L	
	CCS1013	ACCESS PANEL INSTL-INTERIOR CABINETRY	H	
	CCS1014	STANDARD TOE KICK ASSY/INSTL	P	
	CCS1015	WATER HEATER INSTL	H	
	CCS1016	STANDARD MAGAZINE RACK ASSY/INSTL	F	
	CCS1017	GALLEY OVEN INSTL	E	
	CCS1018	COOLING COMPARTMENT ASSY/INSTL	H	
	CCS1019	ROLLOUT CAN STORAGE INSTL	J	
	CCS1020	UMBRELLA RACK ASSY & INSTL	H	
	CCS1021	AEROQUIP SEAT TRACK FAB AND INSTL	B	
	CCS1022	ANGLE ATTACHMENTS FOR CABINETS & BULKHEADS	F	
	CCS1023	COFFEE MAKER INSTL	J	
	CCS1024	ELEC OUTLET INSTL	N	
	CCS1025	HOT CUP INSTALLATION	C	
	CCS1026	EMBEDDED PLATE INSTL-BHD TO BEAM ATTACH	B	
	CCS1027	STD SPRING PIN ATTACH-BHD TO SHELL	J	
	CCS1028	SHOULDER HARNESS INSTL DIVAN	D	
	CCS1029	REMOVABLE HEADER PANEL INSTL	J	
	CCS1030	ANCRA SEAT FABRICATION AND INSTL	J	
	CCS1031	PAPER TOWEL DISPENSER ASSY/INSTL	B	
	CCS1032	STOWABLE DOOR ASSY/INSTL	A	
	CCS1033	TV MONITOR INSTL	A	
	CCS1034	HINGED DOOR INSTL-TYPICAL CABINET	J	
	CCS1035	GALLEY VENT ASSY & INSTL	G	
	CCS1037	COOLING FAN/SHIELDED VENT INSTL	G	
	CCS1038	PREPCO HOT LIQUID CONTAINER INSTL	D	

**Customer Specification Revision Levels**

	CCS1039	ALUMINUM HONEYCOMB FLAT PANEL	K	
	CCS1041	SWITCH PANEL INSTALLATION	L	
	CCS1043	SHIELDING & BONDING REQUIREMENTS-E.M.I.	B	
	CCS1044	MATERIAL & PARTS SUBSTITUTION LIST	M	
	CCS1045	INVISIBLE HINGE INSTL	C	
	CCS1046	ADJUSTABLE SHELF ASSY/INSTL	G	
	CCS1047	SINK DRAIN ASSY	M	
	CCS1048	SLIDING DOOR ASSY/INSTL	G	
	CCS1049	DIVAN LIFERAFT SUPPORT INSTL	A	
	CCS1050	MONOGRAM ELEC FLUSHING TOILET	B	
	CCS1051	PULL HANDLE ASSY - SLIDING DOOR	D	
	CCS1052	LAVATORY LATCH BOLT INSTL	K	
	CCS1053	COMPOSITE CONTOURED PNLS SPEC CONTROL	E	
	CCS1054	SERVICE PANEL LIGHT ASSY INSTL	A	
	CCS1055	CARPET RUNNER HARDWARE INSTALLATION	G	
	CCS1057	1/4 TURN FASTNER STUD MODIFICATION	B	
	CCS1058	FOOTMAN LOOP MOD (LONG)	A	
	CCS1059	MECH DRAIN INSTL	G	
	CCS1060	TOILET SEAT MOD / INSTL	D	
	CCS1061	MISC PARTS LIST	-	
	CCS1062	AIR CONDITIONING DUCT MODIFICATION	M	
	CCS1063	WATER SUPPLY/DRAIN INSTL	C	
	CCS1064	EMERGENCY LIGHTING	E	
	CCS1065	STANDARD CABINET BACK PANELS	K	
	CCS1066	SINK DRAIN CHECK VALVE INSTL	A	
	CCS1067	MICROWAVE OVEN INSTL	G	
	CCS1068	TEDLAR COVERED FLAT PANELS	B	
	CCS1069	STANDARD TRASH CAN ASSY/INSTL	A	
	CCS1070	COFFEE MAKER FILL - MANUAL VALVE INSTL	J	

**Customer Specification Revision Levels**

	CCS1071	ICE DRAWER - MANUAL DRAIN VALVE INSTL	K	
	CCS1072	INSERT INSTL - COMPOSITE FLOORBOARDS	F	
	CCS1073	GALLEY STANDARD ATTACHMENT, FLOOR	H	
	CCS1074	BOSE BASS SPEAKER INSTL	E	
	CCS1075	FOOTMAN LOOP MOD (LONG)	F	
	CCS1076	CABINETY FABRICATION COMFORMITY NOTES	-	
	CCS1077	APPLICATION OF CORROSION-INHIBITING COMPOUNDS	C	
	CCS1078	EMER.FLOORPATH LIGHTING BATTERY INSTL	A	
	CCS1079	STD BULKHEAD ASSEMBLY	C	
	CCS1081	COMPOSITE HONEYCOMB/FIBERGLASS PANEL ASSY	E	
	CCS1082	TAMBOUR DOOR ASSY/INSTL	B	
	CCS1085	GIV SEAT TRACK INSTALLATION	A	
	CCS1086	TYPICAL CARPET INSTL	-	
	CCS1087	REMOVABLE DOOR JAMB - FWD LAV & VESTIBULE	A	
	CCS1088	BONDING STRAP INSTL-CABIN EQUIP.	-	
	CCS1089	AMP SEAT MOD OPTIONS- GIV & GV	-	
	CCS1090	FAX MACHINE INSTALLATION	C	
	CCS1091	ROSEN MONITOR BULKHEAD INSTL	B	
	CCS1092	PADDLE LATCH INSTL	C	
	CCS1093	BONDING STRAP INSTL - PSU	-	
	CCS1094	DOOR LATCH INSTL	D	
	CCS1095	COLD FOOD STORAGE THERMOELECTRIC UNIT AND FAN INSTL	-	
	CCS1097	DYNAMO COOLING UNIT INSTL	C	
	CCS1098	WORK AND EFFECT LIGHT ASSY/INSTL	G	
	CCS1099	STANDARD SINK INSTL	D	
	CCS1100	STANDARD HANDSET INSTALLED	D	
	CCS1101	LAV/SHROUD PIVOT ASSY/INSTL	E	
	CCS1102	MISCELLANEOUS LATCH INSTALL	D	
	CCS1103	STANDARD SINK ASSY	-	

**Customer Specification Revision Levels**

	CCS1106	CIRCUIT BREAKER PANEL INSTL	F	
	CCS1107	PAGE/CHIME SPEAKER INSTALLATION	A	
	CCS1108	GALLEY PULL-OUT WORK SURFACE ASSY/INSTL	F	
	CCS1109	COUNTERTOP SPECIFICATION	A	
	CCS1110	TISSUE HOLDER ASSY/INSTL	B	
	CCS1111	BEZEL ASSY	-	
	CCS1112	SWITCH PANEL INSTL	-	
	CCS1113	DRAWER LINERS AND ORGANIZERS	E	
	CCS1115	GLASS STORAGE RACK ASSY/INSTL	G	
	CCS1116	CLOSET LIGHT INSTL	C	
	CCS1117	SHEET METAL AND MODIFIED EXTRUSION DETAILS	D	
	CCS1118	COAT ROD INSTALLATION	A	
	CCS1119	ATTACHMENT INSTL - LWR GALLEY/GALLEY ANNEX	F	
	CCS1120	UPPER GALLEY/ANNEX ATTACHMENT INSTL	D	
	CCS1121	POWER SUPPLY & BONDING STRAP INSTL	-	
	CCS1123	MONITOR INSTL - CLOSETS	A	
	CCS1124	STANDARD MAGAZINE RACK ASSY/INSTL	C	
	CCS1125	ATTACHEMENT INSTL - G-IV STD BULKHEAD	A	
	CCS1126	ATTACHMENT INSTL - GV STD BULKHEAD	B	
	CCS1127	STANDARD BULKHEAD ATTACHMENT DETAILS	G	
	CCS1128	LATCH INSTL	F	
	CCS1129	PANEL EDGEFILL SPECIFICATIONS	L	
	CCS1130	PANEL WIRE ROUTING CONDUIT INSTL	B	
	CCS1131	ATTACHMENT INSTL - LOWER, CLOSET	E	
	CCS1132	DOOR JAMB INSTL	A	
	CCS1133	DUAL CUP HOLDERS	-	
	CCS1134	HEAT DIFFUSER DUCT INSTL	B	
	CCS1136	GENERAL PURPOSE INTERIOR ADHESIVE CLASSIFICATION	H	
	CCS1139	INTERIOR CABINET PAINT SPECIFICATION	F	

**Customer Specification Revision Levels**

	CCS1141	BLOW OUT-STANDARD HINGE ASSY-INSTL	D	
	CCS1143	ASHTRAY INSTL	B	
	CCS1145	FLOOR BOLT INSTL-CABIN DOOR	F	
	CCS2005	TOLERANCING REQUIREMENTS	E	
	CCS2006	STANDARD FOLD-UP PROCESS FOR DRAWERS AND PANELS	A	
	CGER-1122	OPKBASE ENVIR INTERACTIVE PROC TO SUPPORT CONFORMITY PROCESS	E	
	CGER-1123	OPK BASE ENVIR MFG SUPPLIER INTERATION REQMTS SPEC & GUIDE	E	
	DM-QG-0001	PDOCM TO SUPPLIER PORTAL DISTRIBUTION - QUICK GUIDE	C	
	GA101-1136	SPRING COMPRESSION	A	
	GA101-1138	SPRING-COMPRESSION	B	
	GA101-1139	SPRING-COMPRESSION	A	
	GA101-1144	SPRING - COMPRESSION	-	
	GA101-1272	SPRING-COMPRESSION	-	
	GA101-1334	SPRING-COMPRESSION	A	
	GA101-2000	SPRING-COMPRESSION	A	
	GA101-2001	SPRING-COMPRESSION	B	
	GA101-2002	SPRING-COMPRESSION	C	
	GA101-2004	SPRING-COMPRESSION	A	
	GA101-2005	SPRING - COMPRESSION	-	
	GA101-2006	SPRING, COMPRESSION	-	
	GA101-2007	SPRING, COMPRESSION	A	
	GA101-2008	SPRING - COMPRESSION	-	
	GA101-2009	SPRING, COMPRESSION	-	
	GA101-2010	SPRING - COMPRESSION	A	
	GA101-2011	SPRING - COMPRESSION	-	
	GA101-268	SPRING-COMPRESSION	-	
	GA101-322	SPRING - COMPRESSION	-	
	GA101-831	SPRING-COMPRESSION	-	
	GA101-895	SPRING-COMPRESSION	A	

**Customer Specification Revision Levels**

	GA101-896	SPRING-COMPRESSION	-	
	GA101-904	SPRING - COMPRESSION	-	
	GA102-0001	SPRING, EXTENSION	-	
	GA102-0002	SPRING, EXTENSION	-	
	GA102-0003	SPRING, EXTENSION	-	
	GA102-0004	SPRING, EXTENSION	A	
	GA102-0005	SPRING, EXTENSION	-	
	GA102-0007	SPRING, EXTENSION	A	
	GA102-0008	SPRING, EXTENSION	A	
	GA102-0009	SPRING, EXTENSION	-	
	GA102-1000	SPRING - EXTENSION	-	
	GA102-1001	SPRING - EXTENSION	-	
	GA102-1002	SPRING - EXTENSION	-	
	GA102-1003	SPRING, EXTENSION	A	
	GA102-474	SPRING-EXTENSION	-	
	GA102-475	SPRING - EXTENSION	-	
	GA102-49	SPRING-EXTENSION	-	
	GA102-502	SPRING-EXTENSION	A	
	GA102-624	SPRING - EXTENSION	B	
	GA102-625	SPRING - EXTENSION	A	
	GA102-627	SPRING EXTENSION	A	
	GA102-629	SPRING EXTENSION	-	
	GA102-630	SPRING - EXTENSION	-	
	GA102-715	SPRING-EXTENSION	-	
	GA102-725	SPRING EXTENSION	B	
	GA103-49	SPRING-FLAT	A	
	GA104-1000	SPRING-TORSION	A	
	GA104-1001	SPRING - TORSION	-	
	GA104-1002	SPRING - TORSION	-	



**Customer Specification Revision Levels**

	GA104-1003	SPRING - TORSION	-	
	GA104-1004	SPRING, TORSION	-	
	GA104-393	SPRING-TORSION	A	
	GA104-510	SPRING - TORSION	A	
	GA104-535	SPRING, TORSION	-	
	GA104-543	SPRING - TORSION	-	
	GA104-547	SPRING, TORSION	-	
	GA116	CLIP, RIGHT ANGLE, EQUAL LEG, STRINGER	-	
	GA117	CLIP, RIGHT ANGLE, UNEQUAL LEG, STRINGER	-	
	GA1CR	CROSS REFERENCE LIST - VENDOR PART NUMBER VS. GA STAND	A	
	GA215-131	GASKET	-	
	GA215-16	GASKET	-	
	GA215-160	GASKET	B	
	GA215-27	GASKET	-	
	GA215-80	GASKET	-	
	GA220-1	TUBE CLAMP ASSEMBLY - .250 DIAMETER	-	
	GA220-101	TUBE CLAMP	-	
	GA220-1149	TUBE CLAMP	-	
	GA220-1152	TUBE CLAMP	-	
	GA220-1336	TUBE CLAMP	-	
	GA220-1612	TUBE CLAMP	-	
	GA220-1615	TUBE CLAMP	-	
	GA220-1617	TUBE CLAMP	-	
	GA220-1619	TUBE CLAMP	-	
	GA220-1620	TUBE CLAMP	-	
	GA220-1631	TUBE CLAMP	-	
	GA220-1632	TUBE CLAMP	-	
	GA220-1633	TUBE CLAMP	-	
	GA220-176	TUBE CLAMP	-	

**Customer Specification Revision Levels**

	GA220-436	TUBE CLAMP	-	
	GA23	WASHER-BEVEL,ALUMINUM ALLOY	A	
	GA326	BUSHING - BRONZE, SHOULDER, PRESS FIT	A	
	GA338	WASHER, ENGINE CONTROL ROD END	A	
	GA341	HINGE - EXTRUDED, SEAL - TIGHT LAP TYPE	-	
	GA342	HINGE - BUTT,SEAL - TIGHT, ALUMINUM ALLOY	-	
	GA352	SPACER, SPRING RETAINING GROOVED	-	
	GA365	FILTER, HYDRAULIC AIR VENT	B	
	GA374	WASHER, SPECIAL OVERSIZE	-	
	GA385	WASHER-100% DIMPLED	-	
	GA398	SPACER, STANDOFF, .138-32UNC-3B INTERNALLY THREADED,	-	
	GA404	BEAD-TUBING A/C SYS	-	
	GA409	SPACER ASSY-BEARING INNER RACE, ONE WASHER	A	
	GA41	THREAD RELIEF-UNIFIED & NATIONAL THREAD FORM	-	
	GA411	BEARING INSTL BELLCRANK DOUBLE	-	
	GA414	FITTING CABLE TO SECTOR ATTACHMENT	-	
	GA415	BUS, CIRCUIT BREAKER	-	
	GA416	NAMEPLATE:HYDRAULIC UNIT DISASSEMBLY INSTRUCTION	-	
	GA423	BUSHING, .188 ID, CLAMP-UP	A	
	GA435	STRIP,TERMINAL IDENTIFICATION	-	
	GA436	PANEL ASSY CONSOLE BLANK	A	
	GA452	STRIP, TERMINAL IDENTIFICATION	-	
	GA469	STAKE PRESS FIT BEARING	-	
	GA476	BUSHING, .250 ID, CLAMP-UP	A	
	GA90	LUG BONDING	-	
	GAA100A	ADHESIVE-EPOXY,ALUMINUM FILLED, TWO COMPOUND A/B	B	
	GAA100AA	ADHESIVE-CORE SPLICER, STRUCTURAL	B	
	GAA100AB	ADHESIVE-EPOXY,TWO COMPONENT,LIQUID	A	
	GAA100AC	ADHESIVE-SEALANT, ONE-COMPONENT CONDUCTIVE SILICONE RTV	C	

**Customer Specification Revision Levels**

	GAA100AD	ADHESIVE-SEALANT, ONE COMPONENT, ELECTRICALLY CONDUCTIVE, PO	A	
	GAA100AE	ADHESIVE-HIGH TEMPERATURE, ONE COMPONENT	B	
	GAA100AF	ADHESIVE-SEALANT, TWO-COMPONENT, ELECTRICALLY CONDUCTIVE, EP	A	
	GAA100AG	ADHESIVE FILM POLYIMIDE 600 DEG F	A	
	GAA100AH	ADHESIVE - RUBBER CEMENT, NON-STRUCTURAL, NON-OIL RESISTANT	A	
	GAA100AJ	ADHESIVE-RUBBER CEMENT, NON-STRUCTURAL, OIL RESISTANT	B	
	GAA100AK	ADHESIVE - RUBBER CEMENT, NON-STRUCTURAL, FUEL RESISTANT	B	
	GAA100AM	ADHESIVE - POLYCHLOROPRENE	A	
	GAA100AP	ADHESIVE - PRESSURE SENSITIVE SILICONE, TWO COMPOUND A/B	A	
	GAA100AS	ADHESIVE - EPOXY, FILM	A	
	GAA100AU	ADHESIVE CONTACT CEMENT	B	
	GAA100BD	ADHESIVE EPOXY GENERAL PURPOSE	G	
	GAA100BE	ADHESIVE-EPOXY,420 DEG.F (216 DEG.C)	A	
	GAA100BG	ADHESIVE-SEALANT,THERMALLY CONDUCTIVE SILICONE, ONE COM	-	
	GAA100BL	ADHESIVE-RUBBER CEMENT	A	
	GAA100BM	ADHESIVE-SEALANT, RTV SILICONE, ONE COMPONENT	B	
	GAA100BN	ADHESIVE -TWO COMPONENT PLOYURETHANE	D	
	GAA100BP	ADHESIVE-FORMAT FAST, AERSOL, ONSTANT BOND, SOFT	-	
	GAA100BV	ADHESIVE,SILICONE	A	
	GAA100C	ADHESIVE-CONDUCTIVE,SILICONE,TWO COMPONENT WITH	-	
	GAA100CB	ADHESIVE-RUBBER CEMENT	-	
	GAA100CP	PROCESS FOR POTTING AND SEALING OF EWIS COMPONENTS	E	
	GAA100D	ADHESIVE - SEALANT, SILICONE RUBBER	B	
	GAA100E	ADHESIVE - ACRYLIC, TWO PART COMPONENT A/B	A	
	GAA100ED	ADHESIVE, EPOXY	A	
	GAA100FP	ADHESIVE - CONTACT CEMENT	-	
	GAA100M	ADHESIVE FILM	-	
	GAA100NV	ADHESIVE, SPRAYABLE	A	
	GAA100RV	ADHESIVE-POLYCHLOROPRENE, AEROSOL SPRAY	A	

**Customer Specification Revision Levels**

	GAA100SE	EXPENDABLE MATERIALS FOR USE IN BOND OPERATIONS	L	
	GAA100V	ADHESIVE EPOXY POLYAMIDE TWO COMPONENT	-	
	GAA100VA	ADHESIVE-EPOXY, TWO COMPONENT, FLAME RETARDANT	B	
	GAA100VF	ADHESIVE - EPOXY, TWO COMPONENT, FLAME RESISTANT	C	
	GAA100W	ADHESIVE-SEALANT,ONE COMPONENT SILICONE	A	
	GAA105A	ALUMINUM ALLOY 6061-T6,ANODIZED,QQ-A250/11	-	
	GAA105F	ALUMINUM PLATE & FOIL PHOTSENSITIVE,GG	-	
	GAA105G	ALUMINUM PLATE & FOIL PHOTSENSITIVE COLORED,GG-P-455	-	
	GAA105S	SHAPE CHANNEL EXTRUDED	-	
	GAA10D	ADJUSTER,.094 CABLE	-	
	GAA120A	ACTIVATOR	B	
	GAA12A	ABBREVIATIONS & LEGENDS	-	
	GAA500A	ADAPTER TUBE FITTING FLARELESS TO FEMALE AN END	-	
	GAA500B	ADAPTER TUBE FITTING FLARELESS TUBE	-	
	GAA500ED	ADAPTER - TUBE EXTERNALSWAGE TO MALE FLARELESS	A	
	GAA500G	ADAPTER TUBE FITTING FLARELESS TUBE END TO MALE PIPE THREAD	A	
	GAA500U	ADAPTER	-	
	GAA510AA	ANGLE - CONNECTING	A	
	GAA510AB	ANGLE - CONNECTING	A	
	GAA510AC	ANGLE - CONNECTING	-	
	GAA510AD	ANGLE - CONNECTION	A	
	GAA800AAA	ADAPTER	A	
	GAA800AAC	ADAPTER	A	
	GAA800AAD	ADAPTER RING KIT FOR MIL-38999 SERIES II TYPE CONNECTOR	-	
	GAA800AAE	ADAPTER RING KIT FOR MIL-83723/23/26482 TYPE CONNECTOR	-	
	GAA800AAF	ADAPTER RING KIT FOR MIL-83723/26482 TYPE CONNECTOR	-	
	GAA800AAH	BACKSHELL, EMI/RFI NON-ENVIRONMENTAL FOR MIL-C-83723	-	
	GAA800AAM	BACKSHELL, EMI STRAIGHT, COMPOSITE DG123 TYPE	-	
	GAA800AAN	BACKSHELL,EMI STRAIGHT,SPIN RING ADAPTOR DG123CONNECTOR	A	

**Customer Specification Revision Levels**

	GAA800AH	ADAPTER ELEC, STEP DOWN WIRE TO CRIMP CONTACT	-	
	GAA800B	ADAPTER ELEC CONNECTOR COAXIAL CABLE	-	
	GAA800BA	BACKSHELL - COMPOSITE, RFI/EMI	C	
	GAA800BB	BACKSHELL - RFI/EMI (ALUMINUM)	A	
	GAA800BC	BACKSHELL-ELETROMAGNETIC INTERFERENCE (EMI)	A	
	GAA800BE	BLACKSHELL- STRAIN RELEIF	-	
	GAA800BF	BACKSHELL-ALUMINUM,90 DEG,RFI/EMI,LOW PROFILE	C	
	GAA800BL	ADAPTER ELEC STEP-DOWN WIRE	-	
	GAA800BT	BACKSHELL, CIRCULAR, EMI, SELF-LOCKING, ENVIRONMENTAL AND NO	D	
	GAA800F	ADAPTER ELEC SOLDER CUP, WIRE TO CONTACT	-	
	GAA800GH	BACKSHELL - RFI/EMI,MIL-C-81659 CONNECTOR	A	
	GAA800V	ADAPTER ELEC FERRULE	-	
	GAA800YW	ADAPTER	A	
	GAA800YY	ADAPTER	A	
	GAA801J	ADAPTER CONNECTOR CIRCULAR W/STRAIN	-	
	GAA810A	ANTENNA-ADF RECEIVER	-	
	GAA810B	ANTENNA-COUPLER	-	
	GAA810C	ANTENNA-VOR/LOC	A	
	GAA810D	ANTENNA-GLIDE SLOPE,DUAL PORT	A	
	GAB100B	BATTING-INSULATION,GLASS,FIBER,SILICONE RESIGN BINDER	-	
	GAB100C	BATTING- INSULATION,THERMAL,ACOUSTIC,GLASS,SILICONE BIND	-	
	GAB100D	ACOUSTIC, HIGH TEMPERATURE FIBER	-	
	GAB100T	BATTING - INSULATION BAG ASSEMBLIES, THERMAL	J	
	GAB105A	BLANKET-INSULATION,ACOUSTIC,FELT,NOMEX FIBER	B	
	GAB105AA	BLANKET - ACOUSTIC COMPOSITE	G	
	GAB105AB	BLANKET, ACOUSTIC, ARAMID FIBER	-	
	GAB105AC	BLANKET, ACOUSTIC, ARAMID FIBER ASSEMBLY	A	
	GAB105B	BLANKET INSULATION THERMAL FLEXIBLE LT WT	-	
	GAB105D	BLANKET, INSULATION, ACOUSTICAL AND SOUND PROOFING	-	

**Customer Specification Revision Levels**

	GAB10A	BUSHING, PLAIN, PRESS FIT, STEEL & CRES	C	
	GAB10B	BUSHING, PLAIN PRESS FIT BRONZE	A	
	GAB10C	BUSHING - SHOULDER, PRESS FIT, .030-.050 CHAMFER	G	
	GAB10D	BUSHING, PLAIN CLAMP UP	E	
	GAB10E	BUSHING, SHOULDER PRESS FIT,.005-.015 CHAMFER	C	
	GAB10F	BUSHING- SHOULDER, SLIP FIT	K	
	GAB10G	BUSHING - PLAIN, SLIP FIT	L	
	GAB10H	BUSHING - PLAIN,STRAIGHT	A	
	GAB10HA	BUSHING-MS24694 TENSION HEAD,A-286 CRES (.016 WALL)	-	
	GAB10HB	BUSHING-MS24694 TENSION HEAD,A-286 CRES (.008 WALL)	-	
	GAB10J	BUSHING - PLAIN,SLIP FIT	B	
	GAB10K	BUSHING-100 DEG.COUNTERSUNK MS20426 HEAD,FLARED APP	-	
	GAB10L	BUSHING-PROTRUDING TYPE HEAD,A-286 CRES	-	
	GAB10M	BUSHING-130 DEG. SHEAR HEAD,FLARED APPLICATIONS	-	
	GAB10MA	BUSHING-130 SHEAR HEAD, FLARED APPLICATIONS (.016 WALL)	-	
	GAB10N	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES (.008 WALL)	-	
	GAB10NA	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES, 1/64 O/SIZE	-	
	GAB10NB	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES (.032 WALL)	-	
	GAB10NC	BUSHING-SPECIAL SHEAR HEAD,A-286 CRES (.016 WALL)	-	
	GAB10P	BUSHING - SNAP, PLASTIC	A	
	GAB10R	BUSHING-LOCKING,BEARING,BALL,ROLER AND SPHERICAL PLAIN	-	
	GAB10S	BUSHING-100 DEG. SHEAR HEAD,FLARED APPLICATION(.032 WAL	-	
	GAB10V	BUSHING, SHOULDER, PRESS FIT OD, SLIP FIT ID, CHAMFER .005	C	
	GAB11A	BRKT CLAMP SUPPORT	-	
	GAB11B	BRKT ASSY CLAMP SUPPORT LT. HOLE FLANGE	-	
	GAB11B	BRKT ASSY CLAMP SUPPORT LT. HOLE FLANGE	-	
	GAB11C	BRKT/BRACKET ASSY CLAMP SUPPORT,RIGHT ANGLE FUEL TANK	A	
	GAB11D	BRKT/BRACKET ASSY CLAMP SUPPORT	B	
	GAB11E	BRKT ASSY CLAMP SUPPORT R H ANGLE	-	

**Customer Specification Revision Levels**

	GAB11F	BRACKET - CLAMP SUPPORT, WIRE BUNDLE	A	
	GAB11G	BRKT ASSY ELEC CABLE STRAP SUPPORT	D	
	GAB11L	BRKT ASSY ELEC CABLE SUPPORT	A	
	GAB11M	BRACKET/BRACKET ASSEMBLY - ELECTRICAL CABLE SUPPORT	C	
	GAB11N	BRACKET/BRACKET ASSEMBLY - CLAMP SUPPORT	C	
	GAB13A	BEAD 1.25 WIDE, STRUCTURAL	A	
	GAB13B	BEAD 0.94 WIDE, STRUCTURAL	C	
	GAB13C	BEAD-2.56 WIDE, STRUCTURAL	-	
	GAB13E	BEAD-NON-STRUCTURAL	-	
	GAB14A	BEARING PLAIN -SPHERICAL BRONZE RACE	-	
	GAB14E	BEARING INSTL-SWAGE RETAINED TYPE, SPHERICAL	A	
	GAB14F	BEARING TEFLON LINED SPHERICAL	-	
	GAB14G	BEARING, SWAGE RETAINED, SPERICAL, STEEL RACE	A	
	GAB14J	BEARING INSTL,SWAGE RETAINED TYPE,SHERICAL,SPACE APPL.	A	
	GAB14K	BEARING,DOUBLE ROW,TORQUE TUBE TYPE	A	
	GAB15C	BOSS, OIL SCUPPER, DRAIN LINE	B	
	GAB15N	BOSS-STRAIGHT THREAD, GASKET SEAL	A	
	GAB17A	BONDING METHOD FOR BOLTED CONNECTION	-	
	GAB17B	BONDING, GROMMET PLASTIC EDGING	-	
	GAB17G	BONDING - ELECTRICAL & LIGHTNING PROTECTION	J	
	GAB18C	BAND INSTL IDENTIFICATION,PERMANENT/DISPOSABLE	-	
	GAB21C	BASE ELEC MULTI-POINT GROUND	-	
	GAB21D	BASE ELEC MULTI-POINT GROUND (2) MOUNTING HOLES	-	
	GAB23A	BRACKET-FLAT, ANGKE, AND DOUBLE ANGLE	-	
	GAB23J	BRACKET,ZEE,CLAMP SUPPORT	-	
	GAB23K	BRACKET, ANGLE CLAMP SUPPORT	A	
	GAB23L	BRACKET CLAMP SUPPORT	-	
	GAB300CA	GULFSTREAM STANDARD NUMBERING SYSTEM	-	
	GAB500A	BASE-ALIGNING, HEX NUT	-	

**Customer Specification Revision Levels**

	GAB502A	BULKHEAD - FITTING ASSEMBLY	-	
	GAB504R	BELLOWS ASSY BALLJOINT, 2 INCH DIAMETER	-	
	GAB504S	BELLOWS ASSY, TIE-ROD 3 INCH DIAMETER	-	
	GAB510A	BOLT HIGH STRENGTH , 100 DEG CSK SHEAR HEAD, TITANIUM	B	
	GAB510AE	BOLT, 100 F FLUSH HEAD, HI-TORQUE RECESS, 160 KSI FTU	-	
	GAB510B	BOLT 100 DEG FLUSH SHEAR HEAD,ALLOY STEEL,CADMIUM PLATE	B	
	GAB510BN	BOLT 100 DEG FLUSH HEAD CROWN SHEAR HEAD, ALLOY STEEL	A	
	GAB510BP	BOLT 100 DEG FLUSH HEAD,CROWN SHEAR HEAD,H11 ALY STL	A	
	GAB510C	BOLT-HIGH STRENGTH, 100 DEG CSKHEAD,TENSION,STEEL	B	
	GAB510CV	BOLT-100 DEG FLUSH CROWN SHEAR HEAD, A286, MECHANICAL LOCK	-	
	GAB510D	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, ALUMINUM	-	
	GAB510DG	BOLT-100 DEGREES FLUSH SHEAR HEAD,TITANIUM	-	
	GAB510DH	BOLT-100 DEGREE FLUSH MS24694 TENSION HEAD,TITANIUM	-	
	GAB510E	BOLT-100 DEG FLUSH SHEAR HEAD, 431 CRES,CADMIUM PLATE,	A	
	GAB510EN	BOLT-100 DEG FL HEAD,HEX REC,A286 CRES,LONG THREAD	-	
	GAB510F	BOLT - 100 FLUSH MS24694 TENSION HEAD, STAINLESS STEEL	-	
	GAB510FA	BOLT-100% FLUSH MS24694 TENSION HEAD, PH13-8M	-	
	GAB510FB	BOLT-100 DEGREES FLUSH SHEAR HEAD,PH13-8MO CRES	-	
	GAB510FF	BOLT-100 FLUSH SHEAR HEAD,INCONEL 718,220 KSI FTU,125	B	
	GAB510FG	BOLT-100 DEG FLUSH SHEAR HEAD,PH13-8MO STAINLESS	-	
	GAB510GA	BOLT LT.100 DEG FLUSH SHEAR HEAD	C	
	GAB510GB	BOLT LT.100 DEG SHEAR HEAD TITANIUM.95 KSI FSU	C	
	GAB510GC	BOLT 100 DEG TENSION HEAD A286 CRES PASSIVATED 160 KSI	-	
	GAB510GD	BOLT - 100 DEGREE FLUSH MS24694 TENSION HEAD,TITANIUM	C	
	GAB510GF	BOLT - 100 FLUSH CROWN HEAD, TITANIUM, 1/32 OVERSIZE	-	
	GAB510GG	BOLT - 100 FLUSH CROWN HEAD, ALLOY STEEL, 1/64 OVERSIZE	-	
	GAB510GH	BOLT - 100 FLUSH CROWN HEAD,ALLOY STEEL, 1/32 OVERSIZE	-	
	GAB510GJ	BOLT-100 DEGREE FLUSH SHEAR HEAD,TITANIUM,1/64OVERSIZE	-	
	GAB510GK	BOLT-100 FLUSH SHEAR HEAD, TITANIUM, 1/32 OVERSIZE	-	



**Customer Specification Revision Levels**

	GAB510GL	BOLT-100 FLUSH SHEAR HEAD,PH13-8MO STAINLES STEEL 1/64OVER	B	
	GAB510GM	BOLT-100 FLUSH SHEAR HD,PH13-8MO STAINLESS STEEL,1/32OVERS	B	
	GAB510GN	BOLT - 100 FLUSH CROWN HEAD, TITANIUM, 1/64 OVERSIZE	-	
	GAB510GP	BOLT=100 FLUSH MS24694 TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB510GR	BOLT-100 FLUSH MS24694 TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB510GT	BOLT, 130 DEGREE FLUSH CROWN SHEAR HEAD, TITANIUM	A	
	GAB510J	BOLT, STUD, 100 FLUSH SHEAR HEAD, ALLOY STEEL	A	
	GAB510JA	BOLT - BLIND, STRUCTRURAL, 130 CSK HEAD, CORROSION	-	
	GAB510K	BOLT-100 DEGREE FLUSH SHEAR HEAD, TITANIUM	-	
	GAB510L	BOLT, 100 F CSK REDUCED HEAD, HI-TORQUE RECESS, SHORT	B	
	GAB510M	BOLT, SHEAR, FLUSH, HI-TORQUE RECESS, SHORT THREAD, 150	-	
	GAB510N	BOLT, SHEAR FLUSH, 132 KSI MAX SHEAR, 450 F, SHORT THRE	-	
	GAB510P	BOLT - 100 DEG CSK TENSION HEAD, TITANIUM ALLOY	A	
	GAB510PR	BOLT-100 DEGREE FULL COUNTERSUNK HEAD, DOVETAIL RECESS,	-	
	GAB510R	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, STEEL, 1/64	A	
	GAB510T	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, CRES, 1/32 O	-	
	GAB510U	BOLT HIGH STRENGTH, 100 DEG FLUSH TENSION HEAD,H- 11 STL	-	
	GAB510V	BOLT	-	
	GAB510W	BOLT-100 DEGREE FLAT HEAD, TORQ-SET, 180 KSI, CRES	-	
	GAB510Y	BOLT - STUD, 100 FLUSH SHEAR HEAD, A286	A	
	GAB511A	BOLT-SHEAR, 12 PT 156 KSI FSU,482 DEG C. SHORT THREAD	-	
	GAB511AB	BOLT - PROTRUDING SHEAR HEAD, TITANIUM	A	
	GAB511AD	BOLT-PROTRUDING TENSION HEAD,TITANIUM	-	
	GAB511AM	BOLT, PROTRUDING SHEAR HEAD, STEEL, .016 OVERSIZE	A	
	GAB511AP	BOLT, HIGH STRENGTH, PROTRUDING SHEAR HEAD, CRES 1/32 O	A	
	GAB511AS	BOLT-PROTRUDING HEAD,NICKEL BASE ALLOY(INCONEL 718)	-	
	GAB511AU	BOLT-PROTRUDING TENSION HEAD,NICKEL BASE ALLOY	-	
	GAB511AW	BOLT-156 KSI FSU, PROTUDING SHEAR HEAD, H-11 ALY STL	A	
	GAB511B	BOLT SHEAR 12 PT 132,000 PSI SHEAR STRENGTH	-	

**Customer Specification Revision Levels**

	GAB511BA	BOLT-PROTRUDING TENSION HEAD, NICKEL BASE ALLOY	-	
	GAB511C	BOLT- PROTRUDING TENSION HEAD, PH13-8MO STAINLESS STEEL	D	
	GAB511CG	BOLT-PROTRUDING TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB511CM	BOLT-PROTRUDING TENSION HEAD, PH13-8MO STAINLESS STEEL	A	
	GAB511CS	BOLT-PROTRUDING SHEAR HEAD,ALLOY STEEL,.032 OVERSIZE	-	
	GAB511CU	BOLT FLAT PAN HEAD, HI-TORQUE REC LONG THREAD,DRILLED	-	
	GAB511D	BOLT-HIGH STRENGTH, PROTUDING SHEAR HEAD, ALY STL	C	
	GAB511DA	BOLT-HEX HEAD, MAGNETIC, 1000 DEG C10SE, TOLERANCE	-	
	GAB511E	BOLT HIGH STRENGTH PROTRUDING TENSION HEAD	-	
	GAB511EB	BOLT SHEAR, 12 POINT, 132 KSI FSU, INCREASED THREAD LG	A	
	GAB511EC	BOLT SHEAR, 12 POINT, 156 KSI FSU INCREASED THREAD LENG	A	
	GAB511EF	BOLT TENSION,12 POINT EXT WRENCHING,220 KSI FSU 482 DEG	-	
	GAB511EG	BOLT 12 POINT,REDUCED PROTRUDING TENSION HEAD	-	
	GAB511EH	BOLT-HEX HEAD LONG LSILVER PLATED THREAD	-	
	GAB511FK	BOLT, PROTRUDING TENSION HEAD,A 286 CRES PASSIVATED 160	-	
	GAB511G	BOLT HIGH STRENGTH PROTUDING SHEAR HEAD CRES	C	
	GAB511GA	BOLT SHEAR, 130 DEG FLUSH HEAD, TITANIUM 6AL-4V,95KSI	E	
	GAB511GB	BOLT LT. PROTRUDING SHEAR HEAD	C	
	GAB511GC	BOLT LT. PROTRUDING SHEAR HEAD	C	
	GAB511GD	BOLT-PROTRUDING SHEAR HEAD,NICKEL BASED ALLOY	-	
	GAB511GE	BOLT-SHEAR, 12-POINT HEAD, MP35N, 145 KSI FSU	A	
	GAB511GF	BOLT TENSION,12 PT EXT WRENCHING	D	
	GAB511GG	BOLT-SHEAR, 12 POINT, INCONEL 718,132 KSI FSU (UP TO .625 DI	C	
	GAB511GH	BOLT-PROTRUDING TENSION HEAD,TITANIUM	C	
	GAB511GJ	BOLT PROTRUDING SHEAR HEAD, PH13-8MO STEEL	-	
	GAB511GK	BOLT-PROTRUDING TENSION HEAD,STEEL	B	
	GAB511GM	BOLT PROTRUDING TENSION HEAD, ALLOY STEEL, 1/64 OVERSIZE	-	
	GAB511GN	BOLT - PROTRUDING SHEAR HEAD, ALLOY STEEL 1/64 OVERSIZE	-	
	GAB511GP	BOLT - PROTRUDING TENSIONHEAD, ALLOY STEEL,1/32 OVERSIZE	-	

**Customer Specification Revision Levels**

	GAB511GR	BOLT - PROTRUDING SHEAR HEAD,ALLOY STEEL,1/32 OVERSIZE	-	
	GAB511GS	BOLT-PROTRUDING SHEARHEAD,PH13MO STAINLESS STEEL 1/64 OVER	-	
	GAB511GT	BOLT - PROTRUDING SHEAR HEAD, PH13-8 MO STAINLESS STEEL	-	
	GAB511GV	BOLT-PROTRUDING SHEAR HEAD,TITANIUM,1/64 OVERSIZE	-	
	GAB511GW	BOLT PROTRUDING SHEAR HEAD, TITANIUM, 1/32 OVERSIZE	-	
	GAB511H	BOLT TENSION, 12 PT, EXT. WRENCHING, 220,000 PSI,450 F	A	
	GAB511J	BOLT, PAN HEAD, HI-TORQUE RECESS, TITANIUM ALLOY	-	
	GAB511K	BOLT HIGH STRENGTH, PROTRUDING SHEAR HD TITANIUM	A	
	GAB511L	BOLT-PROTRUDING SHEAR HEAD, PH13-8MO STAINLESS STEEL	C	
	GAB511MA	BOLT - PROTRUDING TENSION HEAD, TITANIUM ALLOY	A	
	GAB511MB	BOLT - PROTRUDING SHEAR HEAD, TITANIUM ALLOY	A	
	GAB511N	BOLT-12 POINT,INCONEL	A	
	GAB511P	BOLT PROTUDING TENSION HEAD TITANIUM 160 KSI FTU	-	
	GAB511V	BOLT PROTRUDING TENSION HEAD, STAINLESS STEEL	A	
	GAB511W	BOLT TENSION 12 PT. EXT WRENCHING,LIGHTWEIGHT	A	
	GAB512AA	BOLT-STRUCT, CLOSE TLRNCE,100 DEG CSK HD, TIT ALLOY, ANOD	-	
	GAB512AB	BOLT-STRUCTURAL,CLOSE TOLERANCE,HEXAGON HEAD	-	
	GAB512AC	BOLT - STRUCT, CLOSE TOL., 100 DEG CSK HD, TIT ALLOY, ANOD	-	
	GAB512GA	BOLT SWAGE LOCKING 100 CSK HEAD	-	
	GAB512GB	BOLT SWAGE LOCKING PULL TYPE PROTRU HD TITA 95KSI FSU	B	
	GAB512GC	BOLT SWAGE LOCKING PULL TYPE 130 DEG	C	
	GAB512GD	BOLT SWAGE LOCKING STUMP TYPE 100 DEG CSK	-	
	GAB512GE	BOLT SWAGE LOCKING STUMP TYPE PROTRUDING HEAD	B	
	GAB512GF	BOLT SWAGE LOCKING STUMP TYPE 130 DEG	B	
	GAB512S	BOLT 100 DEG FLUSH SHEAR HEAD STEEL, CADMIUM PLATED	-	
	GAB512T	BLT TEN DBL HEX,FLANG,180KSI TEN STREN. APPL 900F INCON718	B	
	GAB512V	BOLT SWAGE LOCKING, PULL TYPE PROTRUDING HEAD,ALY STL	A	
	GAB512W	BOLT,SHEAR,12 POINT,MP35N,145 KSI FSU	C	
	GAB513W	BOLT TENSION 12PT,EXT.WRENCHING,LIGHTWEIGHT 220,000 PSI	-	

**Customer Specification Revision Levels**

	GAB520C	BEARING, ROLLER, SINGLE ROW, SPHERICAL	A	
	GAB520DG	GAB520DG	-	
	GAB520DN	BRG NARROW GROOVED, HIGH TEMP. SPHER.	-	
	GAB520FP	BEARING, SPHERICAL	-	
	GAB520FR	BEARING, SPHERICAL REPLACEABLE BALL	-	
	GAB520L	BEARING, BALL, SINGLE ROW, FAIRLEAD	D	
	GAB523C	BEARING-ROLLER,AIRFRAME,SINGLE ROW,CRES	-	
	GAB523D	BEARING-TRACK, ROLLER, BALL, SINGLE ROW, SEALED	B	
	GAB523GA	BEARING, SINGLE ROW, SELF ALIGNING, SEALED	C	
	GAB523GB	BEARING, SPHERICAL, SELF LUBRICATING, NUT LOCKING	C	
	GAB523GC	BEARING, SINGLE ROW, SELF ALIGNING, SEALED	C	
	GAB523H	BEARING	-	
	GAB523P	BEARING, CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH	-	
	GAB524A	BEARING-LINER-OPEN,SELF-LUBRICATED	-	
	GAB524B	BEARING-BALL BUSHING,LINEAR,INTEGRAL SEALS,OPEN TYPE	-	
	GAB525A	BEARING-ROD END ROLLER SINGLE ROW EXTERNAL THREAD	-	
	GAB525AB	BEARING, ROD END, PLAIN, EXTERNAL THREAD, SELF-ALIGNING	A	
	GAB525AC	ROD-CONTROL, WITH ROD-END BEARINGS, ONE END ADJUSTABLE	A	
	GAB525AD	BEARING-BALL,AIRFRAME,PRECISION,DOUBLE ROW,ROD-END,SELF-AL	-	
	GAB525AE	BEARING-SPHERICAL PLAIN,ROD-END,METAL,REDUCED RADIAL CLEAR	-	
	GAB525AG	BEARING, ROD END, DOUBLE ROW, BALL, SELF-ALIGNING	-	
	GAB525AW	BEARING-ROD END, TFE LINER, EXTERNAL THREAD	-	
	GAB525CD	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CE	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CF	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CP	BEARING ROD END	-	
	GAB525J	BEARING-ROD END BALL, DOUBLE ROW, SELF-ALIGNING, HOLLOW	-	
	GAB528D	BEARING, LINER, NON-METALLIC, SELF-LUBRICATED, FLANGED	-	
	GAB528K	BEARING, BALL SPHERICAL	-	

**Customer Specification Revision Levels**

	GAB540MF	BUSHING-GROMMET ASSY, STRUCTURAL QUICK RELEASE FASTENER	B	
	GAB570A	BOSS STRAIGHT THREAD BUTTWELDABLE	-	
	GAB811A	BOLT, MOUNTING, CABLE NYLON	-	
	GAB831A	BRAID,WIRE,ELECTRICAL,COPPER,TIN-COATED,TUBULAR	B	
	GAB831B	GVI EWIS HARNESS ASSEMBLY PROTECTIVE COVERING BUILD-UP	G	
	GAB850C	BRACKET,MOUNTING, CABLE, NYLON	D	
	GAB850J	BRACKET,ELECTRICAL,SADDLE MOUNTING, CABLE, NYLON	B	
	GAB850K	BRACKET, ELECTRICAL, MOUNTING, CABLE, NYLON	B	
	GAB850S	BASE - MOUNTING SADDLE ELECTRICAL CABLE	C	
	GAC/0001	PEEN FORMING OF ALUMINIUM ALLOY SKIN	A	
	GAC/0002	PICKLING OF ALUMINIUM ALLOYS	A	
	GAC/0003	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	B	
	GAC/0004	PENETRANT FLAW DETECTION	A	
	GAC/0005	HEAT TREATMENT OF ALUMINUM ALLOYS	B	
	GAC/0006	METHODS OF MARKING AIRCRAFT AND PARTS ASSEMBLIES	A	
	GAC/0007	FORMING OF ALUMINIUM ALLOYS	A	
	GAC/0008	PENETRANT FLAW DETECTION	B	
	GAC/0009	INSTALLATION OF BOLTS	A	
	GAC/0010	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	A	
	GAC/0011	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	A	
	GAC/0012	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	B	
	GAC/0013	CHEMICAL MILLING OF ALUMINIUM ALLOYS	B	
	GAC/0014	CHROMIC ACID ANODISING OF ALUMINIUM ALLOYS	A	
	GAC/0015	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0016	BRUSH ALOCROM 1200	A	
	GAC/0017	ULTRASONIC FLAW DETECTION	A	
	GAC/0018	BRUSH CADMIUM PLATING	A	
	GAC/0019	CORRECTION OF DISTORTED ALUMINIUM ALLOY PARTS	A	
	GAC/0020	FORMING OF ALUMINIUM ALLOYS	A	

**Customer Specification Revision Levels**

	GAC/0021	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0022	ALKALINE CLEANER (TURCO ALUMICLEAN 2623)	A	
	GAC/0023	SURFACE PREPARATION OF ALUMINIUM ALLOYS BY PICKLING	A	
	GAC/0024	DEOXIDATION OF ALUMINUM ALLOYS	A	
	GAC/0025	STAKING OF BEARINGS	A	
	GAC/0026	BONDING WITH 3MS AF163-2	A	
	GAC/0027	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0028	PENETRANT FLAW DETECTION	A	
	GAC100F	CORE MATL HONEYCOMB AL ALLOY	A	
	GAC100G	CORE MATL HONEYCOMB AL ALLOY	A	
	GAC101A	CORE MATERIAL - FOAM, POLYMETHACRYLAMIDE	B	
	GAC101B	CORE MATERIAL - FOAM	D	
	GAC101C	CORE-SYNTACTIC FOAM	D	
	GAC101D	CORE MATERIAL -PLASTIC HONEYCOMB,NOMEX BASE,350 F	C	
	GAC101E	CORE MATERIAL-HONEYCOMB,PHENOLC RESIGN SYSTEM	A	
	GAC101F	CORE MATERIAL - HONEYCOMB, LIGHTWEIGHT COMPOSIE BOARDS	B	
	GAC101FE	CORE, FLAT PANEL, NOMEX HONEYCOMB WITH FIBERGLASS/EPOXY FACE	B	
	GAC101FP	CORE,FLAT PANEL,NOMEX HONEY COMB WITH FIBERGLASS SKINS	C	
	GAC101G	CORE, FLAT PANEL, ALUMINUM CORE WITH ALUMINUM SKINS	C	
	GAC105A	CORD, ELASTIC EXER & SHOCK ABSORBER FOR AERO USE	-	
	GAC105E	CORD, COTTON, SOFT CABLE, BLEACHED	-	
	GAC105F	CORD LACING POLYVINYL CHLORIDE	-	
	GAC110B	CLOTH BINDING DOUBLE FOLD GIMP	B	
	GAC110BB	CLOTH PREIMPREGNATED FIBERGLASS	-	
	GAC110BC	CLOTH PREIMPREGNATED QUARTZ	A	
	GAC110BG	CLOTH, WATERPROOF, WEATHER RESISTANT, MIL-PRF-20696	B	
	GAC110BH	CLOTH COATED BLEEDER RELEASE	A	
	GAC110D	CLOTH - THERMAL INSULATING	-	
	GAC110FC	CLOTH-CERAMIC FIBER, WOVEN	-	

**Customer Specification Revision Levels**

	GAC110FP	CLOTH - CERAMIC/FIBER,WOVEN,PREPREG	A	
	GAC110J	CLOTH, GLASS, FINISHED FOR RESIN SYSTEMS	-	
	GAC110V	CLOTH, WIRE,PLAIN WEAVE,SQUARE MESH,RR-W-360	-	
	GAC115A	COMPOUND-POLYESTER RESIN BODY FILLER,TWO COMPONENT	B	
	GAC115AA	COMPOUND EPOXY BASE RESIN,LIQUID	A	
	GAC115AB	COMPOUND - POTTING AND SEALING, RTV SILICONE	D	
	GAC115AC	COMPOUND SEALING HIGH TEMP	A	
	GAC115AD	COMPOUND - PENETRATING, CORROSION-INHIBITING, WATER DIS	D	
	GAC115AE	COMPOUND-TWO PART, EPOXY SURFACE FILLER, PRIMER	B	
	GAC115AR	COMPOUND,SEALING,NON-CURING, GROOVE INJECTION	A	
	GAC115BA	COMPOUND - NON-HARDENING POLYSULFIDE ELASTOMER SEALANT	A	
	GAC115BB	COMPOUND-SEALANT,FLAME RESISTANT	-	
	GAC115C	COMPOUND, SEALING POLYSULFIDE RUBBER, ELECT CONNECTORS	A	
	GAC115E	COMPOUND SEALING	-	
	GAC115FRA	FLAME RETARDANT, TCEP	B	
	GAC115FRB	FLAME RETARDANT, TDCP	-	
	GAC115L	COMPOUND - MOLDING	-	
	GAC115P	COMPOUND-SILICONE,LUBRICANT AND SEALANT	B	
	GAC115R	COMPOUND-GREASE,GENERAL PURPOSE	-	
	GAC115SP	COMPOUND,POLYURETHANE/UREA HYBRID,SLIP RESISTANT	-	
	GAC115T	COMPOUND ANTISIEZE	-	
	GAC115W	COMPOUND SEALANT,AERODYNAMIC	E	
	GAC115Y	COMPOUND-SEALANT, FUEL TANK/PRESSURIZED CABINS, FAST	A	
	GAC117B	ACCELERATOR - TACK FREE, ONE COMPONENT, AEROSOL SPRAY	A	
	GAC117C	CATALYST	-	
	GAC117D	CATALYST, AROMATIC DIAMINE	-	
	GAC117G	CATALYST-LIQUID POLYAMINE, CURING AGENT FOR EPOXY RESIN	-	
	GAC117H	CATALYST,LIQUID,MODIFIED,POLYAMIDE,FOR EPOXY RESINS	-	
	GAC117J	CATALYST, ACID ANHYDRIDE FOR EPOXY RESIN	-	

**Customer Specification Revision Levels**

	GAC117K	CATALST-PASTE CURING AGENT FOR RTV SILICONE RUBBER	-	
	GAC117M	CATALYST,LIQUID,EPOXY HARDENER	-	
	GAC117P	CATALYST, BENZOIL PEROXIDE	-	
	GAC117S	CATALYST, ACCELERATOR, DIMETHYLANILINE	-	
	GAC11B	COVER, TERMINAL STRIP	-	
	GAC11C	COVER, TERMINAL STRIP	-	
	GAC120A	CORK & RUBBER COMP. SHT FOR AROMATIC FUEL & OIL RESIST	-	
	GAC121AA	COLORING AGENT-RED DYE	-	
	GAC121C	COLORING AGENT, POLYESTER PASTE	-	
	GAC121U	COLORING AGENT DYE	-	
	GAC121V	COLORING AGENT PIGMENT	-	
	GAC125B	COPPER, BERYLLIUM, ALLOY BAR ROD AND WIRE, QQ-C-530	-	
	GAC125C	COPPER, PLATE, BAR, SHEET AND STRIP, QQ-C-576	-	
	GAC125D	COPPER ALLOY, PHOSPHOR BRONZE	-	
	GAC12A	CLAMP, TUBE, GENERAL PURPOSE	A	
	GAC12B	CLAMP, CONTROL CABLE, AIR SEAL, RESTRAINING	A	
	GAC12C	CLAMP, NYLON SUPPORT	-	
	GAC12G	CLAMP-LOOP,PLAIN,SUPPORT,AIRCRAFT	-	
	GAC12L	CLAMP, HALF TUBE SUPPORT	-	
	GAC130E	COATING HARDCOAT,TFE IMPREGNATED	-	
	GAC130FT	COATING-TACK FREE	-	
	GAC130H	COATING	-	
	GAC130R	COATING POLYURETHANE, FLUOROCARBON PIGMENT	-	
	GAC130Y	COATING,CONFORMAL,PARYLENE	-	
	GAC146BH	POLYSULFIDE COMPOUND-SEALANT,WINDSHIELD	D	
	GAC14A	CODING TUBE IDENTIFICATION	C	
	GAC14C	CODE-FASTENER	E	
	GAC14CP	CONTROL - CRITICAL PART SERIALIZATION, IDENTIFICATION	-	
	GAC14D	CONTROL, SERIAL AND TRACE REQMTS FOR PARTS	-	



**Customer Specification Revision Levels**

	GAC14E	CODING TUBE IDENTIFICATION	C	
	GAC14MP	CODING METALLIC PLACARD STOCK PART NUMBERS	-	
	GAC16A	CENTERS,STANDARD MACHINING	-	
	GAC18A	CABLE, ELECT POWER, COPPER SHIELDED & JACKETED, AIRCRAF	-	
	GAC21A	CLIP, ANGLE, 90 F, .750 X .750 LEGS	-	
	GAC21D	CLIP, 15/16 X 1 1/2 LEGS, 90 F	-	
	GAC21E	CLIP, CABLE/TUBE CLAMP, INSTALLATION CONVENIENCE	-	
	GAC500AH	CLAMP	-	
	GAC500AM	CLAMP-SADDLE SUPPORT TYPE- CUSHIONED/PADDED	A	
	GAC500AN	CLAMP, LOOP TYPE, SUPPORT, TEE CUSHION	C	
	GAC500B	CLAMP-LOOP TYPE,HIGH TEMP, CUSHIONED	B	
	GAC500BC	CLAMP,U-TYPE,2PIECE,CUSHIONED BAND AND BASE	B	
	GAC500BD	CLAMP-U-TYPE, SADDLE CROSSBAR, RUBBER CUSHION,FUEL	A	
	GAC500C	CLAMP-LOOP TYPE, HIGH TEMPERATURE,FIBERGLASS CUSHIONED	-	
	GAC500CC	CLAMP, LOOP TYPE, CUSHIONED SUPPORT, LOCKING, COMPOSITE	-	
	GAC500CF	CLAMP, LOOP, SKYDROL REST WIRE SUP SILICONE CUSH CRES	A	
	GAC500CG	CLAMP LOOP ELONGATED, TWO WIRE SILICONE CUSH GROOVED	-	
	GAC500CH	CLAMP,LOOP SILICONE CUSHION, GROOVED, SKYDROL REST	-	
	GAC500CJ	CLAMP,LOOP SILICONE GROOVED CUSH SKYDROL RESIST CRES	-	
	GAC500CK	CLAMP,LOOP SILICONE GROOVED CUSH SKYDROL RESIST CRES	-	
	GAC500CM	CLAMP HINGED-FLUSH CENTER MOUNTED, W/O CUSHION/INSERT	A	
	GAC500CP	CLAMP, LOOP	-	
	GAC500DA	CLAMP - INSERT, LOOP STYLE	-	
	GAC501B	CLAMP, FLAT BAND, T-BOLT, 0.75 TO 1.50 WIDTH RANGE, CRES	B	
	GAC501BA	CLAMP, FLAT BAND T-BLT LATCH	-	
	GAC501E	CLAMP, FLAT BAND, 1900-32 T-BOLT, 62TO1.00 WIDTH RANGE	-	
	GAC501F	CLAMP, FLAT BAND, T-BOLT, .625 AND .750 WIDTH, CRES	C	
	GAC501G	CLAMP, FLAT BAND, T-BOLT, .62 TO 1.00 WIDTH RANGE, ALUM	-	
	GAC501H	CLAMP,FLAT BAND,QUICK COUPLER, 62 WIDTH	A	

**Customer Specification Revision Levels**

	GAC501K	CLAMP, SUPPORT, FLAT BAND T-BOLT, CLIP SUPPORT	C	
	GAC501L	CLAMP, ADJUSTABLE, SHORT THUMB SCREW, WIRE LOCKING	B	
	GAC501N	CLAMP, STRAP, T-BOLT LATCH, 2-PIECE	A	
	GAC501P	CLAMP FLAT BAND SAFETY LATCHING INSULATION	-	
	GAC501S	CLAMP, HOSE, WORM GEAR ADJUSTMENT, ALL CRES	B	
	GAC503AF	CLAMP, PANEL, INSTRUMENT MOUNTING	-	
	GAC504A	CLAMP, BLOCK, SINGLE TUBE	C	
	GAC504B	CLAMP,BLOCK,TWO TUBE	C	
	GAC504C	CLAMP,BLOCK,THREE TUBE	C	
	GAC504D	CLAMP, BLOCK, FOUR TUBE	C	
	GAC504J	CLAMP BLOCK - FIVE TUBE, BUNA-N CUSHION	B	
	GAC504K	CLAMP, BLOCK, FIVE TUBE, ETHYLENE PROPYLENE CUSHION	B	
	GAC504L	CLAMP, BLOCK, FOUR TUBE, ETHYLENE PROPYLENE CUSHION	C	
	GAC504M	CLAMP, BLOCK, FOUR TUBE, BUNA-N CUSHION	-	
	GAC530B	COREBOLT, BLIND, 100 F CSK HEAD, CSK SLEEVE	A	
	GAC550A	COUPLING, QUICK DETACH, CABLE TERMINAL	A	
	GAC550B	COUPLING ASSY-FLEXIBLE FLUID LINE,THREADLESS,INTEGRAL	-	
	GAC550C	COUPLING-CRYOFIT	-	
	GAC550CS	COUPLING ASSEMBLY-TUBE,CRYOGENIC,FLARELESS	-	
	GAC550G	COUPLING, LIGHTWEIGHT TUBE JOINT, GASKETLESS, V-BAND,	-	
	GAC550KC	COUPLING-LTWEIGHT TUBE JOINT,V BAND CLAMP LOW PROFILE	-	
	GAC550MT	COUPLING ASSY-V BAND -A 286 CRES	-	
	GAC560A	CAP, TUBE FITTING, TUBE END	A	
	GAC560FE	CAP - SEAL, FASTENER	B	
	GAC560P	CAP, SEAL, ID FOR .02 BACK-UP GROOVE	-	
	GAC565DA	CROSS-TUBE,REDUCER,EXTERNAL SWAGE	-	
	GAC565DB	CROSS - TUBE EXTERNAL SWAGE	-	
	GAC576A	CABLE, PUSH-PULL CONTROLS, FLEXIBLE	A	
	GAC576B	CABLE - PUSH-PULL CONTROLS, FLEXIBLE, HIGH STRENGTH	-	

**Customer Specification Revision Levels**

	GAC576FC	CABLE ASSEMBLIES-FLIGHT CONTROL,PRIMARY AND SECONDARY	-	
	GAC578A	CONDUIT - PUSH-PULL CONTROLS, RIGID	A	
	GAC580BA	COLLAR - FLANGED, SWAGE LOCKING, SHEAR, TITANIUM	B	
	GAC580W	COLLAR,GP-SWAG LOCKING,DOUBLE ENDED,SHEAR 2024 AL ALY	-	
	GAC590A	CUP, PANEL FASTENER, QUICK RELEASE, STRIP TYPE STUD	B	
	GAC800NA	CONNECTOR-PLUG, SELF-LOCKING	-	
	GAC800PT	CONNECTOR PLUG	A	
	GAC800PW	CONNECTOR PLUG-BAYONET-COUPLING,MIL-C-26500	C	
	GAC800RH	CONNECTOR PLUG	-	
	GAC800RJ	CONNECTOR-PLUG,MIL-C-26482 SERIES I TYPE	B	
	GAC800RU	CONNECTOR, PLUG, THREADED, MIL-C-5015 TYPE	B	
	GAC800RV	CONNECTOR-PLUG,THREADED,ENVIRONMENTAL,MIL-C-26500	C	
	GAC800RW	CONNECTOR, PLUG, STRAIGHT, BAYONET, STRAIN RELIEF	C	
	GAC800RY	CONNECTOR, PLUG, STRAIGHT, BAYONET, STRAIN RELIEF	B	
	GAC800SA	CONNECTOR, PLUG SELF LOCKING COUPLING RING, THREADED,	D	
	GAC800SB	CONNECTOR PLUG	C	
	GAC800SC	CONNECTOR, PLUG, SELF LOCKING COUPLING RING, THREADED	D	
	GAC800SD	CONNECTOR, PLUG, STRAIGHT, THREADED, MIL-5015 TYPE,	B	
	GAC800SE	CONNECTOR PLUG	-	
	GAC800SF	CONNECTOR, PLUG, STRAIGHT, THREADED, MIL-C-5015 TYPE	B	
	GAC800SG	CONN-PLUG,HIGH TEMP,1000 DEG. F,CLASS A MIL-C-5015	B	
	GAC800SH	CONNECTOR, PLUG, 90 DEGREE, THREADED, MIL-C-5015 TYPE	B	
	GAC800SK	CONNECTOR, PLUG, STRAIGHT, MIL-C-38999 SERIES IV TYPE	A	
	GAC800SL	CONNECTOR-PLUG,R.F.I.FINGER,MIL-C-26482,SERIES II/MIL-C	A	
	GAC800SM	CONNECTOR PLUG,RFI FINGERS COUPLING MIL-C-83723	A	
	GAC800SN	CONNECTOR PLUG, ENVIRONMENTAL, ARINC 404 TYPE, REAR REL	E	
	GAC800SP	CONNECTOR, PLUG, ENVIRONMENTAL, ARINC 600 TYPE, REAR RE	G	
	GAC800SR	CONNECTOR, PLUG, STRAIGHT, BAYONET, MIL-C-38999 SERIES	D	
	GAC800SS	CONNECTOR, PLUG, STRAIGHT, EMI GROUNDING, MIL-C-38999	B	

**Customer Specification Revision Levels**

	GAC800ST	CONNECTOR PLUG,MIL-DTL-38999,STRAIGHT PLUG,FIREWALL,	B	
	GAC800SU	CONNECTOR PLUG	B	
	GAC800SV	CONNECTOR-PLUG,STRAIGHT,THREADED,STRAIN RELIEF BACKSHEL	D	
	GAC800SW	CONNECTOR, PLUG	A	
	GAC800SY	CONNECTOR, PLUG, STRAIGHT, EMI GROUNDING, MIL-C-38999	C	
	GAC800T	CONN PLUG, ELEC, CIRC, THRD CPLG, MIL-C-5015 TYP,SOLDER	-	
	GAC800TA	CONNECTOR - PLUG, STRAIGHT WITH MIL-C-29600	F	
	GAC800TB	CONNECTOR-D SUBMINIATURE RECTANGULAR,REAR RELEASE	C	
	GAC800TC	CONNECTOR, PLUG, COMPOSITE, THREADED MIL-C-29600 TYPE	C	
	GAC800TD	CONN.,PLUG,STR.,STRAIN RELIEF, H TEMP. MIL-C-5015 TYPE	-	
	GAC800TE	CONN PLUG R.F.I. FINGERS,STRAIGHT BACKSHELL WITH CABLE	-	
	GAC800TF	CONNECTOR - PLUG, COMPOSITE, THREADED, STRAIN RELIEF	H	
	GAC800TG	CONNECTOR - PLUG, COMPOSITE, 90 DEG. STRAIN RELIEF	J	
	GAC800TH	CONN.,PLUG, STR.,STRAIN RELIEF, H TEMP MIL-C-5015 TYPE	A	
	GAC800TJ	CONNECTOR-PLUG, THREADED COUPLING, MIL-C-83723 SERIES 3	B	
	GAC800TM	CONNECTOR-PLUG,TWO INCH FLAT,MODULAR RECTANGULAR	-	
	GAC800TT	CONNECTOR - PLUG, THREADED COUPLING, SPECIAL	A	
	GAC800TV	CONNECTOR, PLUG SELF LOCKING COUPLING RING, THREADED, MIL-	-	
	GAC800TW	CONNECTOR, PLUG, MIL-DTL-38999 SERIES I TYPE	-	
	GAC800TY	CONNECTOR, PLUG MIL-DTL-38999 SERIES II TYPE	-	
	GAC800UB	CONNECTOR, PLUG, MIL-DTL-83723 SERIES III TYPE	-	
	GAC800UC	CONNECTOR, PLUG, SAE AS50151 SERIES III TYPE	-	
	GAC800UD	CONNECTOR, PLUG, MIL-DTL-26482 SERIES II, BAYONET COUPLING	-	
	GAC801BJ	CONNECTOR, RECEPTACLE THREADED, MIL-C-5015 TYPE	B	
	GAC801LC	CONNECTOR RECEPTACLE BAYONET FLANGE MOUNT	C	
	GAC801LD	CONNECTOR-WALL MOUNT RECEPTACLE,FIREWALL(HIGH TEMP)	B	
	GAC801LE	CONNECTOR RECEPTACLE	-	
	GAC801LF	CONNECTOR- RECEPTACLE,HI-TEMP,FIREWALL SQ.FLANGE,	E	
	GAC801LG	CONNECTOR-RECEPTACLE, JAM NUT, MIL-C-29600	B	

**Customer Specification Revision Levels**

	GAC801LH	CONNECTOR-RECEPTACLE ,JAM NUT, MIL-C-38999 SERIES III	B	
	GAC801LJ	CONNECTOR RECEPTACLE	-	
	GAC801LM	CONNECTOR-RECEPTACLE,SQUARE FLANGE (STAINLESS STEEL)	C	
	GAC801LP	CONNECTOR-RECEPTACLE, JAM NUT, MIL-C-20600	D	
	GAC801LR	CONNECTOR, RECEPTACLE, JAM NUT, SPECIAL	A	
	GAC801MA	CONNECTOR RECEPTACLE	B	
	GAC801MB	CONNECTOR RECEPTACLE	C	
	GAC801MC	CONNECTOR RECEPTACLE	A	
	GAC801MD	CONNECTOR RECEPTACLE	D	
	GAC801MF	CONNECTOR RECEPTACLE	A	
	GAC801MH	CONNECTOR RECEPTACLE	C	
	GAC801MJ	CONNECTOR RECEPTACLE	A	
	GAC801ML	CONNECTOR, RECEPTACLE, COMPOSITE, THREADED, MIL- C-29600	B	
	GAC801MM	CONNECTOR-RECEPTACLE,R.F.I. FINGERS STRAIGHT BACKSHELL	-	
	GAC801MP	CONNECTOR-RECEPTACLE,COMPOSITE,THREADED,MIL-C- 38999	D	
	GAC801MU	CONNECTOR-RECEPTICAL,COMPOSITE MIL-C-29600 TYPE	B	
	GAC801MW	CONN-RECEP, SQUARE FLANGE, THREADED COUP. MIL-C- 26482 TYPE	C	
	GAC801NA	CONNECTOR - RECEPTACLE, SELF - LOCKING	-	
	GAC801NB	CONNECTOR, RECEPTACLE, EPOXY SEALED MIL-DTL- 38999 SERIES III	R	
	GAC802A	CONNECTOR-RECEPTACLE, SOLDER CONTACT	-	
	GAC803AA	CONNECTOR-D-SUBMINATURE,MIL-C-24308 TYPE	A	
	GAC803AB	CONNECTOR - RECEPTACLE, SUBMINIATURE D, MIL-C- 24308	-	
	GAC803AC	CONNECTOR-SUBMINIATURE D,SIZE 20 CONTACTS	B	
	GAC803AE	CONNECTOR-SUBMINIATURE D,SIZE 22 CONTACTS	B	
	GAC805GR	CONNECTOR,PLUG ARINC 404 TYPE, REAR RELEASE CONTACTS	B	
	GAC805HB	CONNECTOR,PLUG,(2-INSERT)ENVIRONMENTAL,ARINC 404 TYPE,	C	
	GAC805HC	CONNECTOR ELEC	A	
	GAC805HD	CONNECTOR-PLUG,RACK AND PANEL,ENVIRONMENTAL,ARINC 404 M	B	
	GAC805SJ	CONNECTOR, RACK & PANEL-THREE GANG, ENVIRONMENTAL,	E	

**Customer Specification Revision Levels**

	GAC805SK	CONNECTOR, PLUG, ARINC 404,ENVIRONMENTAL,REAR RELEASE	D	
	GAC805TB	CONNECTOR - PLUG, ARINC 404, FOUR INSERT SHELL	A	
	GAC805TD	CONN-RACK & PANEL,CRIMP,NON ENVMTL,ARINC 404,MIL-C-81659	C	
	GAC810D	CONNECTOR-PLUG,TRIAx, 3 LUG BAYONET	B	
	GAC810E	CONNECTOR,PLUG,ELECT,COAXIAL CABLE,BAYONET COUP RGT ANG	-	
	GAC810F	CONNECTOR, PLUG COAXIAL, STRAIGHT, SPECIAL, HN SERIES	-	
	GAC810G	CONNECTOR, PLUG COAXIAL, STRAIGHT, TNC SERIES	B	
	GAC810H	CONNECTOR, PLUG COAXIAL, RIGHT ANGLE, TNC SERIES	A	
	GAC810J	CONNECTOR, PLUG COAXIAL, RIGHT ANGLE, SPECIAL, HN SERIE	A	
	GAC810K	CONNECTOR-COAX, BNC, STRAIGHT PLUG	-	
	GAC810L	CONNECTOR-COAXIAL,BNC,RIGHT ANGLE	-	
	GAC810M	CONNECTOR - COAX, N TYPE, STRIGHT PLUG	-	
	GAC810N	CONNECTOR-COAX, N TYPE, 90 DEGREE PLUG	-	
	GAC810P	CONNECTOR, PLUG COAXIAL,STRAIGHT, SMA	-	
	GAC811A	CONNECTOR-RECEPTACLE,BNC,STRAIGHT	-	
	GAC811B	CONNECTOR - RECEPTACLE, COAXIAL, TNC, STRAIGHT	-	
	GAC811C	CONNECTOR-RECEPTACLE,COAXIAL,RF,N-SERIES,STRAIGHT	-	
	GAC811D	CONNECTOR-RECEPTACLE,TRIAx,3 LUG BAYONET	A	
	GAC812A	CONNECTOR, JACK, AUDIO	-	
	GAC815A	CONNECTOR -FIBER OPTIC, MIL-83522B TYPE	A	
	GAC830T	CONNECTOR,ELECTRICAL, HOT AND GROUND SCREW TERMINAL	-	
	GAC835AB	CONTACTS - FOR ESC 10 & 11 FIREWALL CONNECTORS	A	
	GAC835DP	CONTACT, ELECTRICAL, CONNECTOR, CRIMP TYPE	-	
	GAC835LB	CONTACT,CRIMP,THERMOCOUPLE, FOR MIL-C-5015, MIL-C-38999	C	
	GAC835MG	CONTACT-MIL-C-26500/MIL-C-83723 SERIES I & II	A	
	GAC835MH	CONTACT, CRIMP FOR MIL-C-5015 CONNECTORS	E	
	GAC835MJ	CONTACT,CRIMP,FOR MIL-C-38999 SERIES I	A	
	GAC835MK	CONTACT, CRIMP, FOR MIL-C-81659 TYPE CONNS	A	
	GAC835ML	CONTACT-CRIMP, FOR MIL-C-38999 SERIES II CONNECTORS	C	

**Customer Specification Revision Levels**

	GAC835MM	CONTACT, CRIMP FOR MIL-C-81511 SERIES IV CONNECTORS	A	
	GAC835MN	CONTACT, CRIMP FOR MIL-C-81659 CONNECTORS	E	
	GAC835MP	CONTACT, CRIMP FOR MIL-C-81659 CONNECTORS	A	
	GAC835MR	CONTACT, CRIMP FOR MIL-C-81511 SERIES III AND DG123 CON	A	
	GAC835MS	CONTACT, CRIMP, SPECIAL SIZE BARREL	D	
	GAC835MT	CONTACT, CRIMP, SPECIAL SIZE BARREL FOR MIL-C-83723	A	
	GAC835MU	CONTRACT, SOCKET, SIZE 4, SOLDER, CSS TYPE BT, HIGH TEMP.	-	
	GAC835NB	CONTACT SOCKET	-	
	GAC835NS	CONTACT, CRIMP, THERMOCOUPLE, ALUMEL, FOR SAE-AS81659 CONNEC	A	
	GAC835NT	CONTACT, CRIMP, THERMOCOUPLE, FOR MIL-C-81659 CONNECTORS	B	
	GAC835NU	CONTACT	-	
	GAC835NV	CONTACT	-	
	GAC835NW	CONTACT	-	
	GAC835NY	CONTACT	-	
	GAC835PA	CONTACT-CRIMP FOR MIL-C-81659 AND ARINC 600	-	
	GAC835PB	CONTACT, CRIMP, FOR MIL-C-81659 CONNECTORS	-	
	GAC835PC	CONTACT-ALUMEL THERMO(PIN), MIL-C-81659 & ARINC 600	A	
	GAC835PD	CONTACT-CHROME THERMO (PIN), MIL-C-81659 & ARINC 600	A	
	GAC835PE	CONTACT-CRIMP TYPE, SIZE 16 INSERT WITH SIZE 20 BARREL	-	
	GAC835PF	CONTACT_CRIMP, ALUMEL THERMOCOUPLE (SOCKET)	A	
	GAC835PG	CONTACT-CRIMP, CHROMEL THERMOCOUPLER (SOCKET)	A	
	GAC835PH	CONTACT-ALUMEL THERMOCOUPLER (PIN): MIL-C-81511	-	
	GAC835PJ	CONTACT-CHROMEL THERMOCOUPLER (PIN): MIL-C-81511	-	
	GAC835PK	CONTACT-CRIMP, FOR MIL-C-38999 SERIES III COMPOSITE TYPE	E	
	GAC835PR	CONTACT - CRIMP FOR CTJ MODULE	B	
	GAC835PS	CONTACT - CRIMP, FOR SELF LOCKING	-	
	GAC835PT	CONTACT-HIGH TEMP 1000 DEGREES F CLASS A, MIL-C-5015 CON	-	
	GAC835PV	CONTRACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	D	
	GAC835PW	CONTACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	A	

**Customer Specification Revision Levels**

	GAC835PY	CONTACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	-	
	GAC835RA	CONTACT CRIMP,MIL-C-81659,ARINC 404	A	
	GAC835RB	CONTACT - SUBMINIATURE D, MIL-C39029	-	
	GAC837BD	CLAMP,ELECTRICAL,BULKHEAD,CABLE, NYLON	-	
	GAC837BR	CLAMP	-	
	GAC837DN	CLAMP ELEC. CIRCULAR STRAIGHT STRAIN RELIEF	A	
	GAC860AC	CAP, ELECTRICAL, WIRE END, INSULATED, HIGH TEMPERATURE	-	
	GAC860J	CAP, ELECTRICAL, CONNECTOR, BAYONET LOCK, FEMALE SHELL,	-	
	GAC860K	CAP ELEC. UNSTRIPPED WIRE END INSULATED CRIMP TYPE	A	
	GAC860L	CAP-WIRE END	-	
	GAC860N	CAP,ELECT HEAT-SHRINKABLE, SELF-POTTING, WIRE END	A	
	GAC860Y	CAP,ELECTRICAL, JACK	A	
	GAC861AA	CABLE-TRIAxIAL,50 OHM	-	
	GAC861AB	CABLE - COAXIAL, SINGLE CONDUCTOR STRNDED, 16 GA, 50 OHM	A	
	GAC861AC	CABLE-COAXIAL, 20 GA CONDUCTOR, 50 OHMS	-	
	GAC861AD	CABLE - 125 OHM, AWG 24, 19 STRANDS OF AWG 36, RADIO	C	
	GAC861AE	CABLE-125 OHM,HIGH SPEED DATA TRANSMISSION	-	
	GAC861AF	CABLE-FOUR 100 OHM PAIRS,BUNDLED WITH OVERALL JACKET	-	
	GAC861AG	CABLE-TWO PAIR, 150 OHM, FULL DUPLEX CABLE IN QUAD CONFIGUR.	-	
	GAC861AH	CABLE-TWO PAIR, 100 OHM, FULL DUPLEX CABLE IN QUAD	B	
	GAC861AJ	CABLE - COAXIAL, 26 GA CONDUCTOR, 75 OHMS	A	
	GAC875AB	CABLE-ELECTRIC,AIRFRAME,RADIATION CROSS LINKED,EXTRUDED	H	
	GAC875AC	CABLE-ELECTRIC,AIRFRAME,RADIATION CROSS LINKED,EXTRUDED	E	
	GAC875AD	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSSLINKED, EXTRUDED	D	
	GAC875BA	CABLE,ELETRICAL,UNINSULATED (BONDING)	A	
	GAC875FP	CABLE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT	-	
	GAC875FY	CABLE, RADIO FREQUENCY, ELECTRICAL, TRIAXIAL, 50 OHMS,	-	
	GAC875MP	CABLE - ELECTRICAL, THREE TWISTED PAIR, EACH PAIR SHIEL	-	
	GAC875MR	CABLE, ELECTRICAL, JACKETED OR SHIELDED AND JACKETED	-	



**Customer Specification Revision Levels**

	GAC875RA	CABLE-ELETRICAL,XL-ETFE INSULATED,SHIELDED,	-	
	GAC875RB	CABLE,ELETRICAL,XL-ETFE INSULATED,SCREENED,FOUR	-	
	GAC875RC	CABLE - ELECTRICAL, XL-ETFE INSULATED, THIN WALL, SINGL	-	
	GAC875RW	CABLE,ELECTRICAL	B	
	GAC875RY	CABLE ELECTRICAL LIGHTING STRIKE RESISTANT	-	
	GAC875UA	CABLE THERMOCOUPLE	-	
	GAC875UB	CABLE, FIBRE OPTIC	B	
	GAC875UC	CABLE, FILTER LINE, SHIELDED (MIL-C-85485 & ASTM F777)	A	
	GAC875UD	CABLE, FILTER LINE, TWISTED (MIL-C-85485 & ASTM F777)	A	
	GAC875YB	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSS LINKED, EXTRUDED,	A	
	GAC875YC	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSS LINKED, EXTRUDED,	A	
	GAC875YD	CABLE - ELECTRIC, AIRFRAME, RADIATION CROSSLINKED, EXTRUDED	-	
	GAC880A	CIRCUIT BREAKER - SINGLE PHASE	-	
	GAC880B	CIRCUIT BREAKER-SINGLE PHASE	-	
	GAC880C	CIRCUIT BREAKER - THREE PHASE	-	
	GAC880D	CIRCUIT BREAKER-THREE PHASE	-	
	GAC880E	CIRCIUT BREAKER-GROUND FAULT 20A, 125V	A	
	GAC880F	CIRCUIT BREAKER-TEMP COMPENSATED	B	
	GAD10A	DUCT, FLEXIBLE, AIR, 16 PSI OPERATING PRESSURE	-	
	GAD12C	DECAL - ELECTRICAL AND SYSTEMS IDENTIFICATION	G	
	GAD500A	DOOR, ACCESS, ALUMINUM/CRES	C	
	GAD516A	DECAL - DES-WHITE POLYESTER, HI-TEMP, 1/4 X 1.25, 400 F	-	
	GAD516K	DECAL, FATIGUE CRITICAL SYMBOL	B	
	GAD521E	DETECTOR ASSY CORE COMPARTMENT DUAL LOOP	A	
	GAD521F	DETECTOR ASSY CORE COMPARTMENT	-	
	GAD521G	DETECTOR ASSY CORE COMPARTMENT	A	
	GAD521H	DETECTOR ASSY ENGINE FAN COMPARTMENT	A	
	GAD521J	DETECTOR ASSY ENGINE FAN COMPARTMENT	-	
	GAD800F	DIODE - MODULE, IN LINE	A	

**Customer Specification Revision Levels**

	GAE100A	ENGRAVING-SHEET, PLASTIC	B	
	GAE500D	EYELET, METALLIC, FLAT FLANGE	-	
	GAE510A	ELBOW ASSEMBLY, TUBE FITTING, FLARELESS 90 F	-	
	GAE510FP	ELBOW ASSY 90 DEG PERMASWAGE	A	
	GAE510FR	ELBOW ASSY-TUBE SWIVEL ADAPTER,90,EXTERNAL SWAGE TO FLA	-	
	GAE510FS	ELBOW,90-TUBE,FLARELESS TO EXTERNAL SWAGE	-	
	GAE510FT	ELBOW,90-TUBE,EXTERNAL SWAGE TO BULKHEAD,FLARELESS	-	
	GAE510FU	ELBOW ASSY SWI ADAP 45-TUBE EXT SWAGE	-	
	GAE510FV	ELBOW,45-TUBE,STD & REDUCER EXTRNL SWAGE TO BLKHD,FLARE	-	
	GAE510FW	ELBOW, 90 DEGREES-TUBE,EXTERNAL SWAGE,FLARELESS	-	
	GAE510FY	ELBOW ASSY SWI ADAP 45-TUBE EXT SWAGE	-	
	GAE510GA	ELBOW ASSEMBLY,SWIVEL,ADAPTER,90 DEGREE-TUBE,EXTERNAL	-	
	GAE510GB	ELBOW - TUBE,90 EXTERNAL SWAGE	-	
	GAE530A	EXPANDE BLIND NUT OR THREE BLIND BOLT, SELF-LOCKING	B	
	GAF100A	FELT - INSULATION, THERMAL, FLEXIBLE, LIGHTWEIGHT, 1800	-	
	GAF100B	FOAM-INSULATION,ACOUSTICAL,ENERGY ABSORBING	-	
	GAF100BA	FOAM-INSULATION, ACOUSTICAL, ENHANCED ENERGY ABSORBING	K	
	GAF100FR	FOAM - POLYIMIDE,INSULATION, THERMAL	A	
	GAF100FS	FOAM-POLYVINYLIDENE FLUORIDE,INSULATION,THERMAL	A	
	GAF105J	FLUID - ETCHANT FOR FLUOROCARBON PLASTICS	-	
	GAF105M	FLUID, METAL SURFACE TREATMENT	-	
	GAF11A	FITTING - TUBE, FLARED CONNECTION, STRAIGHT THREAD, WELDABLE	A	
	GAF11B	FITTING, BULKHEAD, REDUCER UNION	-	
	GAF11C	FITTING-TUBE,FLARELESS CONN,STRAIGHT THREAD,WELDABLE	-	
	GAF13A	FASTENER, TERMINAL COVER	-	
	GAF13D	FLUSHNESS-FASTENER COUNTERSUNK HEAD	C	
	GAF14A	INDIVIDUAL FINISH AND PROCESS CODES	AG	
	GAF500A	FERRULE-TUBE SEWAGE,FLEXIBLE FLUID	A	
	GAF500B	FERRULE-FLEXIBLE COUPLING,ELETRICAL BONDING	-	

**Customer Specification Revision Levels**

	GAF500C	FERRULE-.020 SOCKET WELD TYPE,LIGHTWEIGHT FLEXIBLE	-	
	GAF500D	FERRULE-ADAPTER ASSEMBLY	A	
	GAF500E	FERRULE-ADAPTOR ASSEMBLY	-	
	GAF503S	FITTING INSTALLATION PROCEDURE,TUBE,SWAGELOK	-	
	GAF510BA	FASTENER BLIND INTERNALLY THREADED	-	
	GAF510C	FASTENER BLIND HIGH STRENGTH PROTRUDING HEX HEAD	-	
	GAF510F	FASTENER, BLIND	-	
	GAF510Y	FASTENER BLIND SELF-LOCKING	A	
	GAF511AB	FASTENER, BLIND, SELF-LOCKING, 130° SHEAR HEAD, TITANIUM	C	
	GAF511AC	FASTENER-BLIND, SELF-LOCKING, 130 DEG. SHEAR HEAD, FLUSH BR	D	
	GAF511BA	FASTENER BLIND INTERNALLY THREADED	-	
	GAF511BB	FASTENER BLIND INTERNALLY THREADED 130 DEG	-	
	GAF511BC	FASTENER BLIND, SELF-LOCING 100 DEG FLUSH HEAD	A	
	GAF511C	FASTENER-BLIND HIGH STRENGTH 100 COUNTERSUNK HEAD	-	
	GAF511D	FLANGED COUPLER-BULKHEAD	-	
	GAF530A	FLANGE - LGHTWGHT TUBE JOINT,V-BAND COUPLING,MALE & FEM	-	
	GAF530BF	FLANGE,GAMAH STAINLESS STEEL EXTRA LIGHT WEIGHT	A	
	GAF530CJ	FLANGE,BUTT END LOW PROFILE	A	
	GAF530CV	FLANGE V-BAND E SEAL, MALE	-	
	GAF800A	FUSE-IN-LINE,0.5AMP	A	
	GAF805B	FORM-POTTING, ELECTRICAL, CONNECTOR, CIRCULAR, MINATURE	-	
	GAF850A	FEEDTHRU-HEAT SHRINKABLE APERSEAL	D	
	GAG10A	GROMMET, TEFLON, SNAP-IN	A	
	GAG10B	GROMMET,SYNTHETIC RUBBER HOT OIL AND COOLANT RESISTANT	-	
	GAG12A	GUARD, HYDRAULIC, ACCUMULATOR AIR GAUGE	A	
	GAG15A	GAPS-HEAD PERM INSTALLED FASTENERS	A	
	GAG500AR	GROMMET,INSERT SILICONE, HINGED CLAMP	-	
	GAG500AT	GROMMET,INSERT SILICONE, HINGED	-	
	GAG500F	GROMMET, BLIND, NYLON	-	

**Customer Specification Revision Levels**

	GAG510B	GASKET, FIRE DETECTION SYSTEM (CONTINUOUS), COPPER	-	
	GAG810GG	GASKET, ANTENNA/PROBE, POLYURETHANE, AND SELF- LEVELING	X	
	GAG810GH	GASKET, METAL, EMI SHIELDING	A	
	GAG810GP	GASKET, PEEL AND STICK, SHEET RUBBER, PSA BACKING, FLUID	C	
	GAG810GR	GASKET, COMPOSITE, FLAME RESISTANT	B	
	GAH11AA	MOUNTING PREPARATION ELECTRICAL	B	
	GAH11AB	HOLE PREPARATION-ELECTRICAL CONNECTOR MOUNTING	A	
	GAH11AC	HOLE PREPARATION LINE CLAMP MOUNTING	-	
	GAH11AD	HOLE PREPARATION GAL510AP GAL510AR & GAL510AY LATCH LAY	A	
	GAH11AE	HOLE PREPARATION ELEC CONNECTOR MOUNTING	A	
	GAH11AL	HOLE PREPARATION - FASTENER	G	
	GAH11BB	MOUNTING PREPARATION GROUND MODULE ELECTRIC STD	-	
	GAH11CA	HOLE PREPARATION ELEC GROUND MODULE MOUNTING	-	
	GAH11CB	HOLE PREPARATION MOUNTING FOR DEUTSCH DG124 COMPONENT	-	
	GAH11CC	MOUNTING PREPARATION GROUND MODULE ELEC STD	-	
	GAH11CD	HOLE PREPARATION- ELECTRICAL CONNECTOR, JAM NUT	A	
	GAH11CE	HOLE PREPARATION-ELECTRICAL CONNECTOR, JAM NUT MOUNTING,	-	
	GAH11CF	HOLE PREPARATION-ELECTRICAL CONNECTOR, JAM NUT MOUNTING	A	
	GAH11D	HOLE PREPARATION ELECTRICAL, SINGLE BUSING MOUNTING	A	
	GAH11E	HOLE PREP - ELECTRICAL, CONNECT, BACK PANEL MOUNTING	-	
	GAH11F	HOLE - FLANGED, LIGHTENING	E	
	GAH11G	HOLE PREPARATION FASTENER SEALING	-	
	GAH11H	HOLE PREPARATION - RIVNUT SEALING	-	
	GAH11J	HOLE PREPARATION - LATCH CUTOUT	-	
	GAH11K	HOLE PERPARATION- ELECTRICAL CONNECTOR, JAM NUT MOUNTIN	A	
	GAH11L	HOLE PREPARATION SINGLE AND DOUBLE FLAT BUSHING	A	
	GAH11M	HOLE PREPARATION - ELEC,CONNECTOR,EXTERNAL MOUNTED RELAY	-	
	GAH11P	HOLE PREPARATION	-	
	GAH11R	HOLE PREPARATION ELEC CONNECTOR MOUNTING	B	

**Customer Specification Revision Levels**

	GAH11S	HOLE PREPARATION INST CASE	-	
	GAH11U	HOLE PREP-INSTRUMENT CLAMP MOUNTING	-	
	GAH12A	HOSE, FLEXIBLE, DE-ICING, 200 F	-	
	GAH12AV	HOLE ASSY MEDIUM PRESSURE,TEE TUBE, INTEGRAL	A	
	GAH12B	HOSE - PROTECTIVE,BRAIDED,LIGHT-WEIGHT	-	
	GAH12G	HOSE ASSY STRAIGHT SWIVEL NUT TO STRAIGHT SWIVEL NUT	-	
	GAH12J	HOSE ASSY 90 DEG SWIVEL NUT TO STRAIGHT SWIVEL NUT MED	-	
	GAH508A	HOLDER, AIRSPEED CORRECTION CARD	B	
	GAH511GF	HOSE ASSY 3000 PSI LT WT	-	
	GAH520A	HINGE ASSEMBLY, HIGH PRESSURE	-	
	GAJ800A	JUMPER-BONDING,UNINSULATED WIRE	-	
	GAJ800B	JUMPER - BRAIDED BONDING STRAP ASSEMBLY, 300 AMP	A	
	GAJ800C	JUMPER ASSEMBLY-ELECTRICAL, BONDING AND CURRENT RETURN	-	
	GAJ800D	JUMPER - BONDING, INSULATED WIRE	-	
	GAJ850AA	INDICATOR - FAULT, MAGNETIC LATCHING	A	
	GAK10A	KNOB, HALF BALL	-	
	GAK12A	KEY, LOCKING	-	
	GAL105A	LUBRICANT-DRY FILM, MOLYBDENUM DISULFIDE	B	
	GAL105BM	LUBRICANT OIL ANTISEP SOLUBLE	-	
	GAL105E	LUBRICANT,CLEAR DIMETHYL SILOXANE POLYMER	-	
	GAL105KA	LUBRICANT,NON-CHLORINATED	-	
	GAL105N	LUBRICANT - DRY FILM, 350 F	-	
	GAL105R	LUBRICANT SOLID FILM DRY	A	
	GAL105S	LUBRICATING,DRY FILM,FUSED POLYTETRAFLUOROETHYLENE	-	
	GAL10F	LANYARD INSTALLATION, 200 LB LOAD, .063 DIA WIRE, NYLON	-	
	GAL505E	LANYARD INSTALLATION-PLASTIC COVERED CRES CABLE	-	
	GAL505H	CABLE, PLASTIC COVERED	A	
	GAL510A	LATCH ASSY, FLUSH TRIGGER ACTION, 120-160 LB ULTI STREN	B	
	GAL510AJ	LATCH	-	

**Customer Specification Revision Levels**

	GAL510AY	LATCH ASSY FLUSH BUTTON	-	
	GAL510B	LATCH ASSY FLUSH TRIGGER ACTION,500 LBS ULTIMATE STRENG	A	
	GAL510BL	LATCH KEEPER, ADJUSTABLE CRES TOGGLE HOOK LATCH ASSY	-	
	GAL510BT	LATCH ASSY DOUBLE TOGGLE HOOK	-	
	GAL510BU	LATCH KEEPER ASSY ADJUSTABLE	-	
	GAL510CD	LATCH - ASSEMBLY, TENSION	D	
	GAL806AP	LIGHT	-	
	GAL808BB	LAMP	-	
	GAL808V	LAMP, ELECTRICAL, SEALED BEAM, TAXIING, 28 VOLTS PAR 36	-	
	GAL853C	LIGHT ASSEMBLY - ELECTRIC, FLOODLIGHT	A	
	GAL857A	LIGHT - NAVIGATIONAL, AIRCRAFT - WING, POSITION	A	
	GAL857B	LIGHT ASSEMBLY-NAVIGATIONAL,OSCILLATING	A	
	GAL857C	LIGHT ASSY-NAVIGATIONAL,ANTI-COLLISION	A	
	GAL857E	LIGHT - LANDING, AIRCRAFT-FIXED	A	
	GAL857FA	LIGHT ASSEMBLY - NAVIGATIONAL, TAIL POSITION	A	
	GAL857GA	LIGHT ASSEMBLY - INSPECTION, WING	A	
	GAL857JA	LIGHT ASSY-TAXING,AIRCRAFT	A	
	GAL857M	LIGHT ASSY-FLOODLIGHT	A	
	GAL857N	LIGHT ASSY-ELECTRIC,EMERGENCY EXIT	A	
	GAL859F	ANNUNCIATOR ASSEMBLY - LIGHTED, SHORT, PRESS-TO-RELAMP	B	
	GAL859G	LIGHT ASSEMBLY - UTILITY, 28 VOLTS	A	
	GAM13A	MARKING, IDENTIFICATION ELEC WIRE & CABLE	-	
	GAM13B	MARKING FUNCTION & REFERENCE	-	
	GAM13C	MARKING-TUBE IDENTIFICATION	-	
	GAM14A	ELECTROMAGNETIC(EM) PUSHROD FORMING PROCESS	-	
	GAM15AA	MATERIAL, ALUM ALLOY SHT, CLOSE TOLERANCE GAGE VS WIDTH	A	
	GAM15AB	MATERIAL - COMPOSITE, PRECURED CARBON/EPOXY,FLAT LAMINATE	-	
	GAM15AC	MATERIAL - COMPOSITE, PRECURED CARBON/EPOXY,C CHANNEL	-	
	GAM500AD	MOUNT	-	

**Customer Specification Revision Levels**

	GAM500N	NUT ANCHOR, NYLON CAP	-	
	GAM500P	MOUNT, RESILIENT, THROUGH-THREADED, SELF-LOCKING	A	
	GAM500R	MOUNT-RESILIENT, THROUGH-THREADED, SELF-LOCKING	-	
	GAM500S	MOUNT-ISO;ATOR, THREADED, SELF-LOCKING	-	
	GAM500SD	MOUNT - ACOUSTIC ISOLATOR, SOUND DAMPENING	A	
	GAM802J	MARKER IDENTIFICATION STRIP, HEAT SHRINKABLE	B	
	GAM810A	MODULE - DIODE, ELECTRONIC COMPONENT	D	
	GAM820A	MODULE - GROUNDING, STUD/FLANGE MOUNTED, COMPOSITE	D	
	GAM820DB	MODULE-POWER DISTRIBUTION AND FEEDBACK	D	
	GAM820LA	MODULE- IN-LINE, JUNCTION	E	
	GAM820LB	MODULE - IN-LINE	B	
	GAMPS1000	GAMPS SYS DEFINITION FORMAT	B	
	GAMPS1001	INDEX OF GA MATERIAL PROCESS SPECIFICATIONS	V	
	GAMPS1101	TAPE, TUBE INDENT	A	
	GAMPS1102	SILKSCREEN MARKING OF INTERIOR IDENT & NAME PLATE	-	
	GAMPS1103	MARKING-ELECTRO ETCH PROCESS	A	
	GAMPS1104	MARKING PLATES AND FOILS, PHOTOGRAPHS PROCESS FOR	-	
	GAMPS1105	IDENTIFICATION MARKING OF FABRICATED METALLIC PARTS AND ASSE	D	
	GAMPS1106	IDENTIFICATION MARKING OF FABRICATED NON-METALLIC PARTS AND	B	
	GAMPS1107	ENGRAVING OF PLASTIC PLACARDS	-	
	GAMPS1108	MARKING PARTS AND ASSY FOR IDENTIFICATION	B	
	GAMPS2101	FABRICATION OF ALUMINUM ALLOYS	E	
	GAMPS2102	PEENING OF FERROUS AND NON-FERROUS ALLOYS	E	
	GAMPS2104	AIR HAMMER PEEN FORMING OF ALUMINUM ALLOYS	-	
	GAMPS2105	PEEN FORMING & SHOT PEENING OF GIII WINGLET PLANKS	-	
	GAMPS2106	FORMING AND FABRICATION OF TITANIUM AND TITANIUM ALLOYS	D	
	GAMPS2107	DIE QUENCH FORMING OF STAINLESS STEEL	-	
	GAMPS2108	CYLINDRICAL GRINDING OF UNPLATED AND CHROMIUM PLATED STEEL	B	
	GAMPS2109	STANDARD MACHINING PRACTICES AND CONTROL OF MACHINED PARTS	A	

**Customer Specification Revision Levels**

	GAMPS2110	PEENING & FORMING OF GIV WING PANELS	A	
	GAMPS2111	FORMING & FABRICATION PRACTICES FOR SHEET METAL	B	
	GAMPS2112	AUTOCLAVE FORMING OF THE GIV UPPER WING PANELS	-	
	GAMPS2113	FORMING OF CARBON,ALLOY,CORROSION AND HEAT RESISTING	B	
	GAMPS2114	SHIMMING PROCESS SPECIFICATION	A	
	GAMPS2116	FABRICATION OF NON-STRUCTURAL TUBING	B	
	GAMPS2117	ESTABLISH REQUIREMENTS FOR LASER CUTTING	-	
	GAMPS2118	GRINDING OF HVOF SPRAYED TUNGSTEN CARBIDE COATINGS APPLIED	-	
	GAMPS2119	ELECTRICAL DISCHARGE MACHINING	A	
	GAMPS2120	AGE FORMING OF ALUMINUM ALLOY PARTS	A	
	GAMPS2121	PEEN FORMING OF ALUMINUM ALLOYS	B	
	GAMPS2201	INSTALLATION OF HI-STRENGTH, THREADED, BLIND MECHANICAL FAS	C	
	GAMPS2202	INSTL OF SOLID & TUBULAR RIVETS	B	
	GAMPS2203	INSTALLATION OF BLIND RIVETS	C	
	GAMPS2204	INSTL OF HIGH STRENGTH PULL TYPE BLIND BOLTS	B	
	GAMPS2205	INSTL OF HIGH SHEAR PRESS NUTS	-	
	GAMPS2206	INSTALLATION OF HI-SHEAR TYPE FASTENERS IN CLEARANCE FIT	C	
	GAMPS2207	INSTL OF HIGH SHEAR BLIND BOLTS & BLIND NUTS	A	
	GAMPS2208	INSTL OF LOCKBOLTS	A	
	GAMPS2209	INSTL OF HIGH-SHEAR RIVETS	-	
	GAMPS2210	INSTL OF CHERRYBUCK FASTENERS	-	
	GAMPS2211	INSTL OF INTERFERENCE FIT FASTENERS	D	
	GAMPS2212	INSTALLATION OF HELICAL THREADED SCREW INSERTS	A	
	GAMPS2213	FABRICATION OF SWAGED PUSHRODS	A	
	GAMPS2214	STRUCTURAL TUBING SWAGING REDUCING & EXPANDING	-	
	GAMPS2215	REDUCING & EXPANDING OF NON-STRUCTURAL TUBING-SWAGING	-	
	GAMPS2216	INSULATION INSTALLATION DUCTS AND TUBES	C	
	GAMPS2217	DIMPLING FLUSH HEAD MECHANICAL FASTENERS(HOT & COLD)	-	
	GAMPS2218	PREPARATION & INSTALLATION OF MECHANICAL	A	



**Customer Specification Revision Levels**

	GAMPS2219	INSTL OF INDEX HEAD INTERFERENCE FIT RIVETS-GIV WING	-	
	GAMPS2220	INSTALLATION AND INSPECTION OF BOLTS/SCREWS AND NUTS	G	
	GAMPS2221	INSTL OF FASTENER INSERTS IN HONEYCOMB BONDED	A	
	GAMPS2222	INSTL OF MECHANICAL	B	
	GAMPS2223	PREPARATION & INSTL OF MECHANICAL FASTENERS IN GRAPHITE	C	
	GAMPS2224	FASTENERS MECHANICAL PREPARATION	B	
	GAMPS2225	WET INSTL OF FASTENERS (COMPOSITE RUDDER PROGRAM)	B	
	GAMPS2226	SHRINK FIT INSTL BUSHINGS ON GA A/C	B	
	GAMPS2227	INSTALLATION OF LOCKWIRE	-	
	GAMPS2228	INSTALLATION OF SAFETY CABLES	-	
	GAMPS2229	INSTALLATION OF FORCETEC RIVETLESS NUT PLATE SYSTEM	-	
	GAMPS2230	INSTALLATION OF HI-SHEAR TYPE PINS WITH KAYNAR NUTS	A	
	GAMPS2231	INSTALLATION OF SOLID RIVETS IN OVERSIZE HOLES	A	
	GAMPS2232	INSTALLATION OF TRANSITION FIT FASTENERS	-	
	GAMPS2233	INSTALLATION OF RIVETLESS NUTPLATES	-	
	GAMPS2234	INSTALLATION OF INDEX HEAD RIVETS, INTERFERENCE FIT	B	
	GAMPS2301	RESISTANCE WELDING OF FOIL MESH & SHEET	-	
	GAMPS2302	FUSION WELDING OF STEELS	A	
	GAMPS2303	BRAZING OF THERMOCOUPLE WIRE TO TERMINATION	-	
	GAMPS2304	REFLOW SOLDERING OF FLAT PAKS	-	
	GAMPS2305	INDUCTION BRAZING & REPAIR OF TITANIUM TUBING ASSY	-	
	GAMPS2306	AUTOMATIC FUSION WELDING OF TITANIUM STAINLESS STEEL	A	
	GAMPS2308	FUSION WELDING OF TITANIUM AND TITANIUM ALLOYS	B	
	GAMPS2309	FUSION WELDING OF ALUMINUM AND ALUMINUM ALLOYS	D	
	GAMPS2310	FRICTION STIR WELDING OF ALUMINUM ALLOYS	A	
	GAMPS2401	GLASS FIBER BASES-PLASTICS LAMINATES FOR STRUCTURAL APPLICAT	B	
	GAMPS2402	GLASS FIBER BASE POLYESTER RESIN	-	
	GAMPS2403	GLASS FIBER BASE EPOXY RESIN	-	
	GAMPS2404	GLASS FIBER BASE PHENOLIC	-	

**Customer Specification Revision Levels**

	GAMPS2405	GLASS FIBER BASE	-	
	GAMPS2406	GLASS FIBER BASE-PLASTIC	-	
	GAMPS2407	METALLIC & NON METALLIC HONEYCOMB	-	
	GAMPS2408	FOAMED IN PLACE-CORE & PLSTIC	-	
	GAMPS2409	PLASTIC LAMINATES-GLASS FIBER BASE	-	
	GAMPS2410	CAST PLASTIC SHIMS, REQUIREMENTS FOR FABRICATION OF	F	
	GAMPS2411	THERMOFORMING-ABS	A	
	GAMPS2412	MODIFIED ACRYLIC PLASTIC PANELS FORMING	A	
	GAMPS2413	FAB & THERMOFORMING OF MONOLITHIC HEAT RESISTING	B	
	GAMPS2414	THERMOPLASTIC ADDITIVE MANUFACTURING	-	
	GAMPS2415	THERMOFORMING POLYCARBONATE PLASTIC	A	
	GAMPS2416	INJECTION MOLDING OF THERMOPLASTIC RESINS	A	
	GAMPS2419	FABRICATION OF FIBERGLASS/EPOXY PARTS, 260 ◊ F CURE	D	
	GAMPS2420	FABRICATION OF KEVLAR	-	
	GAMPS2421	GRAPHITE FIBER REINFORCED	-	
	GAMPS2424	CARBON COMPOSITE PREPREGS, ELEVATED TEMPERATURE CURING PROCE	G	
	GAMPS2425	FBR REINF CMPST LAMINATES FAB OF 350 DEGREES	E	
	GAMPS2426	FABRICATION OF GLASS FABRIC BASE LW PRESS	B	
	GAMPS2430	HEAT SEALING AND INSTL OF FIBERGLASS INSULATION	A	
	GAMPS2431	THERMOFORMING OF THERMOPLASTIC SHEETS	A	
	GAMPS2500	GENERAL INSTALLATION REQUIREMENTS FOR TUBING	E	
	GAMPS2501	PERFORMING OF MED & HIGH PRESSURE OF TEFLON HOSE	-	
	GAMPS2502	TEFLON HOSE ASSY	-	
	GAMPS2503	FAB OF HIGH PRESS TEFLON HOSE ASSY	-	
	GAMPS2504	NYLON TUBING ASSY	-	
	GAMPS2505	INSTALLATION OF INTERNALLY SWAGED TUBE FITTINGS	A	
	GAMPS2506	PERMANENT TUBE FITTINGS (CRYOGENIC SHRINKABLE)	A	
	GAMPS2507	INSTALLATION OF EXTERNALLY SWAGED TUBE FITTINGS	C	
	GAMPS2508	INSTALLATION OF PERMALITE TUBE FITTINGS	B	

**Customer Specification Revision Levels**

	GAMPS2509	INSTALLATION OF DMC MINIATURE END (DME) FITTINGS ONTO TUBING	B	
	GAMPS2515	SWAGING OF WIGGINS TUBE CONNECTORS TO TUBING	A	
	GAMPS2601	INSTL OF HEAT SHRINKABLE MATERIALS	-	
	GAMPS2603	INSTL OF HEAT SHRINKABLE SOLDER SLEEVES	A	
	GAMPS2605	ELECTRICAL BONDING REQUIREMENTS	D	
	GAMPS2606	FABRICATION OF CONNECTOR/CABLE DETAILS	J	
	GAMPS2607	INSTALLATION OF FEEDTHRU - HEAT SHRINKABLE APERSEAL	A	
	GAMPS2608	FABRICATION AND INSTALLATION OF FIBER OPTIC CABLE ASSEMBLIES	F	
	GAMPS2701	CHEMICAL MILLING OF ALUMINUM ALLOYS	B	
	GAMPS2702	CHEMICAL MILLING OF STEELS	-	
	GAMPS2703	ELECTRO CHEMICAL MILLING OF STEEL	-	
	GAMPS3101	ZINC CHROMATE PRIME APPLICATION	-	
	GAMPS3102	INTEGRAL FUEL TANK COATING, AMS-C-27725, APPLICATION OF	K	
	GAMPS3103	PRIMER COATING, EPOXY, PREP & APPL OF (INCLUDING FINISH	D	
	GAMPS3104	APPLICATION OF PRIMER CASTING	-	
	GAMPS3105	SANDING, SURFACING AND SEALING PRIMERS, PREPARATION AND APPL	B	
	GAMPS3107	PRIMER COATING-CELLULOSE-NITRATE MODIFIED ALKYD TYPE	-	
	GAMPS3108	PRIMER COATING-EPOXY POLYAMIDE	-	
	GAMPS3110	PRIMER COATING-EPOXY PREP & APP OF FOR USAF C-20	-	
	GAMPS3111	PRIMER CTG SANDING SURFACER PREP & APP FOR USAF C-20	-	
	GAMPS3112	PREPARATION & APPLICATION OF EPOXY ANTI-STK	B	
	GAMPS3113	PRIMER, EPOXY, ANTI-STATIC GENERAL APPLICATION	B	
	GAMPS3115	PRIMER, EPOXY, CHLORINATED SOLVENT, GENERAL	B	
	GAMPS3116	PRIMER, EPOXY , PREPARATION AND APPLICATION OF	E	
	GAMPS3201	CLEANING & CHEMICAL SURFACE	-	
	GAMPS3202	CLEAR DULL VINYL LACQUER APP TO CONTROL DISPLAY & PLACA	-	
	GAMPS3203	LACQUER: ACRYLIC, MIL-L-81352A, APPLICATION OF	A	
	GAMPS3204	COATING; EPOXY POLYAMIDE, APPLICATION OF	A	
	GAMPS3205	COATING; GLOSS EPOXY FINISH	C	

**Customer Specification Revision Levels**

	GAMPS3206	COATINGS; NEOPRENE PROTECTIVE	A	
	GAMPS3207	PRESERVATION OF FERROUS & NON-FERROUS METAL SURFACES	A	
	GAMPS3208	CORROSION PREVENTIVE COMPOUND	A	
	GAMPS3209	POLYURETHANE ENAMEL, PREPARATION AND APPLICATION OF	D	
	GAMPS3210	PROTECTION AND HANDLING OF MATERIAL AND PARTS	B	
	GAMPS3211	APPLICATION OF DESOTO SKINGARD	A	
	GAMPS3213	FUEL & OIL RESISTANT COATINGS TO POLYCARBONATE SURFACES	-	
	GAMPS3214	URETHANE TOPCOAT, DESOTO SERIES 1000	-	
	GAMPS3215	APPLICATION OF BOESHEILD T-9 WATER DISPLACING COMPOUND	-	
	GAMPS3216	EPOXY TOPCOAT,HIGH-SOLIDS,PHOSPHATE ESTER FLUID RESISTA	C	
	GAMPS3217	COATING:POLYURETHANE,RAIN EROSION RESISTANT,APPLICATION	-	
	GAMPS3218	POLYURETHANE ENAMEL, PREPARATION AND APPLICATION OF INTERIOR	A	
	GAMPS3219	TOUCH UP OF FASTENERS TO MATCH SURROUNDING STRUCTURE	-	
	GAMPS3301	DRY FILM LUBRICANT-RESIN BONDED TETRAFLOUROETHYLENE EMRALON	A	
	GAMPS3302	APPLICATION OF DRY FILM LUBE	A	
	GAMPS3303	ABRASION RESISTANT(ANTI CHAFE)	A	
	GAMPS3304	POLYMER COATING - FLUIDIZED BED PROCESS	A	
	GAMPS3305	EPOXY COATING FLUID BED PROCESS	-	
	GAMPS3306	SOLID DRY FILM LUBRICANT	A	
	GAMPS3307	APP OF FUSED DRY FILM LUBRICANT-TFL-POLYETRA-FLUOROETHY	-	
	GAMPS4000	SURFACE PREPARATION AND PAINTING PROCEDURE FOR EXTERIORS	G	
	GAMPS4001	COSMETIC POLISHING OF AIRCRAFT METALLIC SURFACES	F	
	GAMPS4002	SURFACE PREPARATION AND PAINTING PROCEDURE FOR EXTERIORS OF	B	
	GAMPS4101	PREPARATION OF SURFACES BY ABRASIVE METHODS	A	
	GAMPS4102	ACID CLEANING-ALUMINUM AND ALUMINUM ALLOYS	B	
	GAMPS4103	ACID CLEANING AND PASSIVATION OF FERROUS AND NICKEL-BASE PAR	C	
	GAMPS4104	SURFACE PRE-TREATMENT OF MATERIALS PRIOR TO ADHESIVE BON	D	
	GAMPS4105	ALKALINE CLEANING OF FERROUS & NONFERROUS ALLOYS	C	
	GAMPS4106	IMMERSION STRIPPING OF PAINT	-	

**Customer Specification Revision Levels**

	GAMPS4107	CLEANING AND DESCALING OF TITANIUM AND TITANIUM ALLOYS	C	
	GAMPS4108	PREP OF SURFACES PRIOR TO STRUCTURAL ADHESIVE BDG	B	
	GAMPS4109	PRE-TREATMENT & ETCHING OF FLUOROCARBON SURFACE	-	
	GAMPS4110	STRIPPING OF CADMIUM FROM FERROUS, CRES, COPPER, AND COPPER	A	
	GAMPS4111	STRIPPING OF CHROME PLATING	A	
	GAMPS4112	VAPOR DEGREASING	A	
	GAMPS4113	CLEANING & REFINISHING OF CONTAMINATED ALUMINUM	-	
	GAMPS4114	CHROMATE CONVERSION TREATMENT FOR CADMIUM PLATING	-	
	GAMPS4121	PRECISION CLEANING OF OXYGEN SYSTEM TUBING	B	
	GAMPS4122	SOLVENT WIPE CLEANING	A	
	GAMPS5101	HEAT TREATMENT OF LOW ALLOY STEELS	C	
	GAMPS5102	HEAT TREATMENT OF WROUGHT PRECIPITATION HARDENABLE	C	
	GAMPS5103	HEAT TREATMENT OF MARTENSITIC	B	
	GAMPS5104	HEAT TREATMENT OF AUSTENITIC	A	
	GAMPS5105	HEAT TREATMENT OF TITANIUM & TITANIUM ALLOYS	C	
	GAMPS5108	HEAT TREATING OF ALUMINUM ALLOYS	E	
	GAMPS5111	HOT ISOSTATIC (HIP) OF CASTING	-	
	GAMPS6101	PLATING OF ALUMINUM ALLOYS	-	
	GAMPS6102	CADMIUM PLATING FOR FERROUS PARTS HEAT	A	
	GAMPS6103	BRUSH PLATING OF FERROUS & NON-FERROUS ALLOYS	F	
	GAMPS6104	COPPER PLATING (ELECTRODEPOSITED) FOR FERROUS	B	
	GAMPS6105	CHROMIUM PLATING	B	
	GAMPS6106	CHEMICAL CONVERSION TREATMENT	-	
	GAMPS6108	CHROMATE CONVERSION COATING	F	
	GAMPS6109	APPLICATION OF HEAVY PHOSPHATE	-	
	GAMPS6110	APPLICATION OF PLASMA SPRAY COATING	-	
	GAMPS6111	ELECTROLESS NICKEL-BORON PLATING	-	
	GAMPS6112	TUNGSTEN CARBIDE/CARBON COATING	-	
	GAMPS6113	CHEMICAL CONVERSION COATINGS ON ALUMINUM	-	

**Customer Specification Revision Levels**

	GAMPS6114	HIGH VELOCITY OXY-FUEL (HVOF) COATING FOR GIV AND GV LANDING	-	
	GAMPS6115	THERMAL SPRAYING OF HIGH VELOCITY OXYGEN-FUEL(HVOF)COATINGS	-	
	GAMPS6201	ANODIC COATING (TYPE I - CHROMIC ACID) FOR ALUMINUM AND ALUM	E	
	GAMPS6203	ABRASION-RESISTANT ANODIC COATINGS (TYPE III)	B	
	GAMPS6204	PHOSPHORIC ACID ANODIZING OF ALUMINUM FOR BONDING	J	
	GAMPS6205	CHROMIC ACID ANODIZING OF ALUMINUM FOR STRUCTURAL METAL BOND	-	
	GAMPS6206	ANODIC COATINGS (TYPE IC - BORIC SULFURIC ACID)	C	
	GAMPS7101	SEALING & PRESSURIZED AREAS-SKIN JOINT	D	
	GAMPS7102	SEALING OF SURFACES FOR AERODYNAMIC SMOOTHNESS	E	
	GAMPS7103	POLYSULFIDE RUBBER COATING	-	
	GAMPS7104	SEALING THE GULFSTREAM GIV WING	D	
	GAMPS7105	SEALING OF INTEGRAL FUEL TANKS	B	
	GAMPS7106	ACID SEALING & ENVIRONMENTAL SEALING (COMPOSIT RUDDER)	B	
	GAMPS7107	AERODYNAMIC SMOOTHING & FAIRING OF AIRCRAFT	B	
	GAMPS7115	REQUIREMENTS FOR SEALING PRESSURIZED, UNPRESSURIZED	K	
	GAMPS7116	REQUIREMENTS FOR SEALING GVII INTEGRAL FUEL TANKS	D	
	GAMPS7120	SEALING PROCESS FOR NON-PRESSURIZED STATIC JOINTS	B	
	GAMPS7121	SEALING AND AERO FILL APPLICATION PROCEDURE FOR GAP BAND	B	
	GAMPS7201	APPLICATION OF HIGH TEMPERATURE SEALANTS	B	
	GAMPS7203	APPLICATION OF FLAME RESISTANT SEALANTS	B	
	GAMPS7301	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7302	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7303	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7304	ENCAPSULATION OF ELECTRICAL COMPONENTS EPOXY BASED	-	
	GAMPS7401	INJECTION SEALING WITH GROOVE TYPE SEALANTS	-	
	GAMPS7501	WELD THROUGH SEALING	-	
	GAMPS7601	CONDUCTIVE ADHESIVES AND SEALANTS	B	
	GAMPS8101	STRUCTURAL ADHESIVE BONDING	B	
	GAMPS8102	STRUCTURAL ADHESIVE BONDING FM-47 ADHESIVE SYSTEM	-	

**Customer Specification Revision Levels**

	GAMPS8103	STRUCTURAL ADHESIVE BONDING FM-61 ADHESIVE SYSTEM	-	
	GAMPS8104	STRUCTURAL ADHESIVE BONDING FM-58 ADHESIVE SYSTEM	-	
	GAMPS8105	STRUCTURAL ADHESIVE	-	
	GAMPS8106	STRUCTURAL ADHESIVE BONDING HT-424 ADHESIVE SYS	-	
	GAMPS8108	STRUCTURAL ADHESIVE BONDING FOR 67 DEG F TO 420 DEG F	-	
	GAMPS8109	STRUCTURAL ADHESIVE BONDING	C	
	GAMPS8110	STRUCTURAL ADHESIVE BONDING DETAIL	-	
	GAMPS8111	METAL TO METAL BONDING (ONE PART)	-	
	GAMPS8112	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8113	BONDING COMPOSITES PROCESS FOR COMPOSITE RUDDER	B	
	GAMPS8114	STRUCTURAL ADHESIVE BONDING USING 3M AF - 163 ADHESIVE	C	
	GAMPS8115	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8116	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8118	FABRICATION PROCEDURES FOR CO-CURING AND SECONDARY	H	
	GAMPS8121	EDGE FILLING AND PRE-BOND POTTING OF METAL AND COMPOSITE	A	
	GAMPS8124	APPLICATION OF ADHESIVE PRIMER FOR STRUCTURAL BONDING	D	
	GAMPS8125	AUTOCLAVE PROCESSING OF BONDED ALUMINUM ASSEMBLIES	G	
	GAMPS8126	APPLICATION OF PHENOLIC PRIMER FOR STRUCTURAL BONDING	-	
	GAMPS8127	STRUCTURAL BONDING OF METALLIC STRUCTURE WITH PASTE	B	
	GAMPS8130	CONTROLLED CONTAMINATION AREA (CCA) FACILITY REQUIREMENTS-BO	A	
	GAMPS8201	ADHESIVE BONDING	-	
	GAMPS8202	ADHESIVE BONDING OF RUBBER	-	
	GAMPS8203	ADHESIVE BONDING OF EPOXY ICE GUARDS	-	
	GAMPS8204	ADHESIVE BONDING OF ACRYLONITRILE	A	
	GAMPS8205	NON-STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8206	NON-STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8207	NON-STRUCTURAL ADHESIVE BONDING USING RUBBER CEMENTS	A	
	GAMPS8209	APPLICATION OF ANAEROBIC ADHESIVES FOR THREADLOCKING,	A	
	GAMPS8210	ADHESIVE BONDING OF METALLICS AND NON-METALLICS, GENERAL PUR	B	

**Customer Specification Revision Levels**

	GAMPS8305	SOLID LAMINATE CARBON/EPOXY COMPOSITE PREPREGS, ELEVATED	B	
	GAMPS8306	FABRICATION PROCEDURES FOR COMPOSITE SANDWICH STRUCTURES	D	
	GAMPS8307	FABRICATION PROCEDURES FOR 350 F CURE 5H SATIN EPOXY	A	
	GAMPS8308	FABRICATION PROCEDURES FOR COMPOSITE SANDWICH STRUCTURES	A	
	GAMPS8309	FABRICATION PROCEDURES FOR 250 DEG F CURE COMPOSITE SANDWICH	A	
	GAMPS8310	STANDARD MACHING, DRILLING AND TRIMMING PRACTICES FOR COMPOS	A	
	GAMPS8311	COMPOSITE MANUFACTURING ACCEPTANCE CRITERIA	C	
	GAMPS8316	MATCH DRILLING AIRCRAFT STRUCTURE	C	
	GAMPS8317	AUTOMATED CARBON/EPOXY PREPREG PROCESSING OF HORIZONTAL	F	
	GAMPS8318	FABRICATION PROCEDURE FOR CARBON FIBER/ EPOXY COMPRESSION MO	A	
	GAMPS8319	FABRICATION PROCEDURE FOR FIBER GLASS/ PHENOLIC COMPRESSION	A	
	GAMPS8401	VORTEX GENERATORS & BOUNDARY LAYER ENERGIZERS	B	
	GAMPS8404	APPLICATION OF SEALING TAPE ON COMPOSITE FAIRINGS	-	
	GAMPS8405	SEAL TAPE FOR PRESSURE AND NON-PRESSURE APPLICATIONS	A	
	GAMPS8501	GLASS FIBER BLANKET INSULATION SYSTEMS,FABRICATION	-	
	GAMPS8502	INSULATION SYSTEM ON DUCTS AND TUBES,FAB AND ASSY OF	A	
	GAMPS8503	ACOUSTIC BLANKET SEALING AND REPAIR	A	
	GAMPS9101	ULTRASONIC QUALITY REQUIREMENT FOR ALUMINUM ALLOY PRODU	B	
	GAMPS9102	ULTRASONIC INSPECTION LOW ALLOY & STAINLESS	C	
	GAMPS9103	ULTRASONIC QUALITY REQ FOR TITANIUM AND TITANIUM ALLOYS	B	
	GAMPS9104	ULTRASONIC INSPECTION OF COMPOSITE STRUCTURES	C	
	GAMPS9105	ULTRASONIC INSPECTION OF METAL-BOND STRUCTURES	B	
	GAMPS9501	VACUUM TESTING OF FASTENERS	-	
	GAMPS9502	NITAL ETCH OF LOW ALLOY STEEL PARTS	A	
	GAMPS9503	WEDGE TEST	A	
	GAMPS9504	CLAD TEST METHOD, FOR 2024 ALUMINUM ALLOY	B	
	GAMPS9505	CORROSION TEST METHOD, GENERAL, METALS	-	
	GAMPS9506	STANDARD METHODS FOR FIRST PART QUALIFICATION	B	
	GAMPS9507	STANDARD PROCEDURES FOR TESTING OF ADHESIVES SYSTEMS	A	



**Customer Specification Revision Levels**

	GAMPS9508	STANDARD PROCEDURES FOR TESTING OF FIBER REINFORCED, POLYME	-	
	GAMPS9509	STANDARD METHODS FOR FIRST PART QUALIFICATION AND REQUALIFIC	A	
	GAMPS9510	STANDARD METHOD FOR FIRST PART QUALIFICATION AND REQUALIFICA	A	
	GAN10A	NUT-MINIATURE, PLATE TWO LUG, 550 F	-	
	GAN10AC	NUT-PLATE CORNER, 550 F	-	
	GAN10AJ	NUT-SELF-LOCKING,EXTERNAL WRENCHING	A	
	GAN10AP	NUT, HIGH TENSILE, 12-POINT, 220 KSI, 232 C	-	
	GAN10AU	NUT HYDRAULIC TERMINAL LOCKING	A	
	GAN10C	NUT-MINIATURE, PLATE CORNER 550 F	-	
	GAN10F	NUT PLATE TWO LUG 550 F	-	
	GAN10FG	NUT, HYDRAULIC CYLINDER, LOCKING	A	
	GAN10FM	NUT-HYDRAULIC CYLINDER,MIL-S8879 THREAD	-	
	GAN10U	NUT - HEX, 450 DEG F	B	
	GAN10V	NUT - HEX ALUM. ALLOY,250 F	-	
	GAN10W	NUT, THIN HEX, ALUMINUM ALLOY, 250 F	B	
	GAN10Y	NUT PLATE TWO LUG FLOATING, 550 F	-	
	GAN11A	PLATE-IDENTIFICATION, SERIAL NUMBER, CONTROLLED PARTS	A	
	GAN11AB	COMPONENT IDENTIFICATION PRESSURE SENSITIVE ALUM	-	
	GAN11AC	NAMEPLATE OVERCOAT, PLACARD & PANEL PROTECTIVE COATING	-	
	GAN11CC	NAMEPLATE COMPONENT IDENTIFICATION	-	
	GAN11D	NAMEPLATE COMMERCIAL ASSYS, AL ALY & CRES	-	
	GAN11GN	NAMEPLATE - PART AND SERIAL NUMBER IDENTIFICATION	C.	
	GAN11J	NAMEPLATE PART & SERIAL NUMBER	A	
	GAN11M	NAMEPLATE, COMMERCIAL ASSEMBLIES	-	
	GAN500A	NUT PLATE,ANCHOR,TWO LUG,METAL CAP,250 F,REG & INCREASE	A	
	GAN500D	NUTPLATE, SELF-LOCKING, TWO LUG, 232 C & 427 C, CAPPED	-	
	GAN500E	NUT PLATE,SELF LOCKING,DEEP CBORE TWO LUG	-	
	GAN500F	NUT PLATE, SELF-LOCKING, FLOATING, REMOVABLE NUT,450	-	
	GAN500G	NUTPLATE-SELF-LOCKING, FLOATING, 450 F AND 900 F	-	

**Customer Specification Revision Levels**

	GAN500M	NUT PLATE, SELF LOCKING, REDUCED RIVET SPACING 450 F	A	
	GAN500N	NUT ANCHOR, NYLON CAP	A	
	GAN500U	NUT-DOME,LOCKING,TWO LUG,REDUCED RIVET SPACING	-	
	GAN502A	NUT, DOME, TWO LUG, SELF-SEALING, SELF-LOCKING, FLOATING 125	B	
	GAN502AF	NUT PLATE, TWO LUG, CAPPED, FLOATING SELF LOCKING BASE	A	
	GAN502CD	NUT PLATE SELF LOCKING BEAM LOCK 2 LUG FLOATING 160 KSI	-	
	GAN502CJ	NUT PLATE	-	
	GAN503A	NUT PLATE, ANCHOR, MINIATURE, SELF-SEALING DOME	A	
	GAN504A	NUT - CAP ANCHOR, SELF-LOCKING, FLOATING	-	
	GAN504B	NUT-ANCHOR, 2 LUGS, S/L, FLOATING, MINI, XTR DEEP CNT BORE	-	
	GAN510AA	NUT-COLLAR,SHEAR,ALUMINUM ALLOY	C	
	GAN510AD	NUT-COLLAR, 7075-T73 ALUMINUM ALLOY, SPECIAL APPLICATION	B	
	GAN510AE	NUT HEX , SELF-ALIGNING SELF-LOCKING	A	
	GAN510AF	NUT - COLLAR,SHEAR, ALUMINUM ALLOY, STANDARD & 1/32OVERSI	-	
	GAN510AG	NUT-COLLAR, STAINLESS STEEL, STANDARD AND 1/32	-	
	GAN510AH	NUT-COLLAAR ,SHEAR,A-286 HIGH TEMP ALLOY,STD & 1/64 OVERS	-	
	GAN510AJ	NUT - COLLAR,TENSION, STAINLESS STEEL, 1/64 OVERSIZE	-	
	GAN510AL	NUT	-	
	GAN510AN	NUT COLLAR ASSEMBLY - SHEAR, A286 CRES	-	
	GAN510AP	NUT COLLAR ASSEMBLY - SELF-ALIGNING, TENSION	-	
	GAN510AR	NUT-COLLAR,SHEAR,7075-T73 ALUMINUM ALLOY	-	
	GAN510AS	NUT-COLLAR,ALUMINUM ALLOY,1/64 AND 1/32 OVERSIZE	-	
	GAN510AT	NUT - COLLAR, SHEAR, A-286 HIGH TEMP ALLOY, 1/32 OVERSIZE	-	
	GAN510AW	NUT-COLLAR,SHEAR APPLICATION, ALUMIN ALLOY	A	
	GAN510BF	NUT COLLAR ASSEMBLY - SELF-LOCKING, TORQUE OFF HEX	-	
	GAN510BH	NUT - COLLAR, SHEAR, STAINLESS STEEL,STANDARD & 1/32 OVERS	-	
	GAN510BJ	NUT - TENSION, STAINLESS STEEL, 1/32 OVERSIZE	A	
	GAN510BL	NUT COLLAR ASSEMBLY-SELF-LOCKING,TORQUE OFF HEX,	A	
	GAN510C	NUT,CAP-HEX,NYLON CAP,SELF LOCKING,250 DEG.	A	

**Customer Specification Revision Levels**

	GAN510CA	NUT-HEX-LOE HEIGHT, SELF-LOCKING, A-286 CRES (125KSIFTU	-	
	GAN510DA	NUT-COLLAR ASSEMBLY,TENSION,CRES, SELF-ALIGNING	-	
	GAN510F	NUT, FIRE DETECTION SYS, CONTINUOUS, HEX	-	
	GAN510H	NUT, PUSH-PULL CONTROLS, 20 F FLARED CONDUIT, HEX, CONN	A	
	GAN511A	NUT-SELF-LOCKING, LIGHT WEIGHT, THIN, CASTELLATED, CRES	-	
	GAN511AB	NUT,12 PT, SELF-LOCKING A-286 CRES, SILVER PLATED	-	
	GAN511AC	NUT-SHEAR,REDUCED HEX.,LIGHTWEIGHT,SELF-LOCKING	A	
	GAN511AD	NUT, 12 POINT EXTERNAL WRENCHING, SELF LOCKING, INCO	B	
	GAN511AE	NUT,12 PT, EXTERNAL WRENCHING DOUBLE DURABILITY	-	
	GAN511AG	NUT,12 PT, FEATHER WEIGHT EXT WRENCHING SELF- LOCKING	-	
	GAN511B	NUT 12 POINT, EXTERNAL WRENCHING, SELF LOCK SHEAR, 450F	B	
	GAN511C	NUT - SELF-LOCKING, BARREL, FLOATING	-	
	GAN511D	RETAINER - NUT, SELF-LOCKING,BARREL,FLOATING,.190- 32UNJF	-	
	GAN511E	NUT, 12-POINT, HIGH STRENGTH, EXTERNAL WRENCHING, SELF-	A	
	GAN511F	NUT -SIX POINT, SELF-LOCKING,SHEAR APPLICATION	A	
	GAN511FB	NUT - SIX POINT,SELF-LOCKING,TENSION APPLICATION	-	
	GAN511FC	NUT-SIX POINT,SELF-ALIGNING,SELF-LOCKING,SHEAR APPLICATION	A	
	GAN511FG	NUT - SIX POINT, SELF-LOCKING, SHEAR APPLICATION	B	
	GAN511FH	NUT - SIX POINT, SELF-LOCKING TENSION APPLICATION	A	
	GAN511FJ	NUT - SIX POINT, SELF-ALIGNING, SELF-LOCKING SHEAR APPLICATI	-	
	GAN511FK	NUT - SIX POINT, SELF-ALIGNING, SELF-LOCKING TENSION APPLICA	-	
	GAN512AB	NUT COLLAR,TENSION,SELF-LOCKING TORQUE OFF HEX 371 DEG	-	
	GAN512AN	NUT COLLAR,TORQUE OFF HEX, SELF-LOCKING TENSION	A	
	GAN512B	NUT BLIND, 100 COUNTERSUNK HEAD, INTERNAL THREAD, CLOSE	B	
	GAN512BG	NUT, 100 F COUNTERSUNK HEAD, INTERNAL THREAD, OPEN OR C	-	
	GAN512C	NUT,BLIND,PROTRUDING HEAD,INTERNAL THREAD,OPEN END KEYL	-	
	GAN512CV	NUT COLLAR SHEAR, SELF-LOCK, TORQUE OFF HEX, CRES REG	A	
	GAN512D	NUT,BLIND,100 COUNTERSUNK HEAD,INTERNAL THREAD OPEN END	A	
	GAN512DE	NUT, COLLAR, SELF LOCKING, TORQUE OFF HEX, ALUM, SHEAR	A	

**Customer Specification Revision Levels**

	GAN512DF	NUT COLLAR-SELF LOCKING.TORQUE OFF HEX,ALUM,SHEAR	-	
	GAN512F	NUT-BLIND, 80 KSI, 100 FL HEAD, INTERNAL THD, CLOSED	-	
	GAN512FJ	NUT,REDUCED HEX, THIN, LTWEIGHT, CASTELLATED 450 DEG F	A	
	GAN512FK	NUT-SHEAR,REDUCED HEXAGON,LIGHTWEIGHT,SELF- LOCKING	-	
	GAN512FP	NUT,SELF-LOCKING,LIGHTWEIGHT,CASTELLATED,450 DEGREES F	C	
	GAN512H	NUT COLLAR SHEAR SELF-LOCKING,TORQUE OFF HEX ALUM	A	
	GAN512HU	NUT CORNER CLIP ON	-	
	GAN512J	NUT-COLLAR,TENSTION,SELF-LOCKING,TORQUE OFF HEX,	A	
	GAN512JC	NUT,BARREL,SELF-LOCKING,NON-FLOATING,STEEL CAD PLATE	A	
	GAN512JD	NUT COLLAR CRES, LUBRICATED,TENSION 450 DEG F	A	
	GAN512JE	NUT COLLAR SHEAR, SELF-LOCKING,TORQUE-OFF HEX	-	
	GAN512LC	NUT COUPLING FOR PERMASWAGE SLEEVE	A	
	GAN512LD	NUT - TUBE, SLEEVE COUPLING, FLARED & FLARENESS	-	
	GAN512NA	NUT,COLLAR TORQUE OFF HEX SHEAR	B	
	GAN512NB	NUT CLR SLF ALIGN,TOQUE-OFF HEX,REDUC HGT SHEAR,ALU COL CR	A	
	GAN512NC	NUT COLLAR, TORQUE OFF HEX, SELF-LOCKING TENSION	D	
	GAN512PA	NUT-CLIP-ON,AND INSTALLATION	B	
	GAN512R	NUT,BLIND,PROTRUDING HEAD,INTERNAL THREAD CLOSE END	A	
	GAN512RN	NUTPLATE - RIVETLESS	-	
	GAN512W	NUT ASSY-SELF-ALIGNING,SELF-LOCKING, TORQUE OFF HEX	A	
	GAN515A	NUT, RETAINER, FOR EXTERNAL WRENCHING NUT, TWO LUG	A	
	GAN515C	NUT RETAINER, TWO LUG, HEX HEAD	A	
	GAN515C9	NUT RETAINER,TWO LUG,HEX HEAD	-	
	GAP105A	PLASTIC SHEET - THERMOPLASTIC, ACRYLIC/PVC, FIRE RET.	A	
	GAP105AA	PLASTIC NYLON, WEAR RESISTANT	C	
	GAP105AH	PLASTIC, SHEET ACRYLIC/FIBERGLASS LAMINATED	-	
	GAP105AT	PLASTIC POLYCARBONATE MOLDING & EXTRUDING	-	
	GAP105AU	PLASTIC,POLYAMIDE MOLDING & EXTRUDING	A	
	GAP105AV	PLASTIC MOLDING MATERIAL, NETHACRYLATE	-	

**Customer Specification Revision Levels**

	GAP105BG	PLASTIC SHEET, THERMOPLASTIC-ABS, ABS/PVC AND PVC/ACRYLIC, RIGI	A	
	GAP105F	PLASTIC, SHEET AND FILM, POLYTETRAFLUOROETHYLENE (PTFE)	B	
	GAP105FA	PLASTIC-POLYURETHANE, POLYESTER-BASED	-	
	GAP105FR	PLASTIC-FILM, REINFORCED, SELF-EXTINGUISHING, HEAT SEALABLE, P	A	
	GAP105FS	PLASTIC- FILM ,REINFORCED, SELF-EXTINGUISHING, HEAT SEALABLE	A	
	GAP105FT	PLASTIC- FILM, REINFORCED, SELF-EXTINGUISHING, HEAT SEALABLE,	A	
	GAP105K	PLASTIC, THERMOPLASTIC, MODIFIED VINYL SPONGE, CLOSED	E	
	GAP105U	PLASTIC, SPONGE, CLOSED CELL, NITRILE/PVC	A	
	GAP105W	PLASTIC MATERIAL, PRESS SENSITIVE ADHESIVE, MIL-P-38477	A	
	GAP106T	PLASTIC SHEET LAMINATED THERMOSETTING COTTON FABRIC	A	
	GAP10E	PLATE, ELECT SINGLE TERMINAL BOARD MOUNTING	-	
	GAP10F	PLATE, ELECT DOUBLE TERMINAL BOARD MOUNTING	-	
	GAP110AH	PAINT, SILK SCREEN PASTE, FLAT CLEAR	-	
	GAP110AR	COATING, URETHANE, ALIPHATIC ISOCYANATE, FOR AREOSPACE	A	
	GAP110AU	PAINT SILK SCREEN PASTE	A	
	GAP110AV	PAINT SILK SCREEN PASTE	-	
	GAP110B	PAINT, ENAMEL, ALKYD, GLOSS, TT-E-489 CLASS A	-	
	GAP110BS	PAINT, ALITHATIC POLYURETHANE LOW REFLECTANCE	-	
	GAP110C	PAINT, ENAMEL, ALKYD, LUSTRELESS, AIR-DRYING AND BAKED	-	
	GAP110H	PAINT LACQUER ACRYLIC	A	
	GAP110K	PAINT, MARKING	C	
	GAP110M	PAINT, MARKING	B	
	GAP110MA	PAINT - EPOXY, TOP COAT	-	
	GAP110N	PAINT, MARKING	-	
	GAP110R	PAINT	-	
	GAP110S	PAINT - LACQUER TORQUE SEAL COMPOUND	D	
	GAP110TR	PAINT, ALUMINUM, HEAT RESISTING	A	
	GAP111A	PRIMER, FOR SILICONE RUBBER	C	
	GAP111BD	PRIMER FOR EPOXY ADHESIVE	-	

**Customer Specification Revision Levels**

	GAP111C	PRIMER,SYNTHETIC ELASTOMER MOLDING & POTTING COMPOUND	-	
	GAP111G	PRIMER - SILICONE	C	
	GAP111M	PRIMER-SILICONE, RTV	B	
	GAP111N	PRIMER, FOR EPOXY ADHESIVES	-	
	GAP111P	PRIMER, FOR EPOXY ADHESIVES	-	
	GAP111W	PRIMER-ADHESION PROMOTER	C	
	GAP111Y	PRIMER - GENERAL PURPOSE, SOLVENT-SYNTHETIC RESIN BASED	-	
	GAP11B	PLUG	-	
	GAP11D	PLUG, RUBBER	-	
	GAP11E	PLUG INSTL GROOVED,PIN EXPANDING	-	
	GAP11K	PLUG, SEALING, SKYDROL RESISTANT	A	
	GAP11P	PLUG-EMI BLANKING,HEXASHEILD	-	
	GAP12A	PAD BELLCRANK MOUNTING	C	
	GAP13E	PIN HINGE RETENTION OF MECHANICAL & NON-MECHANICAL	-	
	GAP14A	PAINT MARKING, EPOXY, FLAT OR GLOSS	B	
	GAP500AA	PLATE - CONNECTING	-	
	GAP510EA	PIN, HINGE	-	
	GAP510RP	RIGGING PIN - GROUND SUPPORT EQUIPMENT	-	
	GAP515AA	PLATE - WING SKIN	C	
	GAP525A	PLUG, GROOVED, PIN EXPANDING	B	
	GAP525B	PLUG, FLARELESS, TUBE FITTING	A	
	GAP830B	PLATE, ELECTRICAL, MOUNTING, CABLE STRAP	-	
	GAP830C	PLATE MOUNTING, CABLE, NYLON	A	
	GAP830H	PLATE	-	
	GAR100A	RUBBER, CELLULAR, CHEMICALLY BLOWN SHT MIL-R-6130	A	
	GAR100AH	RUBBER, FLUOROCARBON ELASTOMER, SHEET MIL-R-83248	-	
	GAR100B	RUBBER, SYNTHETIC, SHEET	A	
	GAR100E	RUBBER, SILICONE CLOSED CELL, SHEET AND STRIP (AMS 3195	-	
	GAR100F	RUBBER, SYNTHETIC BUTYL TYPE, SHEET AND STRIP (AMS 3237	-	

**Customer Specification Revision Levels**

	GAR100G	RUBBER, SYNTHETIC BUTYL TYPE, SHEET AND STRIP (AMS 3238)	-	
	GAR100R	RUBBER,FLUOROSILICONE ELASTOMER OIL & FUEL RESISTANT	-	
	GAR10F	RIVET SPECIAL FLUSH	-	
	GAR10H	RIVET, UNIVERSAL HEAD, SEALING	-	
	GAR10J	RIVET ASSY UNIVERSAL HEAD SEALING	-	
	GAR110CR	SILICONE SEALANT, HIGH TEMPERATURE	E	
	GAR110MY	RESIN-FAIRING COMPOUND,EPOXY,FLEXIBLE,TWO COMPONENT	A	
	GAR110V	RESIN, EPOXY, POTTING AND CASTING	A	
	GAR110VK	RESIN, FILLER COMPOUND, HEXAVALENT CHROMIUM FREE	-	
	GAR111A	RELEASE AGENT-HARD TOOLING WAX,NON SILICONE MOLD	A	
	GAR111C	RELEASE AGENT-ALL PURPOSE,WAX-BASED,TWO PART	C	
	GAR111D	RELEASE AGENT-DRY FILM LUBE & MOLD RELEASE (TFE)	C	
	GAR500A	RIVET-PROTRUDING HEAD CONICAL KEYSTONE LOCK	-	
	GAR500AC	RIVET,BLIND,PROTRUDING HEAD,NUTPLATE,HOLLOW,.093 DIA,	A	
	GAR500AP	RIVET MODIFIED UNIVERSAL HD	-	
	GAR500AR	RIVET SOLID-UNIVERSAL HEAD, A286 CRES, RADIUS/CHAMFERON	-	
	GAR500B	RIVET,BLIND PROTRUDING HD, MECH.LOCKING SELF PLUGGING	-	
	GAR500C	RIVET-SOLID, STRUCT, 100 DEG COUNTERSUNK HD, ALUM ALLOY	-	
	GAR500D	RIVET-SOLID, STRUCTURAL, UNIVERSAL HEAD, ALUMINUM ALLOY	-	
	GAR500E	RIVET - BLIND, STRUCTURAL,LOCKED SPINDLE, PROTRUDING HEAD	-	
	GAR500L	RIVET, BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPIND	-	
	GAR500W	RIVET, SOLID, SHEAR, UNIVERSAL HEAD A286	-	
	GAR501A	RIVET-100 CSK HD.,CONICAL KEYSTONE LOCK,BLIND	-	
	GAR501AB	RIVET BLIND POSITIVE MECHANICAL LOCK, 100 DEGREES FLUSH-SHAL	C	
	GAR501AC	RIVET BLIND FLUSH HEAD NUT PLATE	A	
	GAR501AT	RIVET 100 DEG FLUSH SHEAR HD	-	
	GAR501AU	RIVET 100 DEG FLUSH HD 7050 AL ALY	-	
	GAR501AV	RIVET, SOLID, MODIFIED HEAD ALUM ALLOY	A	
	GAR501B	RIVET, SEALING, 100 F CSK HEAD, ORING SEAL, SOLID,ALUM	-	

**Customer Specification Revision Levels**

	GAR501BB	RIVET,BLIND MONEL,MECHANICALLY LOCKED,100DEG FLUSH HEAD	A	
	GAR501C	RIVET BLIND 100 CSK HEAD MCHC.LOCKED SPINDLE,SELF PLUGG	-	
	GAR501D	RIVET-SOLID,100 DEGREE FLUSH SHEAR HEAD,ALUM ALLOY	E	
	GAR501E	RIVET-SOLID,COUNTERSUNK 100 DEGREE PRECISION HEAD	D	
	GAR501F	RIVET-SOLID,UNIVERSAL HEAD,ALUMINUM ALLOY	E	
	GAR501G	RIVET - BLIND, STRUCTURAL, LOCKED SPINDLE, CSK FLUSH	-	
	GAR501H	RIVET - BLIND, STRUCTURAL, LOCKED SPINDLE, CSK FLUSH	-	
	GAR501L	RIVET BLIND 100 CSK HEAD MECHANICALLY LOCKED SPINDLE,AL	-	
	GAR501W	RIVET SOLID, SHEAR, ROUND TOP 100 COUNTERSUNK HEAD A286	-	
	GAR504E	ROLLER ASSY	-	
	GAR504F	ROLLER	-	
	GAR520AM	RECEPTACLE	-	
	GAR520C	RECEPTACLE, PANEL FASTENER, QUICK RELEASE, RIGID	C	
	GAR520G	RECEPTACLE STRIP, PANEL FASTENER QUICK RELEASE 90 ANGLE	B	
	GAR520M	RECEPTACLE HIGH STRENGTH,ROTARY QUICK OPERATINGFASTENER	A	
	GAR520MF	RECEPTACLE-NUTPLATE, STRUCTURAL QUICK RELEASE FASTENER	C	
	GAR521A	RECEPTACLE, PANEL FASTENER, QUICK RELEASE, 200 LB GOMME	-	
	GAR524K	RESTRICTOR HYD CRES FLARE ENDS	-	
	GAR530A	RECEPTACLE-QUICK RELEASE,POSITIVE LOCK,SINGLE ACTION, BALL-L	B	
	GAR540BB	RING, SNAP, GAMAH, FLEXIBLE COUPLING	-	
	GAR540BL	RING, NUT, CLOSED	-	
	GAR540BY	RING NUT, OPEN ELEC CONNECTOR	A	
	GAR540D	RING - RETAINING, PANEL FASTENER, QUICK RELEASE	C	
	GAR540E	RING, RETAINING, PANEL FASTENER, QUICK RELEASE, SPRING	C	
	GAR540K	RING, RETAINING, QUICK OPERATING, HIGH STRENGTH, ROTARY	-	
	GAR540MF	RING-RETAINING, SOLID, STRUCTURAL QUICK RELEASE FASTENER	-	
	GAR805SJ	CONNNECTOR, PLUG	B	
	GAR805TR	RESISTOR - TRIAX JACK, TERMINATION	A	
	GAR810A	RESISTOR-MODULE	C	



**Customer Specification Revision Levels**

	GAR810C	MODLE-RESISTOR/DIDODE, JUNCTION ASSEM-SPECAIL	C	
	GAR835MA	RELAY - 5AMPS, 28VDC, 6 POLE DOUBLE-THROW (6PDT)	A	
	GAR835NH	RELAY-TIME DELAY,FOUR POLE,DOUBLE THROW (4 PDT),10 AMP	C	
	GAR835NJ	RELAY-FOUR POLE DOUBLE THROW (4PDT), AMP, HERMETICALLY	C	
	GAR835NK	RELAY-TWO POLE DOUBLE THROW (2PDT) 10 AMP,	D	
	GAR835NL	RELAY - THREE POLE THROW (3PDT), AC 400HZ COIL, 25 AMP	B	
	GAR835NM	RELAY	B	
	GAR835NP	RELAY, TIME DELAY, 10 AMP, 2 PDT	B	
	GAR835NR	RELAY - 2 PDT, 5 AMP, 28 VDC	C	
	GAR835NT	RELAY - FOUR POLE DOUBLE THROW (4PDT), 5 AMP, 28VDC	E	
	GAR835NV	CONTRACTOR - 3 POLE DOUBLE - THROW (3PDT), 115 VAC	A	
	GAR835SV	RELAY - TWO POLE DOUBLE THROW (2PDT) POLARIZED PIN, 10 AMP	E	
	GAR835SW	RELAY-TIME DELAY ON RELEASE,10 AMP,DOUBLE POLE-DOUBLE T	A	
	GAR836A	RAIL- COMPOSITE, MODULE MOUNT	A	
	GAS100A	SHIM PLASTIC MATERIAL,L-P-504	-	
	GAS100B	SHIM STOCK, LAMINATED MIL-S-22499	-	
	GAS105F	MESH-NON WOVEN, ELECTRICALLY CONDUCTIVE,(SCREENING)	-	
	GAS10A	SLEEVE, AIR DUCT, 275 F	A	
	GAS10C	SLEEVE, LANYARD	-	
	GAS10F	SLEEVE, AIR DUCT, 500 F	-	
	GAS111D	STEEL SHEET-PATTERENED	-	
	GAS115A	SOLVENT - SURFACE CLEANING AND SEALANT REMOVAL	A	
	GAS115B	SOLVENT COMPOUND - CLEANING, LIQUID	-	
	GAS115C	SOLVENT COMPOUND - CLEANING AGENT	-	
	GAS115E	SOLVENT, N-METHYL PYRROLIDONE	-	
	GAS115G	SOLVENT COMPOUND-CLEANER/DEGREASER	A	
	GAS115H	SOLVENT - CLEANER/DEGREASER - MIXED HYDROCARBONS	A	
	GAS115J	SOLVENT COMPOUND - AQUESOUS CLEANER/DEGREASER	-	
	GAS115K	SOLVENT - METHYL PROPYL KETONE (MPK)	A	

**Customer Specification Revision Levels**

	GAS115PC	SOLVENT COMPOUND - CLEANER / DEGREASER	B	
	GAS115SW	CLEANING AND SURFACE PREPARATION WIPES - SOLVENT	-	
	GAS115VC	PRECISION CLEANING VERIFICATION FLUID	-	
	GAS115WW	SOLVENT - GENERAL SURFACE AND PARTS CLEANING	-	
	GAS11A	SEAL-SILICONE RUBBER,FABRIC COVERED	-	
	GAS11B	STRIP, ELECTRICAL, ANTI-CHAFING	A	
	GAS11C	STRIP, ANTICHAFF, GRAY, ABS PLASTIC	B	
	GAS11D	STRIP,RADIUS REINFORCEMENT-TITANIUM	-	
	GAS11E	STRIP RADIUS REINFORCEMENT	B	
	GAS11F	STRIP ELEC MOUNTING NUT INSULATING	-	
	GAS11P	STRIP, H-FILM RETAINER	-	
	GAS11R	STRIP, ELECTRICAL, MOUNTING NUT INSULATION	-	
	GAS12A	SHIM, MINIATURE PLATE NUT	A	
	GAS12D	SHIM ALUMINUM ALLOY AND CRES, LAMINATED	B	
	GAS12E	SHIM ALUMINUM ALLOY,TAPERED IN THICKNESS	D	
	GAS12G	SHIM,FLAT,RECTANGULAR ALUMINUM ALLOY,SOLID	C	
	GAS12J	SHIM LATCH ALUMINUM ALLOY	-	
	GAS13AF	SEAL FASTENER O RING	-	
	GAS13AH	SEAL, FASTENER, ORING, FLUOROSILICONE	-	
	GAS13AJ	SEAL, O-RING, TEFLON	A	
	GAS13AN	SEAL BUTTON STRIP	C	
	GAS13F	SEAL, CONTROL CABLE, AIR	A	
	GAS13G	SEAL INSTALLATION PROCEDURES-CONTROL CABLE,AIR	-	
	GAS13H	SEAL, O-RING	-	
	GAS13P	SEAL, BUTTONED STRIP	-	
	GAS14K	SLEEVE,SEALING CAPABILITY,PROCESS WIRE DIAMETER BUILDUP	-	
	GAS150AA	SHAPE - CLEVIS, FLANGED	B	
	GAS150AB	SHAPE - CLEVIS, FLANGED	C	
	GAS150AC	SHAPE-CLEVIS,FLANGED	B	

**Customer Specification Revision Levels**

	GAS15A	STAKE BEARING TITANIUM & HIGH TREATED STEEL	-	
	GAS16B	SPACER ASSEMBLY, BEARING INNER RACE, TWO WASHER	-	
	GAS179A	SHAPE-BULB & END INSERT (CORNER),RUBBER/DACRON	-	
	GAS179AP	SHAPE CHANNEL EXTRUDED RUBBER	-	
	GAS179B	SHAPE, BULB EXTRUDED, RUBBER	A	
	GAS179C	SEAL, SILICONE RUBBER, REINFORCED	A	
	GAS179D	SHAPE-BULB SEAL, RUBBER, EXTRUDED, ACOUSTIC	B	
	GAS179E	SHAPE-RUBBER BUMPER, SILICONE	-	
	GAS179GA	SEAL - BULB, SILICONE RUBBER, FABRIC COVERED, AERODYNAMIC	B	
	GAS179GB	SEAL, BULB, SILICONE RUBBER, FABRIC COVERED	A	
	GAS179GC	SHAPE, SPECIAL, SEAL, TRAILING EDGE, COVE	C	
	GAS179GD	SHAPE, SPECIAL, SEAL, TRAILING EDGE, BLADE	-	
	GAS179GE	SHAPE, SPECIAL, SEAL, TRAILING EDGE, RUDDER	A	
	GAS179GF	SHAPE, SPECIAL, SEAL, TRAILING EDGE, BLADE	A	
	GAS179GG	SHAPE - SPECIAL, BULB SEAL, GREY, FLIGHT CONTROLS	-	
	GAS179GH	SHAPE, SPECIAL, SEAL, TRAILING EDGE, COVE	-	
	GAS179GJ	SHAPE, SPECIAL, SEAL, HORIZONTAL STABILIZER, COVE PANEL	A	
	GAS179M	SHAPE - BULB SEAL, RUBBER EXTRUDED,COVERED	E	
	GAS179N	SHAPE - SPECIAL BULB, RUBBER EXTRUDED	-	
	GAS180A	SHAPE,ANGLE, EXTRUDED EQUAL LEG & THICKNESS	L	
	GAS180AA	SHAPE ANGLE EXTRUDED	-	
	GAS180AB	SHAPE TEE EXTRUDED	A	
	GAS180AC	SHAPE CHANNEL EXTRUDED	-	
	GAS180AH	SHAPE-ANGLE, EXTRUDED, SPECIAL	-	
	GAS180AR	SHAPE, ANGLE, EXTRUDED, UNEQUAL LEGS AND UNEQUAL THICK	-	
	GAS180B	SHAPE-ANGLE EXTRUDED, UNEQUAL LEGS & EQUAL THICKNESS	L	
	GAS180BE	SHAPE, ANGLE, EXTRUDED, SPECIAL	-	
	GAS180C	SHAPE, ANGLE,EXTRUDED, UNEQUAL LEGS & EQUAL THICKNESS	K	
	GAS180D	SHAPE, ANGLE,EXTRUDED,UNEQUAL LEGS AND UNEQUAL THICKNES	F	

**Customer Specification Revision Levels**

	GAS180E	SHAPE, ANGLE, EXTRUDED, CLOSE	A	
	GAS180F	SHAPE, ANGLE, EXTENDED, OPEN	C	
	GAS180H	SHAPE - ANGLE, EXTRUDED, SPECIAL	A	
	GAS180J	SHAPE, ANGLE EXTRUDED, BULB SECTION	B	
	GAS180K	SHAPE-ANGLE EXTRUDED, SPECIAL	B	
	GAS180M	SHAPE, ANGLE, EXTRUDED, SPECIAL	A	
	GAS180R	SHAPE, ANGLE, EXTRUDED, OPEN, SPECIAL	A	
	GAS180S	SHAPE - ANGLE EXTRUSION SPECIAL, ALUMINUM ALLOY	A	
	GAS180SA	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	A	
	GAS180SB	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	A	
	GAS180SC	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	-	
	GAS182A	SHAPE, CHANNEL EXTRUDED	J	
	GAS182AA	SHAPE-CHANNEL, SEAT TRACK & ANCHOR PLATE	A	
	GAS182AH	SHAPE, CHANNEL - EXTRUDED, DOUBLE RETURN, SPECIAL	B	
	GAS182AH	SHAPE, CHANNEL - EXTRUDED, DOUBLE RETURN, SPECIAL	B	
	GAS182C	SHAPE, CHANNEL EXTRUDED, EXTENDED BASE	-	
	GAS182D	SHAPE-CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182F	SHAPE, CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182H	SHAPE - CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182LR	SHAPE-CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182LS	SHAPE-CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182M	SHAPE, CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182ST	SHAPE-CHANNEL, SEAT TRACK, THICK	A	
	GAS182SU	SHAPE - CHANNEL, SEAT TRACK, NEAR NET	-	
	GAS182SV	SHAPE - CHANNEL, SEAT TRACK, ANCHOR PLATE	A	
	GAS182WS	SHAPE, CHANNEL, EXTRUDED, WING SKIN	-	
	GAS183A	SHAPE TEE EXTRUDED	T	
	GAS183B	SHAPE, TEE, EXTRUDED, ANGLED TOP	F	
	GAS183BA	SHAPE-TEE, EXTRUDED-SPECIAL	-	

**Customer Specification Revision Levels**

	GAS183BP	SHAPE, TEE, EXTRUDED, BULB SECTION	A	
	GAS183BY	SHAPE TEE EXTRUDED	A	
	GAS183C	SHAPE-TEE,EXTRUDED	-	
	GAS183D	SHAPE - TEE, EXTRUDED	G	
	GAS183DD	SHAPE-TEE,EXTRUDED,ANGLED TOP SPECIAL	-	
	GAS183F	SHAPE, TEE, EXTRUDED, SPECIAL	A	
	GAS183H	SHAPE, TEE, EXTRUDED,UNEQUAL THICKNESS	H	
	GAS183J	SHAPE - TEE, FLANGED		
	GAS183JA	SHAPE, TEE, SPECIAL	E	
	GAS183R	SHAPE TEE EXTRUDED, SPECIAL	-	
	GAS183SS	SHAPE-TEE, STRINGER, SPECIAL	E	
	GAS183ST	SHAPE-TEE, STRINGER, SPECIAL	F	
	GAS183SU	SHAPE-TEE, STRINGER, SPECIAL	F	
	GAS183SV	SHAPE-TEE, STRINGER, SPECIAL	D	
	GAS183SW	SHAPE-TEE, STRINGER, SPECIAL	A	
	GAS184A	SHAPE -H-BEAM, UNEQUAL LEGS, EQUAL & UNEQUAL THICKNESS	C	
	GAS184B	SHAPE-H-BEAM,EQUAL LEGS AND THICKNESS	C	
	GAS184D	SHAPE-I-BEAM, LONGERON	-	
	GAS185A	SHAPE - CRUCIFORM BEAM, ALUMINUM ALLOY	F	
	GAS185B	SHAPE - BAR, BEAD	A	
	GAS186A	SHAPE - ZEE, EXTRUDED	G	
	GAS186C	SHAPE, ZEE, EXTRUDED, SPECIAL	-	
	GAS186SS	SHAPE-ZEE, FRAME, SPECIAL	A	
	GAS186ST	SHAPE-ZEE, FRAME, SPECIAL	A	
	GAS186SU	SHAPE - ZEE, LONGERON, SPECIAL	F	
	GAS186SV	SHAPE - ZEE, FRAME, THICK	C	
	GAS186TA	SHAPE, ZEE, SPECIAL	D	
	GAS187AC	SHAPE, TUBE, EXTRUDED, SPECIAL	-	
	GAS187BA	SHAPE-SHAFT SUPPORT,LINER BEARING	C	

**Customer Specification Revision Levels**

	GAS187HR	SHAPE, EXTRUDED, SPECIAL	B	
	GAS187HS	SHAPE - EXTRUDED, SPECIAL	A	
	GAS187LR	SHAPE-EXTRUDED,SPECIAL	-	
	GAS187LS	SHAPE-EXTRUDED, SPECIAL	-	
	GAS188A	SHAPE - HAT, EXTRUDED	A	
	GAS189A	SHAPE - HAT, EXTRUDED	B	
	GAS189GA	SHAPE, HAT, SPECIAL, VENT	D	
	GAS18A	SHAPE-SILICONE RUBBER-TEAR DROP	A	
	GAS18BS	SEAL-FLOUROSILICONE,EXTRUDED	-	
	GAS18BT	SEAL, TAPE, ELASTOMER	A	
	GAS18BU	SEAL, TAPE, PTFE	-	
	GAS18D	SEAL,FAIRING TAPE	B	
	GAS18K	SEAL, EXTRUSION	-	
	GAS18M	SEAL, CHANNEL, RUBBER EXTRUSION	-	
	GAS18W	SEAL, EXTRUSION, SYNTHETIC RUBBER	A	
	GAS190A	SHAPE, ANGLE, FORMED, EQUAL LEGS	-	
	GAS190B	SHAPE, ANGLE, FORMED, UNEQUAL LEGS	A	
	GAS190C	SHAPE, ANGLE, FORMED, DOUBLE RETURN	A	
	GAS191A	SHAPE, CHANNEL, FORMED	-	
	GAS191B	SSHAPE-CHANNEL, FORMED, UNEQUAL SIDES	-	
	GAS192A	SHAPE, HAT, FORMED ROUND DOME	-	
	GAS192B	SHAPE-HAT,FORMED,FLAT DOME	B	
	GAS192C	SHAPE HAT FORMED DOUBLE RETURN	E	
	GAS193A	SHAPE, ZEE FORMED	-	
	GAS193C	SHAPE, ZEE FORMED, DOUBLE RETURN	-	
	GAS24A	SPLICE-CAP ASSY ELEC PARALLEL SPLICE, HEAT SHRINKABLE	D	
	GAS28A	SURFACE ROUGHNESS & MISMATCH ALUMINUM, TITANIUM & STEEL	-	
	GAS28B	SURFACE FINISH DISCONTINUITY DEFINITION & CRITICAL PART	A	
	GAS30BF	MATERIAL SUBSTITUTION LIST	L	

**Customer Specification Revision Levels**

	GAS30E	GVI ELECTRICAL MATERIAL SUBSTITUTIONS FOR MANUFACTURING	C	
	GAS30FR	AIRCRAFT INTERIOR NON-METALLIC MATERIALS, MISC	D	
	GAS30J	SUBSTITUTION LIST FOR FASTENERS AND RELATED HARDWARE	E	
	GAS30K	GVI PROGRAM PIN SUBSTITUTION LIST	A	
	GAS30MR	METALLIC REPAIR STOCK	-	
	GAS30TV	WROUGHT METALLIC MATERIAL ACCEPTABLE STOCK SIZE SUBSTITUTION	E	
	GAS31A	GULSTREAM AEROSPACE STANDARD INDEX	F	
	GAS31B	GULFSTREAM STANDARD NUMBERING SYSTEM	-	
	GAS31D	SHOP PRACTICES & MATERIALS SUBSTITUTION	J	
	GAS31F	APPROVED VENDORS LIST FOR FASTENERS	-	
	GAS500E	SPACER, STRUCTURAL, PANEL FASTENER, THROUGH-BOLT	A	
	GAS500EA	SPACE, HONEYCOMB SANDWICH PANEL	-	
	GAS500G	SPACER, STRUCTURAL, PANEL FASTENER, SELF-LOCKING	-	
	GAS500HA	STANDOFF-2 LUG,SELF-LOCKING	-	
	GAS501A	SPACER,GROMMET TYPE,THRU-BOLT FASTENER,ALUMINUM ALLOY	C	
	GAS501AP	SPACER - POTTED-IN, HONEYCOMB PANEL INSERT,COUNTERSUNK	C	
	GAS501B	SPACER-POTTED-IN, BLIND- THREADED, FLOATING COMPOSITE	-	
	GAS503A	SPACER, GROMMET TYPE THREADED SELF LOCKING FASTENER, AL	C	
	GAS503B	SPACER, STRUCTURAL,PANEL FASTENING, SELF LOCKING	-	
	GAS503C	SPACER, GROMMET TYPE, NON-METALLIC LOCKING ELEMENT, ALU	A	
	GAS504A	SPACER - ALUMINUM ALLOY	A	
	GAS515AA	SHEET - ALUMINUM ALLOY	-	
	GAS520B	STUD, PANEL FASTENER, QUICK RELEASE, SLOTTED	H	
	GAS520C	STUD-PANEL FASTENER, QUICK RELEASE, FLUSH HEAD	B	
	GAS520E	STUD - PANEL FASTENER, QUICK RELEASE, SPRING LOCKING	C	
	GAS520F	STUD-PANEL FASTENER, QUICK RELEASE,SPRING LOCK RING HD	B	
	GAS520H	STUD-PANEL FASTENER,QUICK RELEASE	D	
	GAS520MF	STUD-QUICK RELEASE, STRUCTURAL, FLUSH SHEAR 100 DEGREE HEAD	B	
	GAS520MG	STUD - QUICK RELEASE, STRUCTURAL, PROTRUDING HEX HEAD, A286	-	

**Customer Specification Revision Levels**

	GAS520N	STUD,FLUSH,HIGH STRENGTH,ROTARY,QUICK OPERATING FASTENE	A	
	GAS520U	STUD ASSEMBLY - PANEL FASTENER, QUICK RELEASE STRIP TYPE, PR	G	
	GAS521B	STUD, PANEL FASTENER, QUICK RELEASE, 200 POUNDS, GROMME	-	
	GAS530B	SLEEVE,100 CSK HEAD, BLIND BOLT	B	
	GAS530BT	SLEEVE COUPLING PERMASWAGE MS	A	
	GAS530BU	SLEEVE - TUBE,EXTERNAL SWAGE TO FLARED	-	
	GAS530BV	SLEEVE-STRAIGHT,TUBE,REDUCER,EXTERNAL SWAGE TO FLARED	-	
	GAS530C	SLEEVE, BLIND NUT, 100 F CSK HEAD	A	
	GAS530D	SLEEVE BLIND NUT 100 DEG CSK SHALLOW	A	
	GAS530E	SLEEVE, HOSE, FIRE SHIELD, ASBESTOS	-	
	GAS530F	SLEEVE-FLARELESS TUBING FITTING, INTERNALLY SWAGED, 15-	-	
	GAS530M	SLEEVE - 100 DEG COUNTERSUNK REDUCED HEAD, ALUMINUM ALLOY	-	
	GAS530U	SLEEVE,BLIND BOLT 100 CSK HEAD,CRES	A	
	GAS540A	SHIM-HIGH STRENGTH,ROTARY,QUICK ACTING FASTENER	-	
	GAS540B	SHIM-STK LAMINATED	-	
	GAS540C	SHIM - POLYIMIDE, LAMINATED	-	
	GAS540D	SHIM-SOLID RECTANGULAR	A	
	GAS540E	SHIM-LAMINATED,ALININUM,BRASS, CRES,AND TITANIUM	-	
	GAS540Y	SHIM-2 LUG RECEPTACLE, ALUMINUM ALLOY	-	
	GAS550D	SCREW ROUND RECESSED HEAD,SELF LOCKING 250F FINE THREAD	-	
	GAS550E	SCREW, WASHER HEAD, SELF LOCKING, 250 F	A	
	GAS550F	SCREW - 100 DEG REDUCED CSK HEAD, TITANIUM ALLOY, ANODIZED	A	
	GAS551B	SCREW, MACHINE, FLAT RECESSED HEAD, CSK 100 F SELF LOCK	B	
	GAS551C	SCREW INSERT, CORROSION RESISTANT STEEL	-	
	GAS551D	SCREW-100 DEG. FLUSH HEAD, ALLOY STEEL, 150 KSI FTU	-	
	GAS560A	SECTION - ANGLE	-	
	GAS570A	SEAL, HOT AIR DUCT	-	
	GAS570B	SEAL,ROD,MEMORIZED,PLASTIC	-	
	GAS570BT	SEAL, STAT-O-SEAL	A	



**Customer Specification Revision Levels**

	GAS570G	SEAL FLUID & AIR MS 33649 PORT CRES	-	
	GAS570K	SEAL	-	
	GAS580C	SPRING, PANEL FASTENER, QUICK RELEASE, STRIP TYPE, STUD	C	
	GAS580D	SPRING,PANEL FASTENER,QUICK RELEASE,RECEPTACLE	D	
	GAS580L	SPRING, NEGATOR	-	
	GAS580S	SPRING	-	
	GAS581A	SPRING, COMPRESSION	A	
	GAS805A	SPLICE,ELECT,WIRE RANGE26-10,CRIMP STYLE INSULATED BUTT	A	
	GAS805AU	SPLICE-ELECTRICAL, INSULATING, HEAT SHRINKABLE, KYNAR,	A	
	GAS805BB	SPLICE, CRIMPED ENVIRONMENTALLY SEALED	B	
	GAS805G	SPLICE,ELECT NON-INSULATED,CRIMP STYLE,BUTT	-	
	GAS805H	SPLICE,ELECT NON-INSUL,CRIMP STY,BUTT WIRE RGE 26-10AWG	-	
	GAS805K	SPLICE, ELECTRICAL, CRIMP STYLE, NON-INSULATED, PARALLE	A	
	GAS805L	SPLICE, ELECTRICAL, CRIMP STYLE, PRE-INSULATED, HIGH TP	-	
	GAS805N	SPLICE,ELECT PERMANENT,CRIMP INSULATED	-	
	GAS820AA	SOCKET-SLEEVE MOUNT,427 SERIES,TWO POLE AND 428 SERIES	E	
	GAS825AC	SOCKET, RELAY - ELECTRICAL, 2 POLE	D	
	GAS825BA	SOCKET, RELAY-ELECTRICAL, 3 POLE	-	
	GAS825BC	SOCKET, RELAY - ELECTRICAL, 4 POLE	B	
	GAS825BD	SOCKET, RELAY - ELECTRICAL, 2 POLE, TIME DELAY	-	
	GAS825BE	SOCKET - RELAY, ELECTRICAL, 4-POLE, 10 AMP	A	
	GAS830AH	SLEEVE, SOLDER - SHIELD TERMINATOR, WIRE SPLICING	J	
	GAS830AJ	SLEEVE-SHIELD TERMINATION, HEAT SHRINKABLE, WIRE BRAID LEAD	D	
	GAS830CM	CABLE MARKER, ELECTRICAL	F	
	GAS830CU	SLEEVE, ELECTRICAL, CONVOLUTED, FLEXIBLE, HELICAL	-	
	GAS830CV	SLEEVE - ELECTRICAL, FLEXIBLE, SELF-EXTINGUISHING, HEAT	D	
	GAS830D	INSULATION TUBING-ELECTRICAL,PTFE RESIN,NONRIDGE	A	
	GAS830DT	SLEEVE,ELECT HEAT SHRINKABLE,BARRIER,SELF SEALING	-	
	GAS830DU	SLEEVE,ELECT CONTACT SUPPORT	-	

**Customer Specification Revision Levels**

	GAS830HA	SLEEVE-ELECTRICAL,BRAIDED,EXPANDABLE	D	
	GAS830K	SLEEVE,ELECT SHRINKABLE INSULATED,SOLDER TYPE DBL LEAD	-	
	GAS830L	SLEEVE,ELECT INSULATING, PVC,105 C	-	
	GAS840BA	SOLENOID-VALVE,ELECTROMAGNETIC,OPERATED NORM CLOSED	-	
	GAS850A	SWITCH - ASSEMBLY, LIGHTED	H	
	GAS850AD	SWITCH-SINGLE POLE DOUBLE-THROW (SPDT)(2)	-	
	GAS850BE	SWITCH-PRESSURE	A	
	GAS850DA	SWITCH - ENGINE FIRE SHUT-OFF	B	
	GAS850DF	SWITCH AIR, THERMAL, SINGLE POLE, 28 VDC	B	
	GAS850DG	SWITCH - PRESSURE	A	
	GAS850DT	SWITCH - ENGINE FIRE SHUTOFF	A	
	GAS850EF	SWITCH-HERMETIC,LEDEX,13 POLE DOUBLE-THROW (13PDT)	A	
	GAS850EW	SWITCH-PUSHBUTTON, TWO CIRCUIT, MOM	A	
	GAS850FC	SWITCH-TOGGLE, MINIATURE, DOUBLE POLE- DOUBLE THROW	A	
	GAS850G	SWITCH-MINIATURE, MOMENTARY PUSH TPYE (SP-NO)	-	
	GAS850L	SWITCH,LIMIT,4PDT	A	
	GAS874A	STRAP, CABLE, ELECTRICAL, ADJUSTABLE, SELF-CLINCHING,	-	
	GAS874AA	STRAP-INSULATED GROUND	B	
	GAT/0001	SEALING OF FUEL TANKS	A	
	GAT/0002	PRODUCTION AND INSTALLATION OF AIRCRAFT PIPE SYSTEMS	A	
	GAT/0003	DRIVMATIC AUTOMATIC RIVETING PROCESS	A	
	GAT/0004	SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE	A	
	GAT/0005	MAGNETIC PARTICLE FLAW DETECT OF MATERIALS & COMPONENTS	A	
	GAT/0006	CADMIUM PLATING PROCESS	A	
	GAT/0007	GENERAL PREPARATION AND INSTALLATIO OF RIVETS	A	
	GAT/0008	BONDING WITH 3MS AF163-2 STRUCTURAL FILM ADHESIVE	A	
	GAT/0009	MEASUREMENT OF PEENING AND BLASTING INTENSITY	A	
	GAT/0010	SEALING OF INTEGRAL FUEL TANKS	A	
	GAT/0011	CHROMIC ACID ANODISING	E	

**Customer Specification Revision Levels**

	GAT/0012	DEGREASING WITH TRICHLOROETHYLENE	D	
	GAT/0013	DEOXIDATION OF ALUMINIUM ALLOYS	A	
	GAT/0014	SURFACE PREPARATION OF ALUMINUM ALLOYS BY PICKLING	D	
	GAT/0015	ALKALINE CLEANER	C	
	GAT/0016	PENETRANT FLAW DETECTION	B	
	GAT/0017	BRUSH ALOCROM 1200	C	
	GAT/0018	HARD CHROMIUM PLATING	A	
	GAT/0019	SEALING OF INTEGRAL FUEL TANKS	A	
	GAT/0020	VACU-BLASTING (WITH DRY ALUMINA GRIT)	A	
	GAT/0021	INSTALLATION OF PERMASWAGE FITTINGS	A	
	GAT/0022	CHEMICAL MILLING ALUMINIUM ALLOYS	A	
	GAT/0023	CHROMIC ACID ANODISING OF ALUMINIUM ALLOYS	C	
	GAT/0024	PENETRANT FLAW DETECTION	A	
	GAT/0025	PROTECTIVE TREATMENT, INTERNAL PAINT PROCESS AND INITIA	A	
	GAT/0026	CHROMIC ACID ANODISING OF ALUMINUM & ALUMINIUM ALLOYS	A	
	GAT/0027	BRUSH ALOCROM 1200	A	
	GAT/0028	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAT/0029	DEOXIDATION OF ALUMINUM ALLOYS	A	
	GAT/0030	SURFACE PREP OF ALUMINUM ALLOYS BY ACID PICKLING	A	
	GAT/0031	ALKALINE CLEANER (TURCO ALUMICLEAN 2623)	A	
	GAT/0032	PENETRANT FLAW DETECTION	A	
	GAT/0033	PASSIVATION OF CORROSION RESISTING STEELS & NICKEL	A	
	GAT/0034	METHODS OF MARKING AIRCRAFT PARTS & ASSEMBLIES	A	
	GAT/0035	HARD ANODIZING OF ALUMINIUM ALLOYS	A	
	GAT/0036	SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE	A	
	GAT/0037	HARD ANODISING OF ALUMINIUM & ALUMINIUM ALLOYS	A	
	GAT/0038	PROTECTIVE TREATMENT, INTERNAL PAINT PROCESS & INITIAL	A	
	GAT/0039	CHEMICAL MILLING OF ALUMINIUM ALLOYS	A	
	GAT100AA	TAPE LACING & TYING MIL-T-43435	B	

**Customer Specification Revision Levels**

	GAT100AB	TAPE-FLATBACK MASKING	A	
	GAT100AC	TAPE-FINELINE, MASKING	-	
	GAT100AD	TAPE ANTISIEZE,PTFE,WITH DISPENSER,MIL-T-27730	-	
	GAT100AP	TAPE PRESSURE SENSITIVE ADHESIVE,POLYESTER FILM,L-T-100	A	
	GAT100AS	TAPE, FASTENER, HOOK AND LOOP	E	
	GAT100BA	TAPE - IDENTIFICATION MARKER BLANKS	A	
	GAT100BB	TAPE-PERMANENT IDENTIFICATION	E	
	GAT100BE	TAPE, ELECTRICAL, TEDLAR	-	
	GAT100BL	TAPE, PRESSURE SENSITIVE CONDUCTIVE	A	
	GAT100BP	TAPE IDENTIFICATION MARKER	A	
	GAT100BU	TAPE, MASKING, PROTECTIVE	-	
	GAT100DL	TAPE WET YARN WOVEN ACRYLIC RESIN	-	
	GAT100FR	TAPE-PLASTIC, REINFORCED,SELF-EXTINGUISHING,POLYVINYL	B	
	GAT100FS	TAPE-PLASTIC, FEINFORCED, SELF-EXTINGUISHING, POLYIMIDE (PI)	A	
	GAT100FU	TAPE - GLASS CLOTH, FLAME RETARDANT	-	
	GAT100FV	TAPE, FIBERGLASS, SELF-EXTINGUISHING	-	
	GAT100FW	TAPE,FASTENER,HOOK AND LOOP FAR 25.856(A) COMPLIANT	-	
	GAT100GA	TAPE - SILICONE SPONGE	-	
	GAT100J	TAPE,INSUL ELECT HIGH TEMP PTFE, PRESSURE SENSITIVE	-	
	GAT100K	TAPE-INSTL,PRESSURE-SENSITIVE, THERMOSETTING	-	
	GAT100PA	TAPE-ACRYLIC ADHESIVE BASED POLYPROPYLENE	A	
	GAT100R	TAPE PRESSURE SENSITIVE ADHESIVE VINYL PLASTIC FILM	A	
	GAT115D	TITANIUM & TITANIUM ALLOY SHT, PLATE, & STRIP	-	
	GAT11C	TERMINAL-BALL FITTING	-	
	GAT11D	TERMINAL, 3/8 CONTROL TUBE FEMALE, SOLID END	-	
	GAT11F	TERMINAL INSTALLATION-ELECTRICAL GROUNDING & BONDING	P	
	GAT11H	TERMINAL, STUD, ELECTRICAL, NON-INSULATED	-	
	GAT12AA	TUBING	B	
	GAT13C	LANYARD TAB	-	

**Customer Specification Revision Levels**

	GAT15A	TAPE-FLUID LINES, ARROW WARNING & PRESSURE IDENT.	A	
	GAT16A	THREAD ROLLING REQ	-	
	GAT21B	TORQUE VALUES,MECHANICALLY ATTACHED,METAL SEAL FITTINGS	-	
	GAT21F	TORQUE VERIFICATION INSTALLATION OF THREADED FASTENERS	A	
	GAT21G	TORQUE INSTALLATION-BOLT/NUT COMBINATIONS	-	
	GAT23A	TEST NONDESTRUCTIVE,PENETRANT METHOD OF INSPECTION	-	
	GAT23B	TEST NON DESTRUCTIVE RADIOGRAPHIC AND ULTRASONIC	-	
	GAT510B	TERMINAL CABLE EYE END	-	
	GAT511A	TUBE-ACCOUSTIC,ALUMINUM (6061)	-	
	GAT511B	TUBE-ACOUSTIC, STAINLESS STEEL	B	
	GAT511M	TUBE,NYLON,FLEXIBLE,SPECIAL OD TOLERANCE	C	
	GAT511N	TUBING,TEFLON	-	
	GAT511P	TUBE-SILICONE RUBBER,POLYESTER BRAID REINFORCED	A	
	GAT511R	TUBING-SILICONE,INLET TUBE,AIR CONDITION SYS	-	
	GAT515B	TEE, TUBE FITTING, FLARELESS TUBE ENDS	A	
	GAT515DA	TEE-TUBE,REDUCER,EXTERNAL SWAGE	-	
	GAT515DB	TEE-TUBE,SIDE ADAPTER,MALE EXTERNAL SWAGE TO FLARELESS	-	
	GAT515DC	TEE-TUBE,REDUCER,SIDE ADAPTER,MALE EXTRNL SWAGE TO FLAR	-	
	GAT515DD	TEE,STD & REDUCER,TUBE,BLKHD,MALE FLARELESS ON RUN,EXTR	-	
	GAT515DE	TEE TUBE,SIDE ADAPTER,BLKHD,EXT SWGE TO FLARELESS,STD	-	
	GAT515DF	TEE,STD & REDUCER-TUBE,EXTERNAL SWAGE TO MS ON RUN	-	
	GAT515DG	TEE ASSY SWIV,ADAP TUBE EXT SWAGE /FLRLESS ON RUN EXT	-	
	GAT515DH	TEE ASSY SWIV,ADAP TUBE EXT SWAGE /FLRLESS ON RUN EXT	-	
	GAT515DJ	TEE-TUBE, EXTERNAL SWAGE ON RUN TO SIDE BOSS	-	
	GAT515DK	TEE REDUCER -TUBE EXTERNAL SWAGE	-	
	GAT515DL	TEE ASSY SIDE ADAPTER SWIVEL REDUCER TUBE,EXT SWAK	-	
	GAT515DM	TEE ASSY REDUCER SWIVEL TUBE EXTERNAL SWAGE	-	
	GAT515DN	TEE - TUBE,EXTERNAL SWAGE	-	
	GAT515DT	TEE-PERMANENT,AXIAL SWAGE,STAINLESS STEEL,OXYGEN SERVIC	A	

**Customer Specification Revision Levels**

	GAT535AP	TAPE AIRCRAFT TUBING IDENTIFICATION MARKET	-	
	GAT535AT	TAPE, GLASS CLOTH, SILICONE ADHESIVE	-	
	GAT535C	TAPE-FUNCTION IDENT & SYMBOL, SOLVENT RESIST, NON-CORR.	C	
	GAT535HT	TAPE - IDENT AND SYMBOL, HIGH TEMP, COLOR CODED	-	
	GAT800AA	TRANSDUCER-PRESSURE,0-2000 PSIG	A	
	GAT805A	TERMINAL ELECT,UPRIGHT RING TORQUE TYPE,CRIMP STYLE	-	
	GAT805B	TERMINAL-TIN-PLATED, INSULATED FOR CABLE SIZE AWG 8-000	-	
	GAT805C	TERMINAL, ELEC, UPRIGHT RING TONGUE TYPE, INSULATED	-	
	GAT805CP	TERMINAL,ELEC THERMOCOUPLE RING TONGUE,CRIMP,CONTACT	-	
	GAT805CY	TERMINAL	-	
	GAT805D	TERMINAL-TIN-PLATED, INSULATED, FOR CABLE SIZE AWG26-10	-	
	GAT805DB	TERMINAL	-	
	GAT805EL	TERMINAL, NON-INSULATED, RING TONGUE, CRIMP	B	
	GAT805G	TERMINAL,LUG,ELECTRICAL,FLAG TYPE, CRIMP STYLE	-	
	GAT805H	TERMINAL, ELEC, LUG RING TONGUE, NYLON INS, GRIMP STYLE	A	
	GAT805M	TERMINAL, ELECTRICAL, RING TONGUE TYPE, NON-INSULATED	-	
	GAT805P	TERM ELEC RING TONGUE TYPE, CRIMP STYLE INSULATED RANGE	A	
	GAT805Y	TERM ELEC RING TONGUE, CRIMP STYLE WIRE RANGE 22-16 AWG	-	
	GAT806A	TERMINAL, ELECTRICAL SOLDER	-	
	GAT835AF	TAPE RUBBER RESIN ADHESIVE PRESS SENSITIVE THERMOSET	A	
	GAT835AL	TAPE	-	
	GAU500B	UNION ASSEMBLY, TUBE FITTING, BULKHEAD	A	
	GAU500DA	UNION - TUBE, EXTERNAL SWAGE TO MALE FLARED	-	
	GAU500DB	UNION-TUBE,EXTERNAL SWAGE TO BULKHEAD,MALE FLARELESS	-	
	GAU500DC	UNION - TUBE, EXTERNAL SWAGE	A	
	GAU500DD	UNION,BLKHD,REDUCER-TUBE,EXTERNAL SWAGE TO FLARELESS	-	
	GAU500DE	UNION - TUBE, REDUCER, EXTERNAL SWAGE	-	
	GAU500DF	ADAPTER ASSY,TUBE,FLARELESS SWIVEL TO EXTERNAL SWAGE	-	
	GAU500DL	UNION-PERMANENT,AXIAL SWAGE,STAINLESS STEEL,OXYGEN	A	

**Customer Specification Revision Levels**

	GAU500DM	UNION,FLARELESS,SWIVEL NUT,AXIAL SWAGE,STAINLESS STEEL	A	
	GAU500DN	UNION,REDUCER,FLARELESS,SWIVEL NUT,AXIAL SWAGE,STAINLES	A	
	GAU500DP	UNION-BULKHEAD,MALE,FLARELESS,AXIAL SWAGE,STAINLESS STE	A	
	GAU500DR	UNION-MALE,FARELESS,AXIAL SWAGE,STAINLESS STEEL,OXYGEN	A	
	GAV500A	VALVE-ASSEMBLY,CHECK	-	
	GAW10A	WASHER ELECT ALUMINUM TERMINAL	A	
	GAW10B	WASHER-NAS 1598 FASTENER COLLAR BACKUP	-	
	GAW10C	WASHER - ELECTRICAL BONDING	-	
	GAW10CA	WASHER,CUSTOM,CRES	-	
	GAW10D	WASHER - FLAT, RIVETED JOINTS	-	
	GAW10E	WASHER-FLAT, LARGE OUTSIDE DIAMETER	A	
	GAW10F	WASHER-NAS 1598 FASTENER HEAD BACKUP	-	
	GAW10G	WASHER,BACK UP FOR NAS1523 SEALING WASHER UNDER SWAGGED	A	
	GAW10H	WASHER-FLAT, THICK, ALUMINUM ALLOY	-	
	GAW10U	WASHER,FLAT,ALUMINUM ALLOY,CRES AND STEEL SPECIAL	A	
	GAW10V	WASHER, FLAT - CRES VERSION OF AN970	-	
	GAW11A	WIPER RING DACRON FELT, 275 F MAX	-	
	GAW20A	WICKS,STATIC DISCHARGE	-	
	GAW20B	RETAINER - STATIC WICK DISCHARGER	B	
	GAW20C	RETAINER-STATIC WICK DISCHARGER FOR COMPOSITE	-	
	GAW502G	WASHER-SPRING,CONE SHAPE(BELLEVILLE)	A	
	GAW502S	WASHER	-	
	GAW805A	WIRE, ELEC, COPPER, INSULATED, 26-10 GAGE, SOFT, DRAWN,	-	
	GAW805AB	WIRE-ELECTRICAL,AIRFRAME,RADIATION CROSS LINKED,MODIFIED	F	
	GAW805AC	WIRE-ELECTRICAL,AIRFRAME,RADIATION CROSS LINKED, MODIFIED	F	
	GAW805AR	WIRE ELEC, SOLID TEE INSULATION, 200 DEG C, 600V RMS	-	
	GAW805BP	WIRE ELEC, TFE INSULATION POLYIMIDE COATED	-	
	GAW805BS	WIRE, ELECTRICAL,INSULATED, MEDIUM WEIGHT, COPPER	-	
	GAW805BT	WIRE, FILTER LINE (MIL-C-85485 & ASTM F777)	A	

**Customer Specification Revision Levels**

	GAW805YB	WIRE-ELECTRICAL, AIRFRAME RADIATION CROSS LINKED, MODIFIED	A	
	GAW805YC	WIRE-ELECTRICAL, AIRFRAME RADIATION CROSS LINKED, MODIFIED	-	
	GAW815A	WIRE ELEC FLUOROPOLYMER-INSULATED EXTRUDED ETFE 600 VOL	B	
	GAW815B	WIRE - ELECTRICAL, FLEXIBLE, MODIFIED ETFE, 150 C ALUM COND	E	
	GEM1601	ABBREVIATIONS AND ACRONYMS	H	
	GEM5100	3D MBD PRODUCT DEFINITION AND BUSINESS RULES	A	
	GER-0012	SUPPLIER ANNOUNCEMENT	-	
	GER-7818	THE OMNIPART KNOWLEDGEBASE ENVIRONMENT EXTERNAL SUPPLIER REV	M	
	GMS1000	INDEX, GMS	E	
	GMS1001	STEEL,4330 VANADIUM MODIFIED VACUUM MELTED	A	
	GMS1002	STEEL,4340 SILICON MOD (300M)	-	
	GMS2001	ALUMINUM ALLOY-2024 & 2124 PLATE	A	
	GMS2002	ALUMINUM ALLOY 2024 HONEYCOMB CORE MATERIAL	-	
	GMS2003	ALUMINUM ALLOY 2014 ALCLAD ONE SIDE, SHEET AND PLATE	A	
	GMS2004	CORE MATERIAL,5052ALUMINUM ALLOY, CORRISON & HEAT RES.	-	
	GMS2005	7050 ALUMINUM WIRE OR ROD FOR FASTENER STOCK	-	
	GMS2006	2024 ALCLA ALUMINUM SHEET,HIGH FORMABILITY,MILL POLISHE	A	
	GMS2007	ALUMINUM ALLOY 7050-T7451 PLATE FOR FATIGUE RESISTANT	-	
	GMS2008	7475 ALCLAD ALUMINUM ALLOY SHEET	-	
	GMS2009	2024-O ALCLAD ALUMINUM SHEET,ONLY T42 SKIN APPLICATIONS	-	
	GMS2010	7055-0 ALUMINUM ALLOY EXTRUSIONS	A	
	GMS2011	7136 ALUMINUM ALLOY EXTRUSIONS	-	
	GMS2012	7075-T73511 ALUMINUM ALLOY EXTRUSIONS WITH THICKNESS FROM	-	
	GMS2013	ALUMINUM ALLOY 7040-T7451 PLATE FOR FATIGUE RESISTANT	-	
	GMS3009	INCONEL 625 TUBING, CORROSION & HEAT	-	
	GMS3101	TITANUIM 6A1-4V DIE FORGINGS ANNEALED	-	
	GMS3102	TITANIUM 6A1-4V-6A1-6V-2SN SPECIAL GRADE	-	
	GMS3103	TITANIUM 3A1-2.5V TUBING SEAMLESS	-	
	GMS3104	TITANIUM 6A1-6V-2SN	-	



**Customer Specification Revision Levels**

	GMS3105	TITANIUM ALLOY SHT,STRIP,& PL 6A1-2SN-4ZR-2MO-0.08SI DA	-	
	GMS3106	TITANIUM ALLOY FORGING 6AL-2SN-4ZR-2MO SOL PPT HT	-	
	GMS3107	WELDED TITANIUM TUBE FOR VACUUM WASTE SYSTEM	-	
	GMS3201	POWDER FOR HIGH VELOCITY OXYGEN-FUEL (HVOF) COATINGS	A	
	GMS4001	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	G	
	GMS4002	PLASTIC SHEET RIGID	A	
	GMS4003	SHIM MATERIAL,CAST PLASTIC,EPOXY RESIN	D	
	GMS4004	MOLDING COMPOUND COMPRESSION	-	
	GMS4005	FASTENER INSERT AND EDGE SEALING MATERIALS, HONEYCOMB	C	
	GMS4006	ELCRG ENCAP CMPD-RESIN SYMS,EPOXY,ELEV.TEMP.CURE	-	
	GMS4007	FOAM, RIGID, FOAM-IN-PLACE, POLYURETHANE TYPE	-	
	GMS4008	PRE-IMPREGNATED FIBERGLASS CLOTH (PREPREG)	E	
	GMS4009	PROCUREMENT OF EPOXY-RESIN IMPREGNATED	E	
	GMS4010	PROC OF EPOXPY RESIN IMPRG ARAMID FIBER MATERIAL	-	
	GMS4011	CORE MATERIAL PLASTIC	A	
	GMS4012	THERMOPLASTIC FILAMENT FOR ADDITIVE MANUFACTURING	-	
	GMS4013	GLASS FABRIC,PREIMPREGNATED EPOXY RESIN(COMP RUDDER)	B	
	GMS4014	TAPE,UNIDIRECTIONAL,GRAPHITE FIBER,EPOXY RESIN IMPREGNATED,	D	
	GMS4015	FILM AND TAPE,PLASTIC,SELF EXTINGUISHING,HEAT SEALABLE	B	
	GMS4016	COMPOSITE SURFACING FILM - UV RESISTANT	A	
	GMS4017	ELECTRICALLY CONDUCTIVE SURFACE FILM FOR USE IN COMPOSITE AP	A	
	GMS4018	350◆F AUTOCLAVE CURE EPOXY RESIN PREIMPREGNATED GLASS FABRIC	C	
	GMS4019	CORE, HONEYCOMB, PARA-ARAMID PAPER BASE, PHENOLIC COATED	E	
	GMS4020	350 DEG F AUTOCLAVE CURE, TOUGHENED EPOXY CARBON FIBER	A	
	GMS4024	250 DEG. F CURE QUARTZ/ EPOXY PREPREG	B	
	GMS4028	CARBON FIBER/ EPOXY COMPRESSION MOLDING COMPOUNDS	B	
	GMS4029	BONDABLE MOISTURE BARRIERS	A	
	GMS4030	350◆ F AUTOCLAVE CURE, 5H SATIN CARBON FIBER EPOXY PREPREG	B	
	GMS4031	FIBER GLASS/ PHENOLIC COMPRESSION MOLDING COMPOUNDS	A	

**Customer Specification Revision Levels**

	GMS4032	250 DEG F CURE EPOXY RESIN PREIMPREGNATED GLASS FABRIC	A	
	GMS4101	D/ELECTRIC SEALANTS (POTTING)	-	
	GMS4102	SEALANT GROOVE INJECTION TYPE	-	
	GMS4103	SEALING COMPOUND WELD-THROUGH	-	
	GMS4104	COMPOUND INJECTION MOLDING	-	
	GMS4107	SEALING COMPOUND,FUEL RESISTANT,INTERMITTEN	C	
	GMS4108	FAYING SURFACE SEALING COMPOUND	A	
	GMS4109	NON-SETTING, CORROSION INHIBITING JOINTING COMPOUND	B	
	GMS4112	SEALING COMPOUND,POLYTHIOETHER ELASTOMERIC,TWO PART,	-	
	GMS4113	LIGHT LENSE AND WINDSHIELD SEALANT, POLYTHIOETHER	-	
	GMS4114	AERODYNAMIC SMOOTHING COMPOUND, POLYTHIOETHER, RAPID-CURING	A	
	GMS4115	FAYING SURFACE SEALING COMPOUND, EXTENDED ASSEMBLY TIME	-	
	GMS4116	AERODYNAMIC GAP-FILLING SEALANT, SILICONE	-	
	GMS4201	ABRASION RESISTANT (ANTI-CHAFE) COATING MATERIAL	A	
	GMS4202	EPOXY ICEGUARD PROTECTIVE	-	
	GMS4204	COATING POLYURETHANE	-	
	GMS4301	FILM ADHESIVE, STRUCTURAL, METAL & THERMOSET PLASTIC	D	
	GMS4302	ADHESIVE CORE SPLICE STRUCTURAL	B	
	GMS4303	ADHESIVE HIGH PEEL STRENGHT	-	
	GMS4304	ADHESIVE STRUCTRAL BONDING METAL TO METAL	-	
	GMS4305	ADHESIVE, STRUCTURAL HEAT	-	
	GMS4306	INK, SILK SCREEN ACRYLIC	A	
	GMS4307	ADHESIVE STRUCTURAL HIGH TEMP. RESISTANT 500 F	-	
	GMS4308	ADHESIVE,CORE SPLICE,STRUCTURAL,INTERIOR USE	A	
	GMS4309	FILM ADHESIVE,STRUCTRAL,METAL AND THERMOSET PLASTIC	D	
	GMS4310	ADHESIVE, PASTE, NON-FLOW SERVICE RANGE-67 TO 160 DEG F	B	
	GMS4311	FILM ADHESIVE, 250 F CURE, 300 F SERVICE, METAL AND THERMOSE	A	
	GMS4313	250 DEG. F CURE FILM ADHESIVE FOR RADOME APPLICATIONS	B	
	GMS4315	ADHESIVE PRIMER, STRUCTURAL, METAL SUBSTRATES	-	

**Customer Specification Revision Levels**

	GMS4316	ADHESIVE PRIMER, PHENOLIC, STRUCTURAL, METAL SUBSTRATES	-	
	GMS5001	EPOXY PRIMER COATING, HYDRAULIC	-	
	GMS5002	EPOXY TOPCOAT	B	
	GMS5003	EPOXY PRIMER, ANTI-STATIC	A	
	GMS5004	PRIMER COATINGS-EPOXY, CHLORINATED, SOLVENTS	A	
	GMS5005	EPOXY PRIMER COATING, LOW VOC, DIPHOSPHATE ESTER HYDRAULIC F	B	
	GMS5006	EPOXY TOPCOAT, HIGH-SOLIDS, DIPHOSPHATE ESTER	-	
	GMS5007	EPOXY SMOOTHING PRIMER, TROWELABLE	A	
	GMS5008	COATING SYSTEM, HEXAVALENT CHROMIUM FREE, FOR EXTERIOR APPLI	A	
	GMS6001	CASTINGS, METALLIC CLASSIFICATION & INSDEL	-	
	GMS6002	PRE-IMPREGNATED SILICONE RUBBER	B	
	GMS6004	STRUCTURAL DIE FORGING (EXCEPT)	-	
	GMS7001	WIRE ELECTRICAL FLUOROCARBON	-	
	GMS7002	WIRE,ELECT, COPPER&COPPER ALY, FCP INSULATED	-	
	NTR-PS1005	PROCESS SPECIFICATION FOR PREPARATION AND CHEMICAL CONVERSI	-	