

<u>Customer</u>	<u>Specification</u>	<u>Specification Name</u>	<u>Revision</u>	<u>Notes</u>
Cessna				3/5/2019
		Click hyperlink to view current revisions.		
		https://supplier.cessna.com/cgi-bin/technical/mtl_specs.pl		
Beechcraft				3/5/2019
		Click hyperlink and follow to document entitled "Beechcraft Materials and Process Specification Index" at bottom of page to view current revisions.		
		https://www.beechcraft.com/supply_chain/qa/		
Boeing				3/5/2019
		Click hyperlink to view current revisions.		
		http://active.boeing.com/doingbiz/d14426/index.cfm		
Bombardier				3/5/2019
		Click hyperlink to view current revisions.		
		https://supplier.aero.bombardier.com/isupply/mnp/Contents.htm		
	BAEMM-001	BOMBARDIER AEROSPACE ENGINEERING MATERIAL MANUAL	A	
	BAERD GEN-004	PROTECTIVE FINISH CODES	J	
	BAMS516-002	7475-T7351	B	
	BAMS516-003	7050-T7451	B	
	BAMS516-007	MARKING INKS	D	
	BAMS552-008	NON-CHROMATED PRESSURE AND ENVIRONMENTAL SEALANT	C	
	BAMS565-001	FLUID RESISTANT (FR) EPOXY PRIMER FOR AIRCRAFT INTERIOR	D	
	BAMS565-002	FLUID RESISTANT (FR) ENAMEL COATING FOR AIRCRAFT INTERIOR	C	
	BAMS565-007	FLUID RESISTANT (FR) POLYURETHANE COATING FOR TOUCH UP WORK	B	
	BAPS138-044	APPLICATION OF FLUID RESISTANT (FR) ENAMELS AND DECORATIVE TOPCOATS	E	
	BAPS144-005	IDENTIFICATION OF AIRCRAFT PARTS AND ASSEMBLIES	D	
	BAPS145-002	ELECTRICAL BONDING OF AIRCRAFT	E	
	BAPS150-000	INSTALLATION OF NUTS, BOLTS, SCREWS AND STUDS	B	
	BAPS151-001	INSTALLATION OF CONVENTIONAL RIVETS	B	
	BAPS151-042	INSTALLTION OF CHERRY RIVETLESS NUTPLATES	C	
	BAPS157-028	PRESSURE AND ENVIRONMENTAL SEALING	H	
	BAPS157-030	APPLICATION OF HIGH TEMPERATURE FIREWALL SEALING	B	
	BAPS160-010	CHROMIC ACID ANODIZING	E	
	BAPS160-020	CHEMICAL CONVERSION TREATMENT FOR ALUMINUM ALLOYS	C	
	BAPS160-023	HARD ANODIZING OF ALUMINUM ALLOYS	B	
	BAPS160-032	SULPHURIC ACID ANODIZING	C	
	BAPS160-034	ZINC-NICKEL ALLOY PLATING	A	
	BAPS168-006	BAKING OF STEELS FOR RELIEF OF HYDROGEN EMBRITTLEMENT	NC	

	BAPS168-007	HEAT TREATMENT OF ALUMINUM ALLOYS	H	
	BAPS168-013	HARDNESS AND ELECTRICAL CONDUCTIVITY TESTING OF METALS	F	
	BAPS168-014	HEAT TREATMENT OF CARBON AND LOW ALLOY STEELS	B	
	BAPS168-015	STRESS RELIEF OF METALS	B	
	BAPS168-030	HEAT TREATMENT OF CORROSION RESISTANT AND MARAGING STEELS	B	
	BAPS175-004	INSTALLATION AND RETENTION OF SELF ALIGNING GROOVE BEARINGS BY ROLLER OR ANVIL SWAGING	A	
	BAPS175-005	INSTALLTION OF INTERFERENCE FIT BUSHINGS	NC	
	BAPS176-002	FLUORESCENT PENETRANT INSPECTION	E	
	BAPS176-004	MAGNETIC PARTICAL INSPECTION	C	
	BAPS180-009	MANUAL SOLVENT CLEANING	C	
	BAPS180-015	PASSIVATION OF CORROSION RESISTANT STEELS	B	
	BAPS180-031	CLEANING AND DEOXIDIZING CORROSION AND HEAT RESISTANT ALLOYS AND TITANIUM ALLOYS	NC	
	BAPS183-4	CONTOUR SMOOTHNESS REQUIREMENTS CL-215 AND CL-215T AIRCRAFT	B	
	BAPS183-7	FLUSHNESS REQUIREMENTS FOR FASTENERS	C	
	BAPS185-000	GRINDING OF STEEL PARTS	A	
	BAPS185-002	SHOT PEENING OF METAL PARTS	C	
	BAPS188-000	STANDARD FABRICATION DETAILS	F	
	BAPS188-001	STANDARD MACHINING PRACTICES FOR METALLIC PARTS	C	
	EMCM-001	ENGINEERING MATERIAL CONTROL MANUAL - BOMBARDIER PROGRAM	AP	

Gulfstream

3/5/2019

	AML2010	7055-O ALUMINUM ALLOY EXTRUSIONS	A	
	AML4001	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	D	
	AML4002	SPECIFIES THE PRODUCTS AND MANUFACTURES	A	
	AML4003	SHIM MATERIAL, CAST PLASTIC, EPOXY RESIN	G	
	AML4005	FASTENER INSERT AND EDGE SEALING MATERIALS	Q	
	AML4008	GMS PREIMPREGNATED FIBERGLASS CLOTH (PREPREG)	E	
	AML4009	SPECIFIES MATERIALS LIST FOR GMS 4009	B	
	AML4013	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	-	
	AML4015	FILM AND TAPE, PLASTIC, SELF EXTINGUISHING, HEAT SEALABLE	-	
	AML4016	SPECIFIES PRODUCTS & MANUFACTURES QUALIFIED	A	
	AML4017	FM 300M ECS - APPROVED BY GMS 4017	A	
	AML4018	APPROVE MATERIAL LIST FOR GMS 4018	B	
	AML4019	APPROVED MATERIAL LIST FOR GMS4019	B	
	AML4020	GMS 4020 - 350 DEGREE F AUTOCLAVE CURE, TOUGHENED EPOXY CAR	C	
	AML4029	APPROVED MATERIAL LIST FOR GMS 4029	C	
	AML4030	SPECIFIES THE PRODUCTS AND MANUFACTURERS OF MATERIALS	A	
	AML4107	SEALING COMPOUND, FUEL RESISTANT, INTERMITTENT USE TO 360	B	
	AML4109	AML FOR GMS4109 NON-SETTING, CORROSION-INHIBITING JOINTING	B	

	AML4112	AML FOR GMS4112 SEALING COMPOUND,POLYTHIOETHER, ELASTOMERIC	-	
	AML4113	AML FOR GMS4113-LIGHT LENS & WINDSHIELD SEALANT	A	
	AML4114	AML FOR GMS4114-AERODYNAMIC SMOOTHING COMPOUND, RAPID CURING	-	
	AML4116	APPROVED MATERIAL LIST:GMS 4116, AERODYNAMIC GAP- FILLING	-	
	AML4201	ABRASION RESISTANT (ANTI-CHAFE) COATING MATERIAL	D	
	AML4301	FILM ADHESIVE,STRUCTURAL METAL & THERMOSET PLASTIC	B	
	AML4302	AML FOR GMS4302 - ADHESIVE, CORE SPLICE, STRUCTURAL	E	
	AML4306	AML FOR GMS4306 INK, SILK SCREEN, ACRYLIC FOR DECAL MARKING	C	
	AML4309	APPROVED MATERIALS LIST FOR: GMS4309-"FILM ADHESIVE, STR	-	
	AML4311	GMS 4311 - FILM ADHESIVE, 250 DEG F CURE, 300 DEG F SERVICE,	A	
	AML4315	ADHESIVE PRIMER, STRUCTURAL, METAL SUSTRATES	-	
	AML4316	APPROVED MATERIAL LIST FOR GMS 4316	-	
	AML5002	APPROVED MATERIAL LIST FOR GMS 5002 EPOXY TOPCOAT SYS	-	
	AML5005	GMS 5005-EPOXY PRIMER COATING,WATERBORNE,LOW VOC	J	
	AML5006	EPOXY TOPCOAT,HIGH-SOLIDS, DIPHOSPHATE ESTER HYDRAULIC FLUID	L	
	AML5007	GMS 5007 - EPOXY SMOOTHING PRIMER, TROWELABLE	B	
	AML6002	SPECIFIES PRODUCTS AND MANUFACTURES OF MATERIALS	-	
	AMN-6323	CANCELS THIS AMN. NEW PART NUMBER IS NO LONGER REQUIRED	F	
	AMN-6376	RQAAT WINDOR LEAKS	-	
	CCS1000	COMPLETION CENTER STANDARD REQUIREMENTS/INDEX	V	
	CCS1001	HONEYCOMB PANEL JOINTS	U	
	CCS1002	INSERT INSTALLATION SPECIFICATION	U	
	CCS1003	STANDARD DRAWER ASSY/ INSTL	U	
	CCS1004	COMPOSITE HONEYCOMB/ FIBERGLASS FLAT PANEL	W	
	CCS1005	STANDARD ALUM ANGLES	G	
	CCS1006	INSULATED ICE DRAWER CONSTRUCTION	U	
	CCS1007	PADDLE LATCH INSTL	AA	
	CCS1008	STAINLESS STEEL FLEX LINE ASSY	H	
	CCS1009	OXYGEN BOX INSTALLATION	A	
	CCS1010	PUSH BUTTON LATCH INSTALLATION	B	
	CCS1011	SPRING PIN ASSYS	G	
	CCS1012	AIR GASPER,COOLING INSTALL	L	
	CCS1013	ACCESS PANEL INSTL-INTERIOR CABINETRY	H	
	CCS1014	STANDARD TOE KICK ASSY/INSTL	P	
	CCS1015	WATER HEATER INSTL	H	
	CCS1016	STANDARD MAGAZINE RACK ASSY/INSTL	F	

	CCS1017	GALLEY OVEN INSTL	E	
	CCS1018	COOLING COMPARTMENT ASSY/INSTL	H	
	CCS1019	ROLLOUT CAN STORAGE INSTL	J	
	CCS1020	UMBRELLA RACK ASSY & INSTL	H	
	CCS1021	AEROQUIP SEAT TRACK FAB AND INSTL	B	
	CCS1022	ANGLE ATTACHMENTS FOR CABINETS & BULKHEADS	F	
	CCS1023	COFFEE MAKER INSTL	J	
	CCS1024	ELEC OUTLET INSTL	N	
	CCS1025	HOT CUP INSTALLATION	C	
	CCS1026	EMBEDDED PLATE INSTL-BHD TO BEAM ATTACH	B	
	CCS1027	STD SPRING PIN ATTACH-BHD TO SHELL	J	
	CCS1028	SHOULDER HARNESS INSTL DIVAN	D	
	CCS1029	REMOVABLE HEADER PANEL INSTL	J	
	CCS1030	ANCRA SEAT FABRICATION AND INSTL	J	
	CCS1031	PAPER TOWEL DISPENSER ASSY/INSTL	B	
	CCS1032	STOWABLE DOOR ASSY/INSTL	A	
	CCS1033	TV MONITOR INSTL	A	
	CCS1034	HINGED DOOR INSTL-TYPICAL CABINET	J	
	CCS1035	GALLEY VENT ASSY & INSTL	G	
	CCS1037	COOLING FAN/SHIELDED VENT INSTL	G	
	CCS1038	PREPCO HOT LIQUID CONTAINER INSTL	D	
	CCS1039	ALUMINUM HONEYCOMB FLAT PANEL	K	
	CCS1041	SWITCH PANEL INSTALLATION	L	
	CCS1043	SHIELDING & BONDING REQUIREMENTS-E.M.I.	B	
	CCS1044	MATERIAL & PARTS SUBSTITUTION LIST	M	
	CCS1045	INVISIBLE HINGE INSTL	C	
	CCS1046	ADJUSTABLE SHELF ASSY/INSTL	G	
	CCS1047	SINK DRAIN ASSY	M	
	CCS1048	SLIDING DOOR ASSY/INSTL	G	
	CCS1049	DIVAN LIFERAFT SUPPORT INSTL	A	
	CCS1050	MONOGRAM ELEC FLUSHING TOILET	B	
	CCS1051	PULL HANDLE ASSY - SLIDING DOOR	D	
	CCS1052	LAVATORY LATCH BOLT INSTL	K	
	CCS1053	COMPOSITE CONTOURED PNLs SPEC CONTROL	E	
	CCS1054	SERVICE PANEL LIGHT ASSY INSTL	A	
	CCS1055	CARPET RUNNER HARDWARE INSTALLATION	G	
	CCS1057	1/4 TURN FASTNER STUD MODIFICATION	B	
	CCS1058	FOOTMAN LOOP MOD (LONG)	A	
	CCS1059	MECH DRAIN INSTL	G	
	CCS1060	TOILET SEAT MOD / INSTL	D	
	CCS1061	MISC PARTS LIST	-	
	CCS1062	AIR CONDITIONING DUCT MODIFICATION	M	
	CCS1063	WATER SUPPLY/DRAIN INSTL	C	
	CCS1064	EMERGENCY LIGHTING	E	
	CCS1065	STANDARD CABINET BACK PANELS	K	
	CCS1066	SINK DRAIN CHECK VALVE INSTL	A	
	CCS1067	MICROWAVE OVEN INSTL	G	
	CCS1068	TEDLAR COVERED FLAT PANELS	B	
	CCS1069	STANDARD TRASH CAN ASSY/INSTL	A	
	CCS1070	COFFEE MAKER FILL - MANUAL VALVE INSTL	J	
	CCS1071	ICE DRAWER - MANUAL DRAIN VALVE INSTL	K	
	CCS1072	INSERT INSTL - COMPOSITE FLOORBOARDS	F	

	CCS1073	GALLEY STANDARD ATTACHMENT, FLOOR	H	
	CCS1074	BOSE BASS SPEAKER INSTL	E	
	CCS1075	FOOTMAN LOOP MOD (LONG)	F	
	CCS1076	CABINETRY FABRICATION COMFORMITY NOTES	-	
	CCS1077	APPLICATION OF CORROSION-INHIBITING COMPOUNDS	C	
	CCS1078	EMER.FLOORPATH LIGHTING BATTERY INSTL	A	
	CCS1079	STD BULKHEAD ASSEMBLY	C	
	CCS1081	COMPOSITE HONEYCOMB/FIBERGLASS PANEL ASSY	E	
	CCS1082	TAMBOUR DOOR ASSY/INSTL	B	
	CCS1085	GIV SEAT TRACK INSTALLATION	A	
	CCS1086	TYPICAL CARPET INSTL	-	
	CCS1087	REMOVABLE DOOR JAMB - FWD LAV & VESTIBULE	A	
	CCS1088	BONDING STRAP INSTL-CABIN EQUIP.	-	
	CCS1089	AMP SEAT MOD OPTIONS- GIV & GV	-	
	CCS1090	FAX MACHINE INSTALLATION	C	
	CCS1091	ROSEN MONITOR BULKHEAD INSTL	B	
	CCS1092	PADDLE LATCH INSTL	C	
	CCS1093	BONDING STRAP INSTL - PSU	-	
	CCS1094	DOOR LATCH INSTL	D	
	CCS1095	COLD FOOD STORAGE THERMOELECTRIC UNIT AND FAN INSTL	-	
	CCS1097	DYNAMO COOLING UNIT INSTL	C	
	CCS1098	WORK AND EFFECT LIGHT ASSY/INSTL	G	
	CCS1099	STANDARD SINK INSTL	D	
	CCS1100	STANDARD HANDSET INSTALLED	D	
	CCS1101	LAV/SHROUD PIVOT ASSY/INSTL	E	
	CCS1102	MISCELLANEOUS LATCH INSTALL	D	
	CCS1103	STANDARD SINK ASSY	-	
	CCS1106	CIRCUIT BREAKER PANEL INSTL	F	
	CCS1107	PAGE/CHIME SPEAKER INSTALLATION	A	
	CCS1108	GALLEY PULL-OUT WORK SURFACE ASSY/INSTL	F	
	CCS1109	COUNTERTOP SPECIFICATION	A	
	CCS1110	TISSUE HOLDER ASSY/INSTL	B	
	CCS1111	BEZEL ASSY	-	
	CCS1112	SWITCH PANEL INSTL	-	
	CCS1113	DRAWER LINERS AND ORGANIZERS	E	
	CCS1115	GLASS STORAGE RACK ASSY/INSTL	G	
	CCS1116	CLOSET LIGHT INSTL	C	
	CCS1117	SHEET METAL AND MODIFIED EXTRUSION DETAILS	D	
	CCS1118	COAT ROD INSTALLATION	A	
	CCS1119	ATTACHMENT INSTL - LWR GALLEY/GALLEY ANNEX	F	
	CCS1120	UPPER GALLEY/ANNEX ATTACHMENT INSTL	D	
	CCS1121	POWER SUPPLY & BONDING STRAP INSTL	-	
	CCS1123	MONITOR INSTL - CLOSETS	A	
	CCS1124	STANDARD MAGAZINE RACK ASSY/INSTL	C	
	CCS1125	ATTACHEMENT INSTL - G-IV STD BULKHEAD	A	
	CCS1126	ATTACHMENT INSTL - GV STD BULKHEAD	B	
	CCS1127	STANDARD BULKHEAD ATTACHMENT DETAILS	G	
	CCS1128	LATCH INSTL	F	
	CCS1129	PANEL EDGEFILL SPECIFICATIONS	L	
	CCS1130	PANEL WIRE ROUTING CONDUIT INSTL	B	

	CCS1131	ATTACHMENT INSTL - LOWER, CLOSET	E	
	CCS1132	DOOR JAMB INSTL	A	
	CCS1133	DUAL CUP HOLDERS	-	
	CCS1134	HEAT DIFFUSER DUCT INSTL	B	
	CCS1136	GENERAL PURPOSE INTERIOR ADHESIVE CLASSIFICATION	K	
	CCS1139	INTERIOR CABINET PAINT SPECIFICATION	F	
	CCS1141	BLOW OUT-STANDARD HINGE ASSY-INSTL	D	
	CCS1143	ASHTRAY INSTL	B	
	CCS1145	FLOOR BOLT INSTL-CABIN DOOR	F	
	CCS2005	TOLERANCING REQUIREMENTS	F	
	CCS2006	STANDARD FOLD-UP PROCESS FOR DRAWERS AND PANELS	A	
	CGER-1122	OPKBASE ENVIR INTERACTIVE PROC TO SUPPORT CONFORMITY PROCESS	F	
	CGER-1123	OPK BASE ENVIR MFG SUPPLIER INTERATION REQMTS SPEC & GUIDE	F	
	DM-QG-0001	PDOCM TO SUPPLIER PORTAL DISTRIBUTION - QUICK GUIDE	C	
	GA101-1136	SPRING COMPRESSION	A	
	GA101-1138	SPRING-COMPRESSION	B	
	GA101-1139	SPRING-COMPRESSION	A	
	GA101-1144	SPRING - COMPRESSION	-	
	GA101-1272	SPRING-COMPRESSION	-	
	GA101-1334	SPRING-COMPRESSION	A	
	GA101-2000	SPRING-COMPRESSION	A	
	GA101-2001	SPRING-COMPRESSION	B	
	GA101-2002	SPRING-COMPRESSION	C	
	GA101-2004	SPRING-COMPRESSION	A	
	GA101-2005	SPRING - COMPRESSION	-	
	GA101-2006	SPRING, COMPRESSION	-	
	GA101-2007	SPRING, COMPRESSION	A	
	GA101-2008	SPRING - COMPRESSION	-	
	GA101-2009	SPRING, COMPRESSION	-	
	GA101-2010	SPRING - COMPRESSION	A	
	GA101-2011	SPRING - COMPRESSION	-	
	GA101-268	SPRING-COMPRESSION	-	
	GA101-322	SPRING - COMPRESSION	-	
	GA101-831	SPRING-COMPRESSION	-	
	GA101-895	SPRING-COMPRESSION	A	
	GA101-896	SPRING-COMPRESSION	-	
	GA101-904	SPRING - COMPRESSION	-	
	GA102-0001	SPRING, EXTENSION	-	
	GA102-0002	SPRING, EXTENSION	-	
	GA102-0003	SPRING, EXTENSION	-	
	GA102-0004	SPRING, EXTENSION	A	
	GA102-0005	SPRING, EXTENSION	-	
	GA102-0007	SPRING, EXTENSION	A	
	GA102-0008	SPRING, EXTENSION	A	
	GA102-0009	SPRING, EXTENSION	-	
	GA102-1000	SPRING - EXTENSION	-	
	GA102-1001	SPRING - EXTENSION	-	

	GA102-1002	SPRING - EXTENSION	-	
	GA102-1003	SPRING, EXTENSION	A	
	GA102-474	SPRING-EXTENSION	-	
	GA102-475	SPRING - EXTENSION	-	
	GA102-49	SPRING-EXTENSION	-	
	GA102-502	SPRING-EXTENSION	A	
	GA102-624	SPRING - EXTENSION	B	
	GA102-625	SPRING - EXTENSION	A	
	GA102-627	SPRING EXTENSION	A	
	GA102-629	SPRING EXTENSION	-	
	GA102-630	SPRING - EXTENSION	-	
	GA102-715	SPRING-EXTENSION	-	
	GA102-725	SPRING EXTENSION	B	
	GA103-49	SPRING-FLAT	A	
	GA104-1000	SPRING-TORSION	A	
	GA104-1001	SPRING - TORSION	-	
	GA104-1002	SPRING - TORSION	-	
	GA104-1003	SPRING - TORSION	-	
	GA104-1004	SPRING, TORSION	-	
	GA104-393	SPRING-TORSION	A	
	GA104-510	SPRING - TORSION	A	
	GA104-535	SPRING, TORSION	-	
	GA104-543	SPRING - TORSION	-	
	GA104-547	SPRING, TORSION	-	
	GA116	CLIP, RIGHT ANGLE, EQUAL LEG, STRINGER	-	
	GA117	CLIP, RIGHT ANGLE, UNEQUAL LEG, STRINGER	-	
	GA1CR	CROSS REFERENCE LIST - VENDOR PART NUMBER VS. GA STAND	A	
	GA215-131	GASKET	-	
	GA215-16	GASKET	-	
	GA215-160	GASKET	B	
	GA215-27	GASKET	-	
	GA215-80	GASKET	-	
	GA220-1	TUBE CLAMP ASSEMBLY - .250 DIAMETER	-	
	GA220-101	TUBE CLAMP	-	
	GA220-1149	TUBE CLAMP	-	
	GA220-1152	TUBE CLAMP	-	
	GA220-1336	TUBE CLAMP	-	
	GA220-1612	TUBE CLAMP	-	
	GA220-1615	TUBE CLAMP	-	
	GA220-1617	TUBE CLAMP	-	
	GA220-1619	TUBE CLAMP	-	
	GA220-1620	TUBE CLAMP	-	
	GA220-1631	TUBE CLAMP	-	
	GA220-1632	TUBE CLAMP	-	
	GA220-1633	TUBE CLAMP	-	
	GA220-176	TUBE CLAMP	-	
	GA220-436	TUBE CLAMP	-	
	GA23	WASHER-BEVEL,ALUMINUM ALLOY	A	
	GA326	BUSHING - BRONZE, SHOULDER, PRESS FIT	A	
	GA338	WASHER, ENGINE CONTROL ROD END	A	
	GA341	HINGE - EXTRUDED, SEAL - TIGHT LAP TYPE	-	

	GA342	HINGE - BUTT,SEAL - TIGHT, ALUMINUM ALLOY	-	
	GA352	SPACER, SPRING RETAINING GROOVED	-	
	GA365	FILTER, HYDRAULIC AIR VENT	B	
	GA374	WASHER, SPECIAL OVERSIZE	-	
	GA385	WASHER-100% DIMPLED	-	
	GA398	SPACER, STANDOFF, .138-32UNC-3B INTERNALLY THREADED,	-	
	GA404	BEAD-TUBING A/C SYS	-	
	GA409	SPACER ASSY-BEARING INNER RACE, ONE WASHER	A	
	GA41	THREAD RELIEF-UNIFIED & NATIONAL THREAD FORM	-	
	GA411	BEARING INSTL BELLCRANK DOUBLE	-	
	GA414	FITTING CABLE TO SECTOR ATTACHMENT	-	
	GA415	BUS, CIRCUIT BREAKER	-	
	GA416	NAMEPLATE:HYDRAULIC UNIT DISASSEMBLY INSTRUCTION	-	
	GA423	BUSHING, .188 ID, CLAMP-UP	A	
	GA435	STRIP, TERMINAL IDENTIFICATION	-	
	GA436	PANEL ASSY CONSOLE BLANK	A	
	GA452	STRIP, TERMINAL IDENTIFICATION	-	
	GA469	STAKE PRESS FIT BEARING	-	
	GA476	BUSHING, .250 ID, CLAMP-UP	A	
	GA90	LUG BONDING	-	
	GAA100A	ADHESIVE-EPOXY,ALUMINUM FILLED, TWO COMPOUND A/B	B	
	GAA100AA	ADHESIVE-CORE SPLICER, STRUCTURAL	B	
	GAA100AB	ADHESIVE-EPOXY,TWO COMPONENT,LIQUID	A	
	GAA100AC	ADHESIVE-SEALANT, ONE-COMPONENT CONDUCTIVE SILICONE RTV	C	
	GAA100AD	ADHESIVE-SEALANT, ONE COMPONENT, ELECTRICALLY CONDUCTIVE, PO	B	
	GAA100AE	ADHESIVE-HIGH TEMPERATURE, ONE COMPONENT	B	
	GAA100AF	ADHESIVE-SEALANT, TWO-COMPONENT, ELECTRICALLY CONDUCTIVE, EP	A	
	GAA100AG	ADHESIVE FILM POLYIMIDE 600 DEG F	A	
	GAA100AH	ADHESIVE - RUBBER CEMENT, NON-STRUCTURAL, NON-OIL RESISTANT	A	
	GAA100AJ	ADHESIVE-RUBBER CEMENT, NON-STRUCTURAL, OIL RESISTANT	B	
	GAA100AK	ADHESIVE - RUBBER CEMENT, NON-STRUCTURAL, FUEL RESISTANT	B	
	GAA100AM	ADHESIVE - POLYCHLOROPRENE	A	
	GAA100AP	ADHESIVE - PRESSURE SENSITIVE SILICONE, TWO COMPOUND A/B	A	
	GAA100AS	ADHESIVE - EPOXY, FILM	A	
	GAA100AU	ADHESIVE CONTACT CEMENT	D	
	GAA100BD	ADHESIVE EPOXY GENERAL PURPOSE	K	
	GAA100BE	ADHESIVE-EPOXY,420 DEG.F (216 DEG.C)	A	
	GAA100BG	ADHESIVE-SEALANT,THERMALLY CONDUCTIVE SILICONE, ONE COM	A	
	GAA100BL	ADHESIVE-RUBBER CEMENT	A	
	GAA100BM	ADHESIVE-SEALANT, RTV SILICONE, ONE COMPONENT	B	
	GAA100BN	ADHESIVE -TWO COMPONENT PLOYURETHANE	E	

	GAA100BP	ADHESIVE-FORMAT FAST, AERSOL, ONSTANT BOND, SOFT	A	
	GAA100BV	ADHESIVE,SILICONE	A	
	GAA100C	ADHESIVE-CONDUCTIVE,SILICONE,TWO COMPONENT WITH	A	
	GAA100CB	ADHESIVE-RUBBER CEMENT	A	
	GAA100CP	PROCESS FOR POTTING AND SEALING OF EWIS COMPONENTS	H	
	GAA100D	ADHESIVE - SEALANT, SILICONE RUBBER	C	
	GAA100E	ADHESIVE - ACRYLIC, TWO PART COMPONENT A/B	A	
	GAA100ED	ADHESIVE, EPOXY	B	
	GAA100FP	ADHESIVE - CONTACT CEMENT	-	
	GAA100M	ADHESIVE FILM	A	
	GAA100NV	ADHESIVE, SPRAYABLE	B	
	GAA100RV	ADHESIVE-POLYCHLOROPRENE, AEROSOL SPRAY	B	
	GAA100SE	EXPENDABLE MATERIALS FOR USE IN BOND OPERATIONS	P	
	GAA100V	ADHESIVE EPOXY POLYAMIDE TWO COMPONENT	A	
	GAA100VA	ADHESIVE-EPOXY, TWO COMPONENT, FLAME RETARDANT	B	
	GAA100VF	ADHESIVE - EPOXY, TWO COMPONENT, FLAME RESISTANT	C	
	GAA100W	ADHESIVE-SEALANT,ONE COMPONENT SILICONE	B	
	GAA105A	ALUMINUM ALLOY 6061-T6,ANODIZED,QQ-A250/11	A	
	GAA105F	ALUMINUM PLATE & FOIL PHOTSENSITIVE,GG	A	
	GAA105G	ALUMINUM PLATE & FOIL PHOTSENSITIVE COLORED,GG-P-455	A	
	GAA105S	SHAPE CHANNEL EXTRUDED	A	
	GAA10D	ADJUSTER,.094 CABLE	-	
	GAA120A	ACTIVATOR	C	
	GAA12A	ABBREVIATIONS & LEGENDS	A	
	GAA500A	ADAPTER TUBE FITTING FLARELESS TO FEMALE AN END	-	
	GAA500B	ADAPTER TUBE FITTING FLARELESS TUBE	-	
	GAA500ED	ADAPTER - TUBE EXTERNALSWAGE TO MALE FLARELESS	A	
	GAA500G	ADAPTER TUBE FITTING FLARELESS TUBE END TO MALE PIPE THREAD	A	
	GAA500U	ADAPTER	-	
	GAA510AA	ANGLE - CONNECTING	A	
	GAA510AB	ANGLE - CONNECTING	A	
	GAA510AC	ANGLE - CONNECTING	-	
	GAA510AD	ANGLE - CONNECTION	A	
	GAA800AAA	ADAPTER	A	
	GAA800AAC	ADAPTER	A	
	GAA800AAD	ADAPTER RING KIT FOR MIL-38999 SERIES II TYPE CONNECTOR	-	
	GAA800AAE	ADAPTER RING KIT FOR MIL-83723/23/26482 TYPE CONNECTOR	-	
	GAA800AAF	ADAPTER RING KIT FOR MIL-83723/26482 TYPE CONNECTOR	-	

	GAA800AAH	BACKSHELL, EMI/RFI NON-ENVIRONMENTAL FOR MIL-C-83723	-	
	GAA800AAM	BACKSHELL, EMI STRAIGHT, COMPOSITE DG123 TYPE	-	
	GAA800AAN	BACKSHELL,EMI STRAIGHT,SPIN RING ADAPTOR DG123CONNECTOR	A	
	GAA800AH	ADAPTER ELEC, STEP DOWN WIRE TO CRIMP CONTACT	A	
	GAA800B	ADAPTER ELEC CONNECTOR COAXIAL CABLE	-	
	GAA800BA	BACKSHELL - COMPOSITE, RFI/EMI	C	
	GAA800BB	BACKSHELL - RFI/EMI (ALUMINUM)	A	
	GAA800BC	BACKSHELL-ELETROMAGNETIC INTERFERENCE (EMI)	A	
	GAA800BE	BLACKSHELL- STRAIN RELEIF	-	
	GAA800BF	BACKSHELL-ALUMINUM,90 DEG,RFI/EMI,LOW PROFILE	C	
	GAA800BL	ADAPTER ELEC STEP-DOWN WIRE	-	
	GAA800BT	BACKSHELL, CIRCULAR, EMI, SELF-LOCKING, ENVIRONMENTAL AND NO	D	
	GAA800F	ADAPTER ELEC SOLDER CUP, WIRE TO CONTACT	-	
	GAA800GH	BACKSHELL - RFI/EMI,MIL-C-81659 CONNECTOR	A	
	GAA800V	ADAPTER ELEC FERRULE	-	
	GAA800YW	ADAPTER	A	
	GAA800YY	ADAPTER	A	
	GAA801J	ADAPTER CONNECTOR CIRCULAR W/STRAIN	-	
	GAA810A	ANTENNA-ADF RECEIVER	-	
	GAA810B	ANTENNA-COUPLER	-	
	GAA810C	ANTENNA-VOR/LOC	A	
	GAA810D	ANTENNA-GLIDE SLOPE,DUAL PORT	A	
	GAB100B	BATTING-INSULATION,GLASS,FIBER,SILICONE RESIGN BINDER	A	
	GAB100C	BATTING-INSULATION,THERMAL,ACOUSTIC,GLASS,SILICONE BIND	A	
	GAB100D	ACOUSTIC, HIGH TEMPERATURE FIBER	A	
	GAB100T	BATTING - INSULATION BAG ASSEMBLIES, THERMAL	L	
	GAB105A	BLANKET-INSULATION,ACOUSTIC,FELT,NOMEX FIBER	D	
	GAB105AA	BLANKET - ACOUSTIC COMPOSITE	G	
	GAB105AB	BLANKET, ACOUSTIC, ARAMID FIBER	-	
	GAB105AC	BLANKET, ACOUSTIC, ARAMID FIBER ASSEMBLY	A	
	GAB105AD	BLANKET, ACOUSTIC, BARRIER AND FELTED FIBER ASSEMBLY	B	
	GAB105AE	BLANKET, ACOUSTIC, FELTED FIBER	B	
	GAB105AF	BLANKET, ACOUSTIC, FELTED FIBER	B	
	GAB105B	BLANKET INSULATION THERMAL FLEXIBLE LT WT	-	
	GAB105D	BLANKET, INSULATION, ACOUSTICAL AND SOUND PROOFING	A	
	GAB10A	BUSHING, PLAIN, PRESS FIT, STEEL & CRES	C	
	GAB10B	BUSHING, PLAIN PRESS FIT BRONZE	A	
	GAB10C	BUSHING - SHOULDER, PRESS FIT, .030-.050 CHAMFER	G	
	GAB10D	BUSHING, PLAIN CLAMP UP	E	
	GAB10E	BUSHING, SHOULDER PRESS FIT,.005-.015 CHAMFER	C	
	GAB10F	BUSHING- SHOULDER, SLIP FIT	K	
	GAB10G	BUSHING - PLAIN, SLIP FIT	L	
	GAB10H	BUSHING - PLAIN,STRAIGHT	A	
	GAB10HA	BUSHING-MS24694 TENSION HEAD,A-286 CRES (.016 WALL)	-	

	GAB10HB	BUSHING-MS24694 TENSION HEAD,A-286 CRES (.008 WALL)	-	
	GAB10J	BUSHING - PLAIN,SLIP FIT	B	
	GAB10K	BUSHING-100 DEG.COUNTERSUNK MS20426 HEAD,FLARED APP	-	
	GAB10L	BUSHING-PROTRUDING TYPE HEAD,A-286 CRES	-	
	GAB10M	BUSHING-130 DEG. SHEAR HEAD,FLARED APPLICATIONS	-	
	GAB10MA	BUSHING-130 SHEAR HEAD, FLARED APPLICATIONS (.016 WALL)	-	
	GAB10N	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES (.008 WALL)	-	
	GAB10NA	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES, 1/64 O/SIZE	-	
	GAB10NB	BUSHING-SPECIAL SHEAR HEAD, A-286 CRES (.032 WALL)	-	
	GAB10NC	BUSHING-SPECIAL SHEAR HEAD,A-286 CRES (.016 WALL)	-	
	GAB10P	BUSHING - SNAP, PLASTIC	A	
	GAB10R	BUSHING-LOCKING,BEARING,BALL,ROLER AND SPHERICAL PLAIN	-	
	GAB10S	BUSHING-100 DEG. SHEAR HEAD,FLARED APPLICATION(.032 WAL	-	
	GAB10V	BUSHING, SHOULDER, PRESS FIT OD, SLIP FIT ID, CHAMFER .005	C	
	GAB11A	BRKT CLAMP SUPPORT	A	
	GAB11B	BRKT ASSY CLAMP SUPPORT LT. HOLE FLANGE	A	
	GAB11C	BRKT/BRACKET ASSY CLAMP SUPPORT,RIGHT ANGLE FUEL TANK	B	
	GAB11D	BRKT/BRACKET ASSY CLAMP SUPPORT	C	
	GAB11E	BRKT ASSY CLAMP SUPPORT R H ANGLE	A	
	GAB11F	BRACKET - CLAMP SUPPORT, WIRE BUNDLE	A	
	GAB11G	BRKT ASSY ELEC CABLE STRAP SUPPORT	D	
	GAB11L	BRKT ASSY ELEC CABLE SUPPORT	A	
	GAB11M	BRACKET/BRACKET ASSEMBLY - ELECTRICAL CABLE SUPPORT	C	
	GAB11N	BRACKET/BRACKET ASSEMBLY - CLAMP SUPPORT	C	
	GAB13A	BEAD 1.25 WIDE, STRUCTURAL	A	
	GAB13B	BEAD 0.94 WIDE, STRUCTURAL	C	
	GAB13C	BEAD-2.56 WIDE, STRUCTURAL	-	
	GAB13E	BEAD-NON-STRUCTURAL	A	
	GAB14A	BEARING PLAIN -SPHERICAL BRONZE RACE	-	
	GAB14E	BEARING INSTL-SWAGE RETAINED TYPE, SPHERICAL	A	
	GAB14F	BEARING TEFLON LINED SPHERICAL	-	
	GAB14G	BEARING, SWAGE RETAINED, SPERICAL, STEEL RACE	A	
	GAB14J	BEARING INSTL,SWAGE RETAINED TYPE,SHERICAL,SPACE APPL.	A	
	GAB14K	BEARING,DOUBLE ROW,TORQUE TUBE TYPE	A	
	GAB15C	BOSS, OIL SCUPPER, DRAIN LINE	B	
	GAB15N	BOSS-STRAIGHT THREAD, GASKET SEAL	A	
	GAB17A	BONDING METHOD FOR BOLTED CONNECTION	-	
	GAB17B	BONDING, GROMMET PLASTIC EDGING	-	

	GAB17G	BONDING - ELECTRICAL & LIGHTNING PROTECTION	K	
	GAB18C	BAND INSTL IDENTIFICATION,PERMANENT/DISPOSABLE	-	
	GAB21C	BASE ELEC MULTI-POINT GROUND	-	
	GAB21D	BASE ELEC MULTI-POINT GROUND (2) MOUNTING HOLES	-	
	GAB23A	BRACKET-FLAT, ANGKE, AND DOUBLE ANGLE	A	
	GAB23J	BRACKET,ZEE,CLAMP SUPPORT	A	
	GAB23K	BRACKET, ANGLE CLAMP SUPPORT	B	
	GAB23L	BRACKET CLAMP SUPPORT	A	
	GAB300CA	GULFSTREAM STANDARD NUMBERING SYSTEM	-	
	GAB500A	BASE-ALIGNING, HEX NUT	-	
	GAB502A	BULKHEAD - FITTING ASSEMBLY	-	
	GAB504R	BELLOWS ASSY BALLJOINT, 2 INCH DIAMETER	-	
	GAB504S	BELLOWS ASSY, TIE-ROD 3 INCH DIAMETER	-	
	GAB510A	BOLT HIGH STRENGTH , 100 DEG CSK SHEAR HEAD, TITANIUM	B	
	GAB510AE	BOLT, 100 F FLUSH HEAD, HI-TORQUE RECESS, 160 KSI FTU	-	
	GAB510B	BOLT 100 DEG FLUSH SHEAR HEAD,ALLOY STEEL,CADMIUM PLATE	B	
	GAB510BN	BOLT 100 DEG FLUSH HEAD CROWN SHEAR HEAD, ALLOY STEEL	A	
	GAB510BP	BOLT 100 DEG FLUSH HEAD,CROWN SHEAR HEAD,H11 ALY STL	A	
	GAB510C	BOLT-HIGH STRENGTH, 100 DEG CSKHEAD,TENSION,STEEL	B	
	GAB510CV	BOLT-100 DEG FLUSH CROWN SHEAR HEAD, A286, MECHANICAL LOCK	-	
	GAB510D	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, ALUMINUM	-	
	GAB510DG	BOLT-100 DEGREES FLUSH SHEAR HEAD,TITANIUM	-	
	GAB510DH	BOLT-100 DEGREE FLUSH MS24694 TENSION HEAD,TITANIUM	-	
	GAB510DJ	BOLT-100 DEGREE FLUSH TENSION HEAD, STAINLESS STEEL	A	
	GAB510DK	BOLT-100 DEGREE FLUSH SHEAR HEAD, STAINLESS STEEL	B	
	GAB510E	BOLT-100 DEG FLUSH SHEAR HEAD, 431 CRES,CADMIUM PLATE,	A	
	GAB510EN	BOLT-100 DEG FL HEAD,HEX REC,A286 CRES,LONG THREAD	-	
	GAB510F	BOLT - 100 FLUSH MS24694 TENSION HEAD, STAINLESS STEEL	-	
	GAB510FA	BOLT-100% FLUSH MS24694 TENSION HEAD, PH13-8M	-	
	GAB510FB	BOLT-100 DEGREES FLUSH SHEAR HEAD,PH13-8MO CRES	-	
	GAB510FF	BOLT-100 FLUSH SHEAR HEAD,INCONEL 718,220 KSI FTU,125	B	
	GAB510FG	BOLT-100 DEG FLUSH SHEAR HEAD,PH13-8MO STAINLESS	-	
	GAB510GA	BOLT LT.100 DEG FLUSH SHEAR HEAD	C	

	GAB510GB	BOLT LT.100 DEG SHEAR HEAD TITANIUM.95 KSI FSU	D	
	GAB510GC	BOLT 100 DEG TENSION HEAD A286 CRES PASSIVATED 160 KSI	-	
	GAB510GD	BOLT - 100 DEGREE FLUSH MS24694 TENSION HEAD,TITANIUM	C	
	GAB510GF	BOLT - 100 FLUSH CROWN HEAD, TITANIUM, 1/32 OVERSIZE	-	
	GAB510GG	BOLT - 100 FLUSH CROWN HEAD, ALLOY STEEL, 1/64 OVERSIZE	-	
	GAB510GH	BOLT - 100 FLUSH CROWN HEAD,ALLOY STEEL, 1/32 OVERSIZE	-	
	GAB510GJ	BOLT-100 DEGREE FLUSH SHEAR HEAD,TITANIUM,1/64OVERSIZE	-	
	GAB510GK	BOLT-100 FLUSH SHEAR HEAD, TITANIUM, 1/32 OVERSIZE	-	
	GAB510GL	BOLT-100 FLUSH SHEAR HEAD,PH13-8MO STAINLES STEEL 1/64OVER	B	
	GAB510GM	BOLT-100 FLUSH SHEAR HD,PH13-8MO STAINLESS STEEL,1/32OVERS	B	
	GAB510GN	BOLT - 100 FLUSH CROWN HEAD, TITANIUM, 1/64 OVERSIZE	-	
	GAB510GP	BOLT=100 FLUSH MS24694 TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB510GR	BOLT-100 FLUSH MS24694 TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB510GT	BOLT, 130 DEGREE FLUSH CROWN SHEAR HEAD, TITANIUM	A	
	GAB510J	BOLT, STUD, 100 FLUSH SHEAR HEAD, ALLOY STEEL	A	
	GAB510JA	BOLT - BLIND, STRUCTRURAL, 130 CSK HEAD, CORROSION	-	
	GAB510K	BOLT-100 DEGREE FLUSH SHEAR HEAD, TITANIUM	-	
	GAB510L	BOLT, 100 F CSK REDUCED HEAD, HI-TORQUE RECESS, SHORT	B	
	GAB510M	BOLT, SHEAR, FLUSH, HI-TORQUE RECESS, SHORT THREAD, 150	-	
	GAB510N	BOLT, SHEAR FLUSH, 132 KSI MAX SHEAR, 450 F, SHORT THRE	-	
	GAB510P	BOLT - 100 DEG CSK TENSION HEAD, TITANIUM ALLOY	C	
	GAB510PR	BOLT-100 DEGREE FULL COUNTERSUNK HEAD, DOVETAIL RECESS,	-	
	GAB510R	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, STEEL, 1/64	A	
	GAB510T	BOLT, HIGH STRENGTH, 100 F CSK SHEAR HEAD, CRES, 1/32 O	-	
	GAB510U	BOLT HIGH STRENGTH, 100 DEG FLUSH TENSION HEAD,H-11 STL	-	
	GAB510V	BOLT	-	
	GAB510W	BOLT-100 DEGREE FLAT HEAD, TORQ-SET, 180 KSI, CRES	-	
	GAB510Y	BOLT - STUD, 100 FLUSH SHEAR HEAD, A286	A	
	GAB511A	BOLT-SHEAR, 12 PT 156 KSI FSU,482 DEG C. SHORT THREAD	-	

	GAB511AB	BOLT - PROTRUDING SHEAR HEAD, TITANIUM	A	
	GAB511AD	BOLT-PROTRUDING TENSION HEAD,TITANIUM	-	
	GAB511AM	BOLT, PROTRUDING SHEAR HEAD, STEEL, .016 OVERSIZE	A	
	GAB511AP	BOLT, HIGH STRENGTH, PROTRUDING SHEAR HEAD, CRES 1/32 O	A	
	GAB511AS	BOLT-PROTRUDING HEAD,NICKEL BASE ALLOY(INCONEL 718)	-	
	GAB511AU	BOLT-PROTRUDING TENSION HEAD,NICKEL BASE ALLOY	-	
	GAB511AW	BOLT-156 KSI FSU, PROTUDING SHEAR HEAD, H-11 ALY STL	A	
	GAB511B	BOLT SHEAR 12 PT 132,000 PSI SHEAR STRENGTH	-	
	GAB511BA	BOLT-PROTRUDING TENSION HEAD, NICKEL BASE ALLOY	-	
	GAB511C	BOLT- PROTRUDING TENSION HEAD, PH13-8MO STAINLESS STEEL	D	
	GAB511CG	BOLT-PROTRUDING TENSION HEAD, PH13-8MO STAINLESS	A	
	GAB511CM	BOLT-PROTRUDING TENSION HEAD, PH13-8MO STAINLESS STELL	A	
	GAB511CS	BOLT-PROTRUDING SHEAR HEAD,ALLOY STEEL,.032 OVERSIZE	-	
	GAB511CU	BOLT FLAT PAN HEAD, HI-TORQUE REC LONG THREAD,DRILLED	-	
	GAB511D	BOLT-HIGH STRENGTH, PROTUDING SHEAR HEAD, ALY STL	C	
	GAB511DA	BOLT-HEX HEAD, MAGNETIC, 1000 DEG C10SE, TOLERANCE	-	
	GAB511E	BOLT HIGH STRENGTH PROTRUDING TENSION HEAD	-	
	GAB511EB	BOLT SHEAR, 12 POINT, 132 KSI FSU, INCREASED THREAD LG	A	
	GAB511EC	BOLT SHEAR, 12 POINT, 156 KSI FSU INCREASED THREAD LENG	A	
	GAB511EF	BOLT TENSION,12 POINT EXT WRENCHING,220 KSI FSU 482 DEG	-	
	GAB511EG	BOLT 12 POINT,REDUCED PROTRUDING TENSION HEAD	-	
	GAB511EH	BOLT-HEX HEAD LONG LSILVER PLATED THREAD	-	
	GAB511FK	BOLT, PROTRUDING TENSION HEAD,A 286 CRES PASSIVATED 160	-	
	GAB511FL	NUT - SIX POINT, TENSION	-	
	GAB511G	BOLT HIGH STRENGTH PROTUDING SHEAR HEAD CRES	C	
	GAB511GA	BOLT SHEAR, 130 DEG FLUSH HEAD, TITANIUM 6AL-4V,95KSI	F	
	GAB511GB	BOLT LT. PROTRUDING SHEAR HEAD	C	
	GAB511GC	BOLT LT. PROTRUDING SHEAR HEAD	C	
	GAB511GD	BOLT-PROTRUDING SHEAR HEAD,NICKEL BASED ALLOY	-	
	GAB511GE	BOLT-SHEAR, 12-POINT HEAD, MP35N, 145 KSI FSU	A	
	GAB511GF	BOLT TENSION,12 PT EXT WRENCHING	D	
	GAB511GG	BOLT-SHEAR, 12 POINT, INCONEL 718,132 KSI FSU (UP TO .625 DI	D	

	GAB511GH	BOLT-PROTRUDING TENSION HEAD,TITANIUM	C	
	GAB511GJ	BOLT PROTRUDING SHEAR HEAD, PH13-8MO STEEL	-	
	GAB511GK	BOLT-PROTRUDING TENSION HEAD,STEEL	B	
	GAB511GM	BOLT PROTRUDING TENSION HEAD, ALLOY STEEL, 1/64 OVERSIZE	-	
	GAB511GN	BOLT - PROTRUDING SHEAR HEAD, ALLOY STEEL 1/64 OVERSIZE	-	
	GAB511GP	BOLT - PROTRUDING TENSIONHEAD, ALLOY STEEL,1/32 OVERSIZE	-	
	GAB511GR	BOLT - PROTRUDING SHEAR HEAD,ALLOY STEEL,1/32 OVERSIZE	-	
	GAB511GS	BOLT-PROTRUDING SHEARHEAD,PH13MO STAINLESS STEEL 1/64 OVER	-	
	GAB511GT	BOLT - PROTRUDING SHEAR HEAD, PH13-8 MO STAINLESS STEEL	-	
	GAB511GV	BOLT-PROTRUDING SHEAR HEAD,TITANIUM,1/64 OVERSIZE	-	
	GAB511GW	BOLT PROTRUDING SHEAR HEAD, TITANIUM, 1/32 OVERSIZE	-	
	GAB511H	BOLT TENSION, 12 PT, EXT. WRENCHING, 220,000 PSI,450 F	A	
	GAB511J	BOLT, PAN HEAD, HI-TORQUE RECESS, TITANIUM ALLOY	-	
	GAB511K	BOLT HIGH STRENGTH, PROTRUDING SHEAR HD TITANIUM	A	
	GAB511L	BOLT-PROTRUDING SHEAR HEAD, PH13-8MO STAINLESS STEEL	C	
	GAB511MA	BOLT - PROTRUDING TENSION HEAD, TITANIUM ALLOY	A	
	GAB511MB	BOLT - PROTRUDING SHEAR HEAD, TITANIUM ALLOY	A	
	GAB511N	BOLT-12 POINT,INCONEL	A	
	GAB511P	BOLT PROTUDING TENSION HEAD TITANIUM 160 KSI FTU	-	
	GAB511V	BOLT PROTRUDING TENSION HEAD, STAINLESS STEEL	A	
	GAB511W	BOLT TENSION 12 PT. EXT WRENCHING,LIGHTWEIGHT	A	
	GAB512AA	BOLT-STRUCT, CLOSE TLRNCE,100 DEG CSK HD, TIT ALLOY, ANOD	-	
	GAB512AB	BOLT-STRUCTURAL,CLOSE TOLERANCE,HEXAGON HEAD	-	
	GAB512AC	BOLT - STRUCT, CLOSE TOL., 100 DEG CSK HD, TIT ALLOY, ANOD	-	
	GAB512GA	BOLT SWAGE LOCKING 100 CSK HEAD	-	
	GAB512GB	BOLT SWAGE LOCKING PULL TYPE PROTRU HD TITA 95KSI FSU	B	
	GAB512GC	BOLT SWAGE LOCKING PULL TYPE 130 DEG	C	
	GAB512GD	BOLT SWAGE LOCKING STUMP TYPE 100 DEG CSK	-	
	GAB512GE	BOLT SWAGE LOCKING STUMP TYPE PROTRUDING HEAD	B	
	GAB512GF	BOLT SWAGE LOCKING STUMP TYPE 130 DEG	B	
	GAB512S	BOLT 100 DEG FLUSH SHEAR HEAD STEEL, CADMIUM PLATED	-	
	GAB512T	BLT TEN DBL HEX,FLANG,180KSI TEN STREN. APPL 900F INCON718	B	

	GAB512V	BOLT SWAGE LOCKING, PULL TYPE PROTRUDING HEAD,ALY STL	A	
	GAB512W	BOLT,SHEAR,12 POINT,MP35N,145 KSI FSU	C	
	GAB513W	BOLT TENSION 12PT,EXT.WRENCHING,LIGHTWEIGHT 220,000 PSI	-	
	GAB520C	BEARING, ROLLER, SINGLE ROW, SPHERICAL	A	
	GAB520DG	GAB520DG	-	
	GAB520DN	BRG NARROW GROOVED, HIGH TEMP. SPHER.	-	
	GAB520FP	BEARING, SPHERICAL	-	
	GAB520FR	BEARING, SPHERICAL REPLACEABLE BALL	-	
	GAB520L	BEARING, BALL, SINGLE ROW, FAIRLEAD	D	
	GAB523C	BEARING-ROLLER,AIRFRAME,SINGLE ROW,CRES	-	
	GAB523D	BEARING-TRACK, ROLLER, BALL, SINGLE ROW, SEALED	B	
	GAB523GA	BEARING, SINGLE ROW, SELF ALIGNING, SEALED	C	
	GAB523GB	BEARING, SPHERICAL, SELF LUBRICATING, NUT LOCKING	C	
	GAB523GC	BEARING, SINGLE ROW, SELF ALIGNING, SEALED	C	
	GAB523H	BEARING	-	
	GAB523P	BEARING, CAM FOLLOWER, NEEDLE BEARING, HIGH STRENGTH	-	
	GAB524A	BEARING-LINER-OPEN,SELF-LUBRICATED	-	
	GAB524B	BEARING-BALL BUSHING,LINEAR,INTEGRAL SEALS,OPEN TYPE	-	
	GAB525A	BEARING-ROD END ROLLER SINGLE ROW EXTERNAL THREAD	-	
	GAB525AB	BEARING, ROD END, PLAIN, EXTERNAL THREAD, SELF- ALIGNING	A	
	GAB525AC	ROD-CONTROL, WITH ROD-END BEARINGS, ONE END ADJUSTABLE	A	
	GAB525AD	BEARING-BALL,AIRFRAME,PRECISION,DOUBLE ROW,ROD- END,SELF-AL	-	
	GAB525AE	BEARING-SPHERICAL PLAIN,ROD-END,METAL,REDUCED RADIAL CLEAR	-	
	GAB525AG	BEARING, ROD END, DOUBLE ROW, BALL, SELF-ALIGNING	-	
	GAB525AW	BEARING-ROD END, TFE LINER, EXTERNAL THREAD	-	
	GAB525CD	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CE	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CF	BRG. ROD END, REPLACEABLE BALL	-	
	GAB525CP	BEARING ROD END	-	
	GAB525J	BEARING-ROD END BALL, DOUBLE ROW, SELF-ALIGNING, HOLLOW	-	
	GAB528D	BEARING, LINER, NON-METALLIC, SELF-LUBRICATED, FLANGED	-	
	GAB528K	BEARING, BALL SPHERICAL	-	
	GAB540MF	BUSHING-GROMMET ASSY, STRUCTURAL QUICK RELEASE FASTENER	B	
	GAB570A	BOSS STRAIGHT THREAD BUTTWELDABLE	-	
	GAB811A	BOLT, MOUNTING, CABLE NYLON	-	
	GAB831A	BRAID,WIRE,ELECTRICAL,COPPER,TIN-COATED,TUBULAR	B	

	GAB831B	GVI EWIS HARNESS ASSEMBLY PROTECTIVE COVERING BUILD-UP	J	
	GAB831C	EWIS HARNESS ASSEMBLY PROTECTIVE COVERING BUILD-UP	-	
	GAB850C	BRACKET,MOUNTING, CABLE, NYLON	D	
	GAB850J	BRACKET,ELECTRICAL,SADDLE MOUNTING, CABLE, NYLON	B	
	GAB850K	BRACKET, ELECTRICAL, MOUNTING, CABLE, NYLON	B	
	GAB850S	BASE - MOUNTING SADDLE ELECTRICAL CABLE	D	
	GAC/0001	PEEN FORMING OF ALUMINIUM ALLOY SKIN	A	
	GAC/0002	PICKLING OF ALUMINIUM ALLOYS	A	
	GAC/0003	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	B	
	GAC/0004	PENETRANT FLAW DETECTION	A	
	GAC/0005	HEAT TREATMENT OF ALUMINUM ALLOYS	B	
	GAC/0006	METHODS OF MARKING AIRCRAFT AND PARTS ASSEMBLIES	A	
	GAC/0007	FORMING OF ALUMINIUM ALLOYS	A	
	GAC/0008	PENETRANT FLAW DETECTION	B	
	GAC/0009	INSTALLATION OF BOLTS	A	
	GAC/0010	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	A	
	GAC/0011	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	A	
	GAC/0012	CHROMIC ACID ANODISING OF ALUMINUM ALLOYS	B	
	GAC/0013	CHEMICAL MILLING OF ALUMINIUM ALLOYS	B	
	GAC/0014	CHROMIC ACID ANODISING OF ALUMINIUM ALLOYS	A	
	GAC/0015	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0016	BRUSH ALOCROM 1200	A	
	GAC/0017	ULTRASONIC FLAW DETECTION	A	
	GAC/0018	BRUSH CADMIUM PLATING	A	
	GAC/0019	CORRECTION OF DISTORTED ALUMINIUM ALLOY PARTS	A	
	GAC/0020	FORMING OF ALUMINIUM ALLOYS	A	
	GAC/0021	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0022	ALKALINE CLEANER (TURCO ALUMICLEAN 2623)	A	
	GAC/0023	SURFACE PREPARATION OF ALUMINIUM ALLOYS BY PICKLING	A	
	GAC/0024	DEOXIDATION OF ALUMINUM ALLOYS	A	
	GAC/0025	STAKING OF BEARINGS	A	
	GAC/0026	BONDING WITH 3MS AF163-2	A	
	GAC/0027	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAC/0028	PENETRANT FLAW DETECTION	A	
	GAC-CR-4960	GVI EMED CONNECT ROD ASSEMBLY 60P5210148A008 FATIGUE TEST	-	
	GAC100F	CORE MATL HONEYCOMB AL ALLOY	A	
	GAC100G	CORE MATL HONEYCOMB AL ALLOY	A	
	GAC101A	CORE MATERIAL - FOAM, POLYMETHACRYLAMIDE	B	
	GAC101B	CORE MATERIAL - FOAM	E	
	GAC101C	CORE-SYNTACTIC FOAM	E	
	GAC101D	CORE MATERIAL -PLASTIC HONEYCOMB,NOMEX BASE,350 F	C	
	GAC101E	CORE MATERIAL-HONEYCOMB,PHENOLC RESIGN SYSTEM	A	

	GAC101F	CORE MATERIAL - HONEYCOMB, LIGHTWEIGHT COMPOSITE BOARDS	B	
	GAC101FE	CORE, FLAT PANEL, NOMEX HONEYCOMB WITH FIBERGLASS/EPOXY FACE	B	
	GAC101FP	CORE, FLAT PANEL, NOMEX HONEY COMB WITH FIBERGLASS SKINS	C	
	GAC101G	CORE, FLAT PANEL, ALUMINUM CORE WITH ALUMINUM SKINS	F	
	GAC105A	CORD, ELASTIC EXER & SHOCK ABSORBER FOR AERO USE	-	
	GAC105E	CORD, COTTON, SOFT CABLE, BLEACHED	-	
	GAC105F	CORD LACING POLYVINYL CHLORIDE	-	
	GAC110B	CLOTH BINDING DOUBLE FOLD GIMP	B	
	GAC110BB	CLOTH PREIMPREGNATED FIBERGLASS	-	
	GAC110BC	CLOTH PREIMPREGNATED QUARTZ	A	
	GAC110BG	CLOTH, WATERPROOF, WEATHER RESISTANT, MIL-PRF-20696	B	
	GAC110BH	CLOTH COATED BLEEDER RELEASE	B	
	GAC110D	CLOTH - THERMAL INSULATING	A	
	GAC110FC	CLOTH-CERAMIC FIBER, WOVEN	-	
	GAC110FP	CLOTH - CERAMIC/FIBER, WOVEN, PREPREG	A	
	GAC110J	CLOTH, GLASS, FINISHED FOR RESIN SYSTEMS	-	
	GAC110V	CLOTH, WIRE, PLAIN WEAVE, SQUARE MESH, RR-W-360	A	
	GAC115A	COMPOUND-POLYESTER RESIN BODY FILLER, TWO COMPONENT	B	
	GAC115AA	COMPOUND EPOXY BASE RESIN, LIQUID	B	
	GAC115AB	COMPOUND - POTTING AND SEALING, RTV SILICONE	E	
	GAC115AC	COMPOUND SEALING HIGH TEMP	A	
	GAC115AD	COMPOUND - PENETRATING, CORROSION-INHIBITING, WATER DIS	D	
	GAC115AE	COMPOUND-TWO PART, EPOXY SURFACE FILLER, PRIMER	C	
	GAC115AR	COMPOUND, SEALING, NON-CURING, GROOVE INJECTION	A	
	GAC115BA	COMPOUND - NON-HARDENING POLYSULFIDE ELASTOMER SEALANT	A	
	GAC115BB	COMPOUND-SEALANT, FLAME RESISTANT	A	
	GAC115C	COMPOUND, SEALING POLYSULFIDE RUBBER, ELECT CONNECTORS	A	
	GAC115E	COMPOUND SEALING	A	
	GAC115FRA	FLAME RETARDANT, TCEP	B	
	GAC115FRB	FLAME RETARDANT, TDCP	-	
	GAC115L	COMPOUND - MOLDING	-	
	GAC115P	COMPOUND-SILICONE, LUBRICANT AND SEALANT	B	
	GAC115R	COMPOUND-GREASE, GENERAL PURPOSE	-	
	GAC115SP	COMPOUND, POLYURETHANE/UREA HYBRID, SLIP RESISTANT	-	
	GAC115T	COMPOUND ANTISIEZE	A	
	GAC115W	COMPOUND SEALANT, AERODYNAMIC	E	
	GAC115Y	COMPOUND-SEALANT, FUEL TANK/PRESSURIZED CABINS, FAST	A	

	GAC117B	ACCELERATOR - TACK FREE, ONE COMPONENT, AEROSOL SPRAY	A	
	GAC117C	CATALYST	-	
	GAC117D	CATALYST, AROMATIC DIAMINE	A	
	GAC117G	CATALYST-LIQUID POLYAMINE, CURING AGENT FOR EPOXY RESIN	-	
	GAC117H	CATALYST, LIQUID, MODIFIED, POLYAMIDE, FOR EPOXY RESINS	A	
	GAC117J	CATALYST, ACID ANHYDRIDE FOR EPOXY RESIN	-	
	GAC117K	CATALYST-PASTE CURING AGENT FOR RTV SILICONE RUBBER	A	
	GAC117M	CATALYST, LIQUID, EPOXY HARDENER	-	
	GAC117P	CATALYST, BENZOIL PEROXIDE	-	
	GAC117S	CATALYST, ACCELERATOR, DIMETHYLANILINE	A	
	GAC11B	COVER, TERMINAL STRIP	-	
	GAC11C	COVER, TERMINAL STRIP	-	
	GAC120A	CORK & RUBBER COMP. SHT FOR AROMATIC FUEL & OIL RESIST	A	
	GAC121AA	COLORING AGENT-RED DYE	-	
	GAC121C	COLORING AGENT, POLYESTER PASTE	-	
	GAC121U	COLORING AGENT DYE	-	
	GAC121V	COLORING AGENT PIGMENT	-	
	GAC125B	COPPER, BERYLLIUM, ALLOY BAR AND ROD ASTM B196	A	
	GAC125C	COPPER, PLATE, BAR, SHEET AND STRIP, QQ-C-576	-	
	GAC125D	COPPER ALLOY, PHOSPHOR BRONZE	-	
	GAC12A	CLAMP, TUBE, GENERAL PURPOSE	A	
	GAC12B	CLAMP, CONTROL CABLE, AIR SEAL, RESTRAINING	A	
	GAC12C	CLAMP, NYLON SUPPORT	-	
	GAC12G	CLAMP-LOOP, PLAIN, SUPPORT, AIRCRAFT	-	
	GAC12L	CLAMP, HALF TUBE SUPPORT	-	
	GAC130E	COATING HARDCOAT, TFE IMPREGNATED	-	
	GAC130FT	COATING-TACK FREE	A	
	GAC130H	COATING	A	
	GAC130R	COATING POLYURETHANE, FLUOROCARBON PIGMENT	-	
	GAC130Y	COATING, CONFORMAL, PARYLENE	-	
	GAC146BH	POLYSULFIDE COMPOUND-SEALANT, WINDSHIELD	E	
	GAC14A	CODING TUBE IDENTIFICATION	C	
	GAC14C	CODE-FASTENER	E	
	GAC14CP	CONTROL - CRITICAL PART SERIALIZATION, IDENTIFICATION	-	
	GAC14D	CONTROL, SERIAL AND TRACE REQMTS FOR PARTS	-	
	GAC14E	CODING TUBE IDENTIFICATION	C	
	GAC14MP	CODING METALLIC PLACARD STOCK PART NUMBERS	-	
	GAC16A	CENTERS, STANDARD MACHINING	-	
	GAC18A	CABLE, ELECT POWER, COPPER SHIELDED & JACKETED, AIRCRAF	-	
	GAC21A	CLIP, ANGLE, 90 F, .750 X .750 LEGS	-	
	GAC21D	CLIP, 15/16 X 1 1/2 LEGS, 90 F	-	
	GAC21E	CLIP, CABLE/TUBE CLAMP, INSTALLATION CONVENIENCE	-	
	GAC500AH	CLAMP	-	
	GAC500AM	CLAMP-SADDLE SUPPORT TYPE- CUSHIONED/PADDED	A	

	GAC500AN	CLAMP, LOOP TYPE, SUPPORT, TEE CUSHION	C	
	GAC500B	CLAMP-LOOP TYPE,HIGH TEMP, CUSHIONED	B	
	GAC500BC	CLAMP,U-TYPE,2PIECE,CUSHIONED BAND AND BASE	B	
	GAC500BD	CLAMP-U-TYPE, SADDLE CROSSBAR, RUBBER CUSHION,FUEL	A	
	GAC500C	CLAMP-LOOP TYPE, HIGH TEMPERATURE,FIBERGLASS CUSHIONED	-	
	GAC500CC	CLAMP, LOOP TYPE, CUSHIONED SUPPORT, LOCKING, COMPOSITE	B	
	GAC500CF	CLAMP, LOOP, SKYDROL REST WIRE SUP SILICONE CUSH CRES	A	
	GAC500CG	CLAMP LOOP ELONGATED, TWO WIRE SILICONE CUSH GROOVED	-	
	GAC500CH	CLAMP,LOOP SILICONE CUSHION, GROOVED, SKYDROL REST	-	
	GAC500CJ	CLAMP,LOOP SILICONE GROOVED CUSH SKYDROL RESIST CRES	-	
	GAC500CK	CLAMP,LOOP SILICONE GROOVED CUSH SKYDROL RESIST CRES	-	
	GAC500CM	CLAMP HINGED-FLUSH CENTER MOUNTED, W/O CUSHION/INSERT	A	
	GAC500CP	CLAMP, LOOP	-	
	GAC500DA	CLAMP - INSERT, LOOP STYLE	-	
	GAC501B	CLAMP, FLAT BAND, T-BOLT, 0.75 TO 1.50 WIDTH RANGE, CRES	B	
	GAC501BA	CLAMP, FLAT BAND T-BLT LATCH	-	
	GAC501E	CLAMP, FLAT BAND, 1900-32 T-BOLT, 62TO1.00 WIDTH RANGE	-	
	GAC501F	CLAMP, FLAT BAND, T-BOLT, .625 AND .750 WIDTH, CRES	C	
	GAC501G	CLAMP, FLAT BAND, T-BOLT, .62 TO 1.00 WIDTH RANGE, ALUM	-	
	GAC501H	CLAMP,FLAT BAND,QUICK COUPLER, 62 WIDTH	A	
	GAC501K	CLAMP, SUPPORT, FLAT BAND T-BOLT, CLIP SUPPORT	C	
	GAC501L	CLAMP, ADJUSTABLE, SHORT THUMB SCREW, WIRE LOCKING	B	
	GAC501N	CLAMP, STRAP, T-BOLT LATCH, 2-PIECE	A	
	GAC501P	CLAMP FLAT BAND SAFETY LATCHING INSULATION	-	
	GAC501S	CLAMP, HOSE, WORM GEAR ADJUSTMENT, ALL CRES	B	
	GAC503AF	CLAMP, PANEL, INSTRUMENT MOUNTING	-	
	GAC504A	CLAMP, BLOCK, SINGLE TUBE	C	
	GAC504B	CLAMP,BLOCK,TWO TUBE	E	
	GAC504C	CLAMP,BLOCK,THREE TUBE	C	
	GAC504D	CLAMP, BLOCK, FOUR TUBE	C	
	GAC504J	CLAMP BLOCK - FIVE TUBE, BUNA-N CUSHION	C4	
	GAC504K	CLAMP, BLOCK, FIVE TUBE, ETHYLENE PROPYLENE CUSHION	B	
	GAC504L	CLAMP, BLOCK, FOUR TUBE, ETHYLENE PROPYLENE CUSHION	D	
	GAC504M	CLAMP, BLOCK, FOUR TUBE, BUNA-N CUSHION	C	
	GAC530B	COREBOLT, BLIND, 100 F CSK HEAD, CSK SLEEVE	A	
	GAC550A	COUPLING, QUICK DETACH, CABLE TERMINAL	A	

	GAC550B	COUPLING ASSY-FLEXIBLE FLUID LINE,THREADLESS,INTEGRAL	-	
	GAC550C	COUPLING-CRYOFIT	-	
	GAC550CS	COUPLING ASSEMBLY-TUBE,CRYOGENIC,FLARELESS	-	
	GAC550G	COUPLING, LIGHTWEIGHT TUBE JOINT, GASKETLESS, V-BAND,	-	
	GAC550KC	COUPLING-LTWEIGHT TUBE JOINT,V BAND CLAMP LOW PROFILE	-	
	GAC550MT	COUPLING ASSY-V BAND -A 286 CRES	-	
	GAC560A	CAP, TUBE FITTING, TUBE END	A	
	GAC560FE	CAP - SEAL, FASTENER	B	
	GAC560P	CAP, SEAL, ID FOR .02 BACK-UP GROOVE	-	
	GAC565DA	CROSS-TUBE,REDUCER,EXTERNAL SWAGE	-	
	GAC565DB	CROSS - TUBE EXTERNAL SWAGE	-	
	GAC576A	CABLE, PUSH-PULL CONTROLS, FLEXIBLE	A	
	GAC576B	CABLE - PUSH-PULL CONTROLS, FLEXIBLE, HIGH STRENGTH	-	
	GAC576FC	CABLE ASSEMBLIES-FLIGHT CONTROL,PRIMARY AND SECONDARY	-	
	GAC578A	CONDUIT - PUSH-PULL CONTROLS, RIGID	A	
	GAC580BA	COLLAR - FLANGED, SWAGE LOCKING, SHEAR, TITANIUM	B	
	GAC580W	COLLAR,GP-SWAG LOCKING,DOUBLE ENDED,SHEAR 2024 AL ALY	-	
	GAC590A	CUP, PANEL FASTENER, QUICK RELEASE, STRIP TYPE STUD	B	
	GAC800NA	CONNECTOR-PLUG, SELF-LOCKING	-	
	GAC800PT	CONNECTOR PLUG	A	
	GAC800PW	CONNECTOR PLUG-BAYONET-COUPLING,MIL-C-26500	C	
	GAC800RH	CONNECTOR PLUG	-	
	GAC800RJ	CONNECTOR-PLUG,MIL-C-26482 SERIES I TYPE	C	
	GAC800RU	CONNECTOR, PLUG, THREADED, MIL-C-5015 TYPE	B	
	GAC800RV	CONNECTOR-PLUG,THREADED,ENVIRONMENTAL,MIL-C-26500	C	
	GAC800RW	CONNECTOR, PLUG, STRAIGHT, BAYONET, STRAIN RELIEF	C	
	GAC800RY	CONNECTOR, PLUG, STRAIGHT, BAYONET, STRAIN RELIEF	B	
	GAC800SA	CONNECTOR, PLUG SELF LOCKING COUPLING RING, THREADED,	D	
	GAC800SB	CONNECTOR PLUG	C	
	GAC800SC	CONNECTOR, PLUG, SELF LOCKING COUPLING RING, THREADED	D	
	GAC800SD	CONNECTOR, PLUG, STRAIGHT, THREADED, MIL-5015 TYPE,	B	
	GAC800SE	CONNECTOR PLUG	-	
	GAC800SF	CONNECTOR, PLUG, STRAIGHT, THREADED, MIL-C-5015 TYPE	B	
	GAC800SG	CONN-PLUG,HIGH TEMP,1000 DEG. F,CLASS A MIL-C-5015	B	
	GAC800SH	CONNECTOR, PLUG, 90 DEGREE, THREADED, MIL-C-5015 TYPE	B	

	GAC800SK	CONNECTOR, PLUG, STRAIGHT, MIL-C-38999 SERIES IV TYPE	A	
	GAC800SL	CONNECTOR-PLUG,R.F.I.FINGER,MIL-C-26482,SERIES II/MIL-C	A	
	GAC800SM	CONNECTOR PLUG,RFI FINGERS COUPLING MIL-C-83723	A	
	GAC800SN	CONNECTOR PLUG, ENVIRONMENTAL, ARINC 404 TYPE, REAR REL	E	
	GAC800SP	CONNECTOR, PLUG, ENVIRONMENTAL, ARINC 600 TYPE, REAR RE	G	
	GAC800SR	CONNECTOR, PLUG, STRAIGHT, BAYONET, MIL-C-38999 SERIES	D	
	GAC800SS	CONNECTOR, PLUG, STRAIGHT, EMI GROUNDING, MIL-C- 38999	B	
	GAC800ST	CONNECTOR PLUG,MIL-DTL-38999,STRAIGHT PLUG,FIREWALL,	B	
	GAC800SU	CONNECTOR PLUG	B	
	GAC800SV	CONNECTOR-PLUG,STRAIGHT,THREADED,STRAIN RELIEF BACKSHEL	D	
	GAC800SW	CONNECTOR, PLUG	A	
	GAC800SY	CONNECTOR, PLUG, STRAIGHT, EMI GROUNDING, MIL-C- 38999	C	
	GAC800T	CONN PLUG, ELEC, CIRC, THRD CPLG, MIL-C-5015 TYP,SOLDER	-	
	GAC800TA	CONNECTOR - PLUG, STRAIGHT WITH MIL-C-29600	F	
	GAC800TB	CONNECTOR-D SUBMINIATURE RECTANGULAR,REAR RELEASE	C	
	GAC800TC	CONNECTOR, PLUG, COMPOSITE, THREADED MIL-C-29600 TYPE	C	
	GAC800TD	CONN.,PLUG,STR.,STRAIN RELIEF, H TEMP. MIL-C-5015 TYPE	-	
	GAC800TE	CONN PLUG R.F.I. FINGERS,STRAIGHT BACKSHELL WITH CABLE	-	
	GAC800TF	CONNECTOR - PLUG, COMPOSITE, THREADED, STRAIN RELIEF	H	
	GAC800TG	CONNECTOR - PLUG, COMPOSITE, 90 DEG. STRAIN RELIEF	J	
	GAC800TH	CONN.,PLUG, STR.,STRAIN RELIEF, H TEMP MIL-C-5015 TYPE	A	
	GAC800TJ	CONNECTOR-PLUG, THREADED COUPLING, MIL-C-83723 SERIES 3	B	
	GAC800TM	CONNECTOR-PLUG,TWO INCH FLAT,MODULAR RECTANGULAR	-	
	GAC800TT	CONNECTOR - PLUG, THREADED COUPLING, SPECIAL	A	
	GAC800TV	CONNECTOR, PLUG SELF LOCKING COUPLING RING, THREADED, MIL-	-	
	GAC800TW	CONNECTOR, PLUG, MIL-DTL-38999 SERIES I TYPE	-	
	GAC800TY	CONNECTOR, PLUG MIL-DTL-38999 SERIES II TYPE	-	
	GAC800UB	CONNECTOR, PLUG, MIL-DTL-83723 SERIES III TYPE	-	
	GAC800UC	CONNECTOR, PLUG, SAE AS50151 SERIES III TYPE	-	
	GAC800UD	CONNECTOR, PLUG, MIL-DTL-26482 SERIES II, BAYONET COUPLING	-	

	GAC801BJ	CONNECTOR, RECEPTACLE THREADED, MIL-C-5015 TYPE	B	
	GAC801LC	CONNECTOR RECEPTACLE BAYONET FLANGE MOUNT	C	
	GAC801LD	CONNECTOR-WALL MOUNT RECEPTACLE,FIREWALL(HIGH TEMP)	B	
	GAC801LE	CONNECTOR RECEPTACLE	-	
	GAC801LF	CONNECTOR- RECEPTACLE,HI-TEMP,FIREWALL SQ.FLANGE,	E	
	GAC801LG	CONNECTOR-RECEPTACLE, JAM NUT, MIL-C-29600	B	
	GAC801LH	CONNECTOR-RECEPTACLE ,JAM NUT, MIL-C-38999 SERIES III	B	
	GAC801LJ	CONNECTOR RECEPTACLE	-	
	GAC801LM	CONNECTOR-RECEPTACLE,SQUARE FLANGE (STAINLESS STEEL)	C	
	GAC801LP	CONNECTOR-RECEPTACLE, JAM NUT, MIL-C-20600	D	
	GAC801LR	CONNECTOR, RECEPTACLE, JAM NUT, SPECIAL	A	
	GAC801MA	CONNECTOR RECEPTACLE	B	
	GAC801MB	CONNECTOR RECEPTACLE	C	
	GAC801MC	CONNECTOR RECEPTACLE	A	
	GAC801MD	CONNECTOR RECEPTACLE	D	
	GAC801MF	CONNECTOR RECEPTACLE	A	
	GAC801MH	CONNECTOR RECEPTACLE	C	
	GAC801MJ	CONNECTOR RECEPTACLE	A	
	GAC801ML	CONNECTOR, RECEPTACLE, COMPOSITE, THREADED, MIL-C-29600	B	
	GAC801MM	CONNECTOR-RECEPTACLE,R.F.I. FINGERS STRAIGHT BACKSHELL	-	
	GAC801MP	CONNECTOR-RECEPTACLE,COMPOSITE,THREADED,MIL-C-38999	D	
	GAC801MU	CONNECTOR-RECEPTICAL,COMPOSITE MIL-C-29600 TYPE	B	
	GAC801MW	CONN-RECEP, SQUARE FLANGE, THREADED COUP. MIL-C-26482 TYPE	C	
	GAC801NA	CONNECTOR - RECEPTACLE, SELF - LOCKING	-	
	GAC801NB	CONNECTOR, RECEPTACLE, EPOXY SEALED MIL-DTL-38999 SERIES III	T	
	GAC802A	CONNECTOR-RECEPTACLE, SOLDER CONTACT	-	
	GAC803AA	CONNECTOR-D-SUBMINATURE,MIL-C-24308 TYPE	B	
	GAC803AB	CONNECTOR - RECEPTACLE, SUBMINIATURE D, MIL-C-24308	-	
	GAC803AC	CONNECTOR-SUBMINIATURE D,SIZE 20 CONTACTS	D	
	GAC803AE	CONNECTOR-SUBMINIATURE D,SIZE 22 CONTACTS	D	
	GAC805GR	CONNECTOR,PLUG ARINC 404 TYPE, REAR RELEASE CONTACTS	B	
	GAC805HB	CONNECTOR,PLUG,(2-INSERT)ENVIRONMENTAL,ARINC 404 TYPE,	C	
	GAC805HC	CONNECTOR ELEC	A	
	GAC805HD	CONNECTOR-PLUG,RACK AND PANEL,ENVIRONMENTAL,ARINC 404 M	B	
	GAC805SJ	CONNECTOR, RACK & PANEL-THREE GANG, ENVIRONMENTAL,	E	

	GAC805SK	CONNECTOR, PLUG, ARINC 404,ENVIRONMENTAL,REAR RELEASE	D	
	GAC805TB	CONNECTOR - PLUG, ARINC 404, FOUR INSERT SHELL	A	
	GAC805TD	CONN-RACK & PANEL,CRIMP,NON ENVMTL,ARINC 404,MIL-C-81659	C	
	GAC810D	CONNECTOR-PLUG,TRIAX, 3 LUG BAYONET	B	
	GAC810E	CONNECTOR,PLUG,ELECT,COAXIAL CABLE,BAYONET COUP RGT ANG	-	
	GAC810F	CONNECTOR, PLUG COAXIAL, STRAIGHT, SPECIAL, HN SERIES	-	
	GAC810G	CONNECTOR, PLUG COAXIAL, STRAIGHT, TNC SERIES	B	
	GAC810H	CONNECTOR, PLUG COAXIAL, RIGHT ANGLE, TNC SERIES	A	
	GAC810J	CONNECTOR, PLUG COAXIAL, RIGHT ANGLE, SPECIAL, HN SERIE	A	
	GAC810K	CONNECTOR-COAX, BNC, STRAIGHT PLUG	-	
	GAC810L	CONNECTOR-COAXIAL,BNC,RIGHT ANGLE	-	
	GAC810M	CONNECTOR - COAX, N TYPE, STRIGHT PLUG	-	
	GAC810N	CONNECTOR-COAX, N TYPE, 90 DEGREE PLUG	-	
	GAC810P	CONNECTOR, PLUG COAXIAL,STRAIGHT, SMA	-	
	GAC811A	CONNECTOR-RECEPTACLE,BNC,STRAIGHT	-	
	GAC811B	CONNECTOR - RECEPTACLE, COAXIAL, TNC, STRAIGHT	-	
	GAC811C	CONNECTOR-RECEPTACLE,COAXIAL,RF,N-SERIES,STRAIGHT	-	
	GAC811D	CONNECTOR-RECEPTACLE,TRIAX,3 LUG BAYONET	A	
	GAC812A	CONNECTOR, JACK, AUDIO	-	
	GAC815A	CONNECTOR -FIBER OPTIC, MIL-83522B TYPE	A	
	GAC830T	CONNECTOR,ELECTRICAL, HOT AND GROUND SCREW TERMINAL	-	
	GAC835AB	CONTACTS - FOR ESC 10 & 11 FIREWALL CONNECTORS	A	
	GAC835DP	CONTACT, ELECTRICAL, CONNECTOR, CRIMP TYPE	-	
	GAC835LB	CONTACT,CRIMP,THERMOCOUPLE, FOR MIL-C-5015, MIL-C-38999	C	
	GAC835MG	CONTACT-MIL-C-26500/MIL-C-83723 SERIES I & II	A	
	GAC835MH	CONTACT, CRIMP FOR MIL-C-5015 CONNECTORS	E	
	GAC835MJ	CONTACT,CRIMP,FOR MIL-C-38999 SERIES I	A	
	GAC835MK	CONTACT, CRIMP, FOR MIL-C-81659 TYPE CONNS	A	
	GAC835ML	CONTACT-CRIMP, FOR MIL-C-38999 SERIES II CONNECTORS	C	
	GAC835MM	CONTACT, CRIMP FOR MIL-C-81511 SERIES IV CONNECTORS	A	
	GAC835MN	CONTACT, CRIMP FOR MIL-C-81659 CONNECTORS	E	
	GAC835MP	CONTACT, CRIMP FOR MIL-C-81659 CONNECTORS	A	
	GAC835MR	CONTACT, CRIMP FOR MIL-C-81511 SERIES III AND DG123 CON	A	
	GAC835MS	CONTACT, CRIMP, SPECIAL SIZE BARREL	D	
	GAC835MT	CONTACT, CRIMP, SPECIAL SIZE BARREL FOR MIL-C-83723	A	
	GAC835MU	CONTRACT,SOCKET,SIZE 4,SOLDER,CSS TYPE BT,HIGH TEMP.	-	
	GAC835NB	CONTACT SOCKET	-	

	GAC835NS	CONTACT, CRIMP, THERMOCOUPLE, ALUMEL, FOR SAE-AS81659 CONNEC	B	
	GAC835NT	CONTACT,CRIMP,THERMOCOUPLE,FOR MIL-C-81659 CONNECTORS	C	
	GAC835NU	CONTACT	-	
	GAC835NV	CONTACT	-	
	GAC835NW	CONTACT	-	
	GAC835NY	CONTACT	-	
	GAC835PA	CONTACT-CRIMP FOR MIL-C-81659 AND ARINC 600	-	
	GAC835PB	CONTACT, CRIMP, FOR MIL-C-81659 CONNECTORS	-	
	GAC835PC	CONTACT-ALUMEL THERMO(PIN0,MIL-C-81659 & ARINC 600	A	
	GAC835PD	CONTACT-CHROME THERMO (PIN),MIL-C-81659 & ARINC 600	A	
	GAC835PE	CONTACT-CRIMP TYPE, SIZE 16 INSERT WITH SIZE 20 BARREL	-	
	GAC835PF	CONTACT_CRIMP,ALUMEL THERMOCOUPLE (SOCKET)	A	
	GAC835PG	CONTACT-CRIMP,CHROMEL THERMOCOUPLER(SOCKET)	A	
	GAC835PH	CONTACT-ALUMEL THERMOCOUPLER(PIN):MIL-C-81511	-	
	GAC835PJ	CONTACT-CHROMEL THERMOCOUPLER(PIN):MIL-C-81511	-	
	GAC835PK	CONTACT-CRIMP,FOR MIL-C-38999 SERIES III COMPOSITE TYPE	E	
	GAC835PR	CONTACT - CRIMP FOR CTJ MODULE	B	
	GAC835PS	CONTACT - CRIMP, FOR SELF LOCKING	-	
	GAC835PT	CONTACT-HIGH TEMP 1000 DEGREES F CLASS A,MIL-C-5015 CON	-	
	GAC835PV	CONTRACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	D	
	GAC835PW	CONTACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	A	
	GAC835PY	CONTACT ASSY-STEP DOWN ADAPTER TO CRIMP CONTACT	-	
	GAC835RA	CONTACT CRIMP,MIL-C-81659,ARINC 404	A	
	GAC835RB	CONTACT - SUBMINIATURE D, MIL-C39029	-	
	GAC837BD	CLAMP,ELECTRICAL,BULKHEAD,CABLE, NYLON	-	
	GAC837BR	CLAMP	-	
	GAC837DN	CLAMP ELEC. CIRCULAR STRAIGHT STRAIN RELIEF	A	
	GAC860AC	CAP, ELECTRICAL, WIRE END, INSULATED, HIGH TEMPERATURE	-	
	GAC860J	CAP, ELECTRICAL, CONNECTOR, BAYONET LOCK, FEMALE SHELL,	-	
	GAC860K	CAP ELEC. UNSTRIPPED WIRE END INSULATED CRIMP TYPE	A	
	GAC860L	CAP-WIRE END	-	
	GAC860N	CAP,ELECT HEAT-SHRINKABLE, SELF-POTTING, WIRE END	A	
	GAC860Y	CAP,ELECTRICAL, JACK	A	
	GAC861AA	CABLE-TRIAXIAL,50 OHM	-	

	GAC861AB	CABLE - COAXIAL, SINGLE CONDUCTOR STRNDED, 16 GA, 50 OHM	A	
	GAC861AC	CABLE-COAXIAL, 20 GA CONDUCTOR, 50 OHMS	-	
	GAC861AD	CABLE - 125 OHM, AWG 24, 19 STRANDS OF AWG 36, RADIO	C	
	GAC861AE	CABLE-125 OHM,HIGH SPEED DATA TRANSMISSION	A	
	GAC861AF	CABLE-FOUR 100 OHM PAIRS,BUNDLED WITH OVERALL JACKET	-	
	GAC861AG	CABLE-TWO PAIR, 150 OHM, FULL DUPLEX CABLE IN QUAD CONFIGUR.	-	
	GAC861AH	CABLE-TWO PAIR, 100 OHM, FULL DUPLEX CABLE IN QUAD	B	
	GAC861AJ	CABLE - COAXIAL, 26 GA CONDUCTOR, 75 OHMS	A	
	GAC875AB	CABLE-ELECTRIC,AIRFRAME,RADIATION CROSS LINKED,EXTRUDED	H	
	GAC875AC	CABLE-ELECTRIC,AIRFRAME,RADIATION CROSS LINKED,EXTRUDED	E	
	GAC875AD	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSSLINKED, EXTRUDED	D	
	GAC875BA	CABLE,ELETRICAL,UNINSULATED (BONDING)	A	
	GAC875FP	CABLE, ELECTRICAL, HIGH TEMPERATURE, FIRE RESISTANT	-	
	GAC875FY	CABLE, RADIO FREQUENCY, ELECTRICAL, TRIAXIAL, 50 OHMS,	-	
	GAC875MP	CABLE - ELECTRICAL, THREE TWISTED PAIR, EACH PAIR SHIEL	-	
	GAC875MR	CABLE, ELECTRICAL, JACKETED OR SHIELDED AND JACKETED	-	
	GAC875RA	CABLE-ELETRICAL,XL-ETFE INSULATED,SHIELDED,	-	
	GAC875RB	CABLE,ELETRICAL,XL-ETFE INSULATED,SCREENED,FOUR	-	
	GAC875RC	CABLE - ELECTRICAL, XL-ETFE INSULATED, THIN WALL, SINGL	-	
	GAC875RW	CABLE,ELECTRICAL	B	
	GAC875RY	CABLE ELECTRICAL LIGHTING STRIKE RESISTANT	-	
	GAC875UA	CABLE THERMOCOUPLE	-	
	GAC875UB	CABLE, FIBRE OPTIC	B	
	GAC875UC	CABLE, FILTER LINE, SHIELDED (MIL-C-85485 & ASTM F777)	A	
	GAC875UD	CABLE, FILTER LINE, TWISTED (MIL-C-85485 & ASTM F777)	A	
	GAC875YB	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSS LINKED, EXTRUDED,	A	
	GAC875YC	CABLE-ELECTRIC, AIRFRAME, RADIATION CROSS LINKED, EXTRUDED,	A	
	GAC875YD	CABLE - ELECTRIC, AIRFRAME, RADIATION CROSSLINKED, EXTRUDED	-	
	GAC880A	CIRCUIT BREAKER - SINGLE PHASE	-	
	GAC880B	CIRCUIT BREAKER-SINGLE PHASE	-	
	GAC880C	CIRCUIT BREAKER - THREE PHASE	-	
	GAC880D	CIRCUIT BREAKER-THREE PHASE	-	
	GAC880E	CIRCIUT BREAKER-GROUND FAULT 20A, 125V	A	

	GAC880F	CIRCUIT BREAKER-TEMP COMPENSATED	B	
	GAD10A	DUCT, FLEXIBLE, AIR, 16 PSI OPERATING PRESSURE	-	
	GAD12C	DECAL - ELECTRICAL AND SYSTEMS IDENTIFICATION	G	
	GAD500A	DOOR, ACCESS, ALUMINUM/CRES	C	
	GAD516A	DECAL - DES-WHITE POLYESTER, HI-TEMP, 1/4 X 1.25, 400 F	-	
	GAD516K	DECAL, FATIGUE CRITICAL SYMBOL	B	
	GAD521E	DETECTOR ASSY CORE COMPARTMENT DUAL LOOP	A	
	GAD521F	DETECTOR ASSY CORE COMPARTMENT	-	
	GAD521G	DETECTOR ASSY CORE COMPARTMENT	A	
	GAD521H	DETECTOR ASSY ENGINE FAN COMPARTMENT	A	
	GAD521J	DETECTOR ASSY ENGINE FAN COMPARTMENT	-	
	GAD800F	DIODE - MODULE, IN LINE	A	
	GAE100A	ENGRAVING-SHEET, PLASTIC	B	
	GAE500D	EYELET, METALLIC, FLAT FLANGE	-	
	GAE510A	ELBOW ASSEMBLY, TUBE FITTING, FLARELESS 90 F	-	
	GAE510FP	ELBOW ASSY 90 DEG PERMASWAGE	A	
	GAE510FR	ELBOW ASSY-TUBE SWIVEL ADAPTER,90,EXTERNAL SWAGE TO FLA	-	
	GAE510FS	ELBOW,90-TUBE,FLARELESS TO EXTERNAL SWAGE	-	
	GAE510FT	ELBOW,90-TUBE,EXTERNAL SWAGE TO BULKHEAD,FLARELESS	-	
	GAE510FU	ELBOW ASSY SWI ADAP 45-TUBE EXT SWAGE	-	
	GAE510FV	ELBOW,45-TUBE,STD & REDUCER EXTRNL SWAGE TO BLKHD,FLARE	-	
	GAE510FW	ELBOW, 90 DEGREES-TUBE,EXTERNAL SWAGE,FLARELESS	-	
	GAE510FY	ELBOW ASSY SWI ADAP 45-TUBE EXT SWAGE	-	
	GAE510GA	ELBOW ASSEMBLY,SWIVEL,ADAPTER,90 DEGREE-TUBE,EXTERNAL	-	
	GAE510GB	ELBOW - TUBE,90 EXTERNAL SWAGE	-	
	GAE530A	EXPANDE BLIND NUT OR THREE BLIND BOLT, SELF-LOCKING	B	
	GAF100A	FELT - INSULATION, THERMAL, FLEXIBLE, LIGHTWEIGHT, 1800	-	
	GAF100B	FOAM-INSULATION,ACOUSTICAL,ENERGY ABSORBING	-	
	GAF100BA	FOAM-INSULATION, ACOUSTICAL, ENHANCED ENERGY ABSORBING	K	
	GAF100FR	FOAM - POLYIMIDE,INSULATION, THERMAL	A	
	GAF100FS	FOAM-POLYVINYLIDENE FLUORIDE,INSULATION,THERMAL	A	
	GAF105J	FLUID - ETCHANT FOR FLUOROCARBON PLASTICS	-	
	GAF105M	FLUID, METAL SURFACE TREATMENT	-	
	GAF11A	FITTING - TUBE, FLARED CONNECTION, STRAIGHT THREAD, WELDABLE	A	
	GAF11B	FITTING, BULKHEAD, REDUCER UNION	-	
	GAF11C	FITTING-TUBE,FLARELESS CONN,STRAIGHT THREAD,WELDABLE	-	
	GAF13A	FASTENER, TERMINAL COVER	-	
	GAF13D	FLUSHNESS-FASTENER COUNTERSUNK HEAD	C	
	GAF14A	INDIVIDUAL FINISH AND PROCESS CODES	AP	
	GAF500A	FERRULE-TUBE SEWAGE,FLEXIBLE FLUID	A	

	GAF500B	FERRULE-FLEXIBLE COUPLING,ELETRICAL BONDING	-	
	GAF500C	FERRULE-.020 SOCKET WELD TYPE,LIGHTWEIGHT FLEXIBLE	-	
	GAF500D	FERRULE-ADAPTER ASSEMBLY	A	
	GAF500E	FERRULE-ADAPTOR ASSEMBLY	-	
	GAF503S	FITTING INSTALLATION PROCEDURE,TUBE,SWAGELOK	-	
	GAF510BA	FASTENER BLIND INTERNALLY THREADED	-	
	GAF510C	FASTENER BLIND HIGH STRENGTH PROTRUDING HEX HEAD	-	
	GAF510F	FASTENER, BLIND	-	
	GAF510Y	FASTENER BLIND SELF-LOCKING	A	
	GAF511AB	FASTENER, BLIND, SELF-LOCKING, 130° SHEAR HEAD, TITANIUM	C	
	GAF511AC	FASTENER-BLIND, SELF-LOCKING, 130 DEG. SHEAR HEAD, FLUSH BR	D	
	GAF511BA	FASTENER BLIND INTERNALLY THREADED	-	
	GAF511BB	FASTENER BLIND INTERNALLY THREADED 130 DEG	-	
	GAF511BC	FASTENER BLIND, SELF-LOCING 100 DEG FLUSH HEAD	A	
	GAF511C	FASTENER-BLIND HIGH STRENGTH 100 COUNTERSUNK HEAD	-	
	GAF511D	FLANGED COUPLER-BULKHEAD	-	
	GAF530A	FLANGE - LGHTWGHT TUBE JOINT,V-BAND COUPLING,MALE & FEM	-	
	GAF530BF	FLANGE,GAMAH STAINLESS STEEL EXTRA LIGHT WEIGHT	A	
	GAF530CJ	FLANGE,BUTT END LOW PROFILE	A	
	GAF530CV	FLANGE V-BAND E SEAL, MALE	-	
	GAF800A	FUSE-IN-LINE,0.5AMP	A	
	GAF805B	FORM-POTTING, ELECTRICAL, CONNECTOR, CIRCULAR, MINATURE	-	
	GAF850A	FEEDTHRU-HEAT SHRINKABLE APERSEAL	D	
	GAG10A	GROMMET, TEFLON, SNAP-IN	A	
	GAG10B	GROMMET,SYNTHETIC RUBBER HOT OIL AND COOLANT RESISTANT	-	
	GAG11A	STRIP SEAL, D-SHAPE, RUBBER	B	
	GAG12A	GUARD, HYDRAULIC, ACCUMULATOR AIR GAUGE	A	
	GAG15A	GAPS-HEAD PERM INSTALLED FASTENERS	A	
	GAG500AR	GROMMET,INSERT SILICONE, HINGED CLAMP	-	
	GAG500AT	GROMMET,INSERT SILICONE, HINGED	-	
	GAG500F	GROMMET, BLIND, NYLON	-	
	GAG510B	GASKET, FIRE DETECTION SYSTEM (CONTINOUS), COPPER	-	
	GAG810GG	GASKET, ANTENNA/PROBE, POLYURETHANE, AND SELF-LEVELING	Y	
	GAG810GGS	GASKET, ANTENNA/PROBE, POLYURETHANE, AND INSTALLATION	A	
	GAG810GH	GASKET, METAL, EMI SHIELDING	A	
	GAG810GJ	GASKET, ELASTOMERS	E	
	GAG810GKS	GASKET, FAYING SURFACE, POLYURETHANE, NON-CONDUCTIVE	B	
	GAG810GP	GASKET, PEEL AND STICK, SHEET RUBBER, PSA BACKING, FLUID	D	

	GAG810GR	GASKET, COMPOSITE, FLAME RESISTANT	E	
	GAH11AA	MOUNTING PREPARATION ELECTRICAL	B	
	GAH11AB	HOLE PREPARATION-ELECTRICAL CONNECTOR MOUNTING	A	
	GAH11AC	HOLE PREPARATION LINE CLAMP MOUNTING	-	
	GAH11AD	HOLE PREPARATION GAL510AP GAL510AR & GAL510AY LATCH LAY	B	
	GAH11AE	HOLE PREPARATION ELEC CONNECTOR MOUNTING	A	
	GAH11AL	HOLE PREPARATION - FASTENER	J	
	GAH11BB	MOUNTING PREPARATION GROUND MODULE ELECTRIC STD	-	
	GAH11CA	HOLE PREPARATION ELEC GROUND MODULE MOUNTING	-	
	GAH11CB	HOLE PREPARATION MOUNTING FOR DEUTSCH DG124 COMPONENT	-	
	GAH11CC	MOUNTING PREPARATION GROUND MODULE ELEC STD	-	
	GAH11CD	HOLE PREPARATION- ELECTRICAL CONNECTOR, JAM NUT	A	
	GAH11CE	HOLE PREPARATION-ELECTRICAL CONNECTOR, JAM NUT MOUNTING,	-	
	GAH11CF	HOLE PREPARATION-ELECTRICAL CONNECTOR, JAM NUT MOUNTING	A	
	GAH11D	HOLE PREPARATION ELECTRICAL, SINGLE BUSING MOUNTING	A	
	GAH11E	HOLE PREP - ELECTRICAL, CONNECT, BACK PANEL MOUNTING	-	
	GAH11F	HOLE - FLANGED, LIGHTENING	E	
	GAH11G	HOLE PREPARATION FASTENER SEALING	-	
	GAH11H	HOLE PREPARATION - RIVNUT SEALING	-	
	GAH11J	HOLE PREPERATION - LATCH CUTOUT	-	
	GAH11K	HOLE PERPARATION- ELECTRICAL CONNECTOR, JAM NUT MOUNTIN	A	
	GAH11L	HOLE PREPARATION SINGLE AND DOUBLE FLAT BUSHING	A	
	GAH11M	HOLE PREPARATION - ELEC,CONNECTOR,EXTERNAL MOUNTED RELAY	-	
	GAH11P	HOLE PREPARATION	-	
	GAH11R	HOLE PREPARATION ELEC CONNECTOR MOUNTING	B	
	GAH11S	HOLE PREPARATION INST CASE	-	
	GAH11U	HOLE PREP-INSTRUMENT CLAMP MOUNTING	-	
	GAH12A	HOSE, FLEXIBLE, DE-ICING, 200 F	-	
	GAH12AV	HOLE ASSY MEDIUM PRESSURE, TEE TUBE, INTEGRAL	A	
	GAH12B	HOSE - PROTECTIVE, BRAIDED, LIGHT-WEIGHT	-	
	GAH12G	HOSE ASSY STRAIGHT SWIVEL NUT TO STRAIGHT SWIVEL NUT	-	
	GAH12J	HOSE ASSY 90 DEG SWIVEL NUT TO STRAIGHT SWIVEL NUT MED	-	
	GAH508A	HOLDER, AIRSPEED CORRECTION CARD	B	
	GAH511GF	HOSE ASSY 3000 PSI LT WT	-	
	GAH520A	HINGE ASSEMBLY, HIGH PRESSURE	-	
	GAJ800A	JUMPER-BONDING, UNINSULATED WIRE	-	

	GAJ800B	JUMPER - BRAIDED BONDING STRAP ASSEMBLY, 300 AMP	B	
	GAJ800C	JUMPER ASSEMBLY-ELECTRICAL, BONDING AND CURRENT RETURN	-	
	GAJ800D	JUMPER - BONDING, INSULATED WIRE	-	
	GAJ800E	JUMPER - HIGHLY FLEXIBLE BOND STRAP	A	
	GAJ850AA	INDICATOR - FAULT, MAGNETIC LATCHING	A	
	GAK10A	KNOB, HALF BALL	-	
	GAK12A	KEY, LOCKING	-	
	GAL105A	LUBRICANT-DRY FILM, MOLYBDENUM DISULFIDE	B	
	GAL105BM	LUBRICANT OIL ANTISEP SOLUBLE	-	
	GAL105E	LUBRICANT,CLEAR DIMETHYL SILOXANE POLYMER	A	
	GAL105KA	LUBRICANT,NON-CHLORINATED	-	
	GAL105N	LUBRICANT - DRY FILM, 350 F	-	
	GAL105R	LUBRICANT SOLID FILM DRY	A	
	GAL105S	LUBRICATING,DRY FILM,FUSED POLYTETRAFLUOROETHYLENE	-	
	GAL10F	LANYARD INSTALLATION, 200 LB LOAD, .063 DIA WIRE, NYLON	-	
	GAL505E	LANYARD INSTALLATION-PLASTIC COVERED CRES CABLE	-	
	GAL505H	CABLE, PLASTIC COVERED	A	
	GAL510A	LATCH ASSY, FLUSH TRIGGER ACTION, 120-160 LB ULTI STREN	B	
	GAL510AJ	LATCH	-	
	GAL510AY	LATCH ASSY FLUSH BUTTON	-	
	GAL510B	LATCH ASSY FLUSH TRIGGER ACTION,500 LBS ULTIMATE STRENG	A	
	GAL510BL	LATCH KEEPER, ADJUSTABLE CRES TOGGLE HOOK LATCH ASSY	-	
	GAL510BT	LATCH ASSY DOUBLE TOGGLE HOOK	-	
	GAL510BU	LATCH KEEPER ASSY ADJUSTABLE	-	
	GAL510CD	LATCH - ASSEMBLY, TENSION	D	
	GAL806AP	LIGHT	-	
	GAL808BB	LAMP	-	
	GAL808V	LAMP, ELECTRICAL, SEALED BEAM, TAXIING, 28 VOLTS PAR 36	-	
	GAL853C	LIGHT ASSEMBLY - ELECTRIC, FLOODLIGHT	A	
	GAL857A	LIGHT - NAVIGATIONAL, AIRCRAFT - WING, POSITION	A	
	GAL857B	LIGHT ASSEMBLY-NAVIGATIONAL,OSCILLATING	A	
	GAL857C	LIGHT ASSY-NAVIGATIONAL,ANTI-COLLISION	A	
	GAL857E	LIGHT - LANDING, AIRCRAFT-FIXED	A	
	GAL857FA	LIGHT ASSEMBLY - NAVIGATIONAL, TAIL POSITION	A	
	GAL857GA	LIGHT ASSEMBLY - INSPECTION, WING	A	
	GAL857JA	LIGHT ASSY-TAXING,AIRCRAFT	A	
	GAL857M	LIGHT ASSY-FLOODLIGHT	A	
	GAL857N	LIGHT ASSY-ELECTRIC,EMERGENCY EXIT	A	
	GAL859F	ANNUNCIATOR ASSEMBLY - LIGHTED, SHORT, PRESS-TO-RELAMP	B	
	GAL859G	LIGHT ASSEMBLY - UTILITY, 28 VOLTS	A	
	GAM13A	MARKING, IDENTIFICATION ELEC WIRE & CABLE	-	
	GAM13B	MARKING FUNCTION & REFERENCE	-	

	GAM13C	MARKING-TUBE IDENTIFICATION	-	
	GAM14A	ELECTROMAGNETIC(EM) PUSHROD FORMING PROCESS	-	
	GAM15AA	MATERIAL, ALUM ALLOY SHT, CLOSE TOLERANCE GAGE VS WIDTH	B	
	GAM15AB	MATERIAL - COMPOSITE, PRECURED CARBON/EPOXY,FLAT LAMINATE	-	
	GAM15AC	MATERIAL - COMPOSITE, PRECURED CARBON/EPOXY,C CHANNEL	-	
	GAM500AD	MOUNT	-	
	GAM500N	NUT ANCHOR, NYLON CAP	-	
	GAM500P	MOUNT, RESILIENT, THROUGH-THREADED, SELF-LOCKING	A	
	GAM500R	MOUNT-RESILIENT,THROUGH-THREADED,SELF-LOCKING	-	
	GAM500S	MOUNT-ISO;ATOR,THREADED,SELF-LOCKING	-	
	GAM500SD	MOUNT - ACOUSTIC ISOLATOR, SOUND DAMPENING	A	
	GAM802J	MARKER - IDENTIFICATION STRIP, HEAT SHRINKABLE (2:1)	C	
	GAM810A	MODULE - DIODE, ELECTRONIC COMPONENT	D	
	GAM820A	MODULE - GROUNDING,STUD/FLANGE MOUNTED,COMPOSITE	D	
	GAM820DB	MODULE-POWER DISTRIBUTION AND FEEDBACK	D	
	GAM820LA	MODULE- IN-LINE, JUNCTION	E	
	GAM820LB	MODULE - IN-LINE	B	
	GAMPS1000	GAMPS SYS DEFINITION FORMAT	C	
	GAMPS1001	INDEX OF GA MATERIAL PROCESS SPECIFICATIONS	W	
	GAMPS1101	TAPE, TUBE INDENT	A	
	GAMPS1102	SILKSCREEN MARKING OF INTERIOR IDENT & NAME PLATE	-	
	GAMPS1103	MARKING-ELECTRO ETCH PROCESS	B	
	GAMPS1104	MARKING PLATES AND FOILS, PHOTOGRAPHS PROCESS FOR	-	
	GAMPS1105	IDENTIFICATION MARKING OF FABRICATED METALLIC PARTS AND ASSE	E	
	GAMPS1106	IDENTIFICATION MARKING OF FABRICATED NON-METALLIC PARTS AND	C	
	GAMPS1107	ENGRAVING OF PLASTIC PLACARDS	-	
	GAMPS1108	MARKING PARTS AND ASSY FOR IDENTIFICATION	B	
	GAMPS2101	FABRICATION OF ALUMINUM ALLOYS	G	
	GAMPS2102	PEENING OF FERROUS AND NON-FERROUS ALLOYS	F	
	GAMPS2104	AIR HAMMER PEEN FORMING OF ALUMINUM ALLOYS	-	
	GAMPS2105	PEEN FORMING & SHOT PEENING OF GIII WINGLET PLANKS	-	
	GAMPS2106	FORMING AND FABRICATION OF TITANIUM AND TITANIUM ALLOYS	D	
	GAMPS2107	DIE QUENCH FORMING OF STAINLESS STEEL	-	
	GAMPS2108	CYLINDRICAL GRINDING OF UNPLATED AND CHROMIUM PLATED STEEL	B	
	GAMPS2109	STANDARD MACHINING PRACTICES AND CONTROL OF MACHINED PARTS	A	
	GAMPS2110	PEENING & FORMING OF GIV WING PANELS	A	

	GAMPS2111	FORMING & FABRICATION PRACTICES FOR SHEET METAL	B	
	GAMPS2112	AUTOCLAVE FORMING OF THE GIV UPPER WING PANELS	-	
	GAMPS2113	FORMING OF CARBON,ALLOY,CORROSION AND HEAT RESISTING	B	
	GAMPS2114	SHIMMING PROCESS SPECIFICATION	A	
	GAMPS2116	FABRICATION OF NON-STRUCTURAL TUBING	B	
	GAMPS2117	ESTABLISH REQUIREMENTS FOR LASER CUTTING	-	
	GAMPS2118	GRINDING OF HVOF SPRAYED TUNGSTEN CARBIDE COATINGS APPLIED	-	
	GAMPS2119	ELECTRICAL DISCHARGE MACHINING	A	
	GAMPS2120	AGE FORMING OF ALUMINUM ALLOY PARTS	A	
	GAMPS2121	PEEN FORMING OF ALUMINUM ALLOYS	C	
	GAMPS2201	INSTALLATION OF HI-STRENGTH, THREADED, BLIND MECHANICAL FAST	D	
	GAMPS2202	INSTL OF SOLID & TUBULAR RIVETS	C	
	GAMPS2203	INSTALLATION OF BLIND RIVETS	C	
	GAMPS2204	INSTL OF HIGH STRENGTH PULL TYPE BLIND BOLTS	B	
	GAMPS2205	INSTL OF HIGH SHEAR PRESS NUTS	-	
	GAMPS2206	INSTALLATION OF HI-SHEAR TYPE FASTENERS IN CLEARANCE FIT	E	
	GAMPS2207	INSTL OF HIGH SHEAR BLIND BOLTS & BLIND NUTS	A	
	GAMPS2208	INSTL OF LOCKBOLTS	A	
	GAMPS2209	INSTL OF HIGH-SHEAR RIVETS	-	
	GAMPS2210	INSTL OF CHERRYBUCK FASTENERS	-	
	GAMPS2211	INSTL OF INTERFERENCE FIT FASTENERS	F	
	GAMPS2212	INSTALLATION OF HELICAL THREADED SCREW INSERTS	A	
	GAMPS2213	FABRICATION OF SWAGED PUSHRODS	A	
	GAMPS2214	STRUCTURAL TUBING SWAGING REDUCING & EXPANDING	-	
	GAMPS2215	REDUCING & EXPANDING OF NON-STRUCTURAL TUBING-SWAGING	-	
	GAMPS2216	INSULATION INSTALLATION DUCTS AND TUBES	C	
	GAMPS2217	DIMPLING FLUSH HEAD MECHANICAL FASTENERS(HOT & COLD)	-	
	GAMPS2218	PREPARATION & INSTALLATION OF MECHANICAL	A	
	GAMPS2219	INSTL OF INDEX HEAD INTERFERENCE FIT RIVETS-GIV WING	-	
	GAMPS2220	INSTALLATION AND INSPECTION OF BOLTS/SCREWS AND NUTS	J	
	GAMPS2221	INSTL OF FASTENER INSERTS IN HONEYCOMB BONDED	A	
	GAMPS2222	INSTL OF MECHANICAL	B	
	GAMPS2223	PREPARATION & INSTL OF MECHANICAL FASTENERS IN GRAPHITE	C	
	GAMPS2224	FASTENERS MECHANICAL PREPARATION	B	
	GAMPS2225	WET INSTL OF FASTENERS (COMPOSITE RUDDER PROGRAM)	B	
	GAMPS2226	SHRINK FIT INSTL BUSHINGS ON GA A/C	B	
	GAMPS2227	INSTALLATION OF LOCKWIRE	-	
	GAMPS2228	INSTALLATION OF SAFETY CABLES	A	

	GAMPS2229	INSTALLATION OF FORCETEC RIVETLESS NUT PLATE SYSTEM	-	
	GAMPS2230	INSTALLATION OF HI-SHEAR TYPE PINS WITH KAYNAR NUTS	B	
	GAMPS2231	INSTALLATION OF SOLID RIVETS IN OVERSIZE HOLES	A	
	GAMPS2232	INSTALLATION OF TRANSITION FIT FASTENERS	-	
	GAMPS2233	INSTALLATION OF RIVETLESS NUTPLATES	-	
	GAMPS2234	INSTALLATION OF INDEX HEAD RIVETS, INTERFERENCE FIT	B	
	GAMPS2301	RESISTANCE WELDING OF FOIL MESH & SHEET	-	
	GAMPS2302	FUSION WELDING OF STEELS	A	
	GAMPS2303	BRAZING OF THERMOCOUPLE WIRE TO TERMINATION	-	
	GAMPS2304	REFLOW SOLDERING OF FLAT PAKS	-	
	GAMPS2305	INDUCTION BRAZING & REPAIR OF TITANIUM TUBING ASSY	-	
	GAMPS2306	AUTOMATIC FUSION WELDING OF TITANIUM STAINLESS STEEL	A	
	GAMPS2308	FUSION WELDING OF TITANIUM AND TITANIUM ALLOYS	C	
	GAMPS2309	FUSION WELDING OF ALUMINUM AND ALUMINUM ALLOYS	D	
	GAMPS2310	FRICTION STIR WELDING OF ALUMINUM ALLOYS	A	
	GAMPS2401	GLASS FIBER BASES-PLASTICS LAMINATES FOR STRUCTURAL APPLICAT	C	
	GAMPS2402	GLASS FIBER BASE POLYESTER RESIN	-	
	GAMPS2403	GLASS FIBER BASE EPOXY RESIN	A	
	GAMPS2404	GLASS FIBER BASE PHENOLIC	-	
	GAMPS2405	GLASS FIBER BASE	-	
	GAMPS2406	GLASS FIBER BASE-PLASTIC	-	
	GAMPS2407	METALLIC & NON METALLIC HONEYCOMB	-	
	GAMPS2408	FOAMED IN PLACE-CORE & PLSTIC	-	
	GAMPS2409	PLASTIC LAMINATES-GLASS FIBER BASE	-	
	GAMPS2410	CAST PLASTIC SHIMS, REQUIREMENTS FOR FABRICATION OF	F	
	GAMPS2411	THERMOFORMING-ABS	A	
	GAMPS2412	MODIFIED ACRYLIC PLASTIC PANELS FORMING	A	
	GAMPS2413	FAB & THERMOFORMING OF MONOLITHIC HEAT RESISTING	B	
	GAMPS2414	THERMOPLASTIC ADDITIVE MANUFACTURING	-	
	GAMPS2415	THERMOFORMING POLYCARBONATE PLASTIC	A	
	GAMPS2416	INJECTION MOLDING OF THERMOPLASTIC RESINS	A	
	GAMPS2419	FABRICATION OF FIBERGLASS/EPOXY PARTS, 260 ◊F CURE	D1	
	GAMPS2420	FABRICATION OF KEVLAR	-	
	GAMPS2421	GRAPHITE FIBER REINFORCED	-	
	GAMPS2424	CARBON COMPOSITE PREPREGS, ELEVATED TEMPERATURE CURING PROCE	G	
	GAMPS2425	FBR REINF CMPST LAMINATES FAB OF 350 DEGREES	E	
	GAMPS2426	FABRICATION OF GLASS FABRIC BASE LW PRESS	B	
	GAMPS2430	HEAT SEALING AND INSTL OF FIBERGLASS INSULATION	A	
	GAMPS2431	THERMOFORMING OF THERMOPLASTIC SHEETS	A	
	GAMPS2500	GENERAL INSTALLATION REQUIREMENTS FOR TUBING	F	

	GAMPS2501	PERFORMING OF MED & HIGH PRESSURE OF TEFLON HOSE	-	
	GAMPS2502	TEFLON HOSE ASSY	-	
	GAMPS2503	FAB OF HIGH PRESS TEFLON HOSE ASSY	-	
	GAMPS2504	NYLON TUBING ASSEMBLIES-FABRICATION AND INSTALLATION	A	
	GAMPS2505	INSTALLATION OF INTERNALLY SWAGED TUBE FITTINGS	A	
	GAMPS2506	PERMANENT TUBE FITTINGS (CRYOGENIC SHRINKABLE)	A	
	GAMPS2507	INSTALLATION OF EXTERNALLY SWAGED TUBE FITTINGS	C	
	GAMPS2508	INSTALLATION OF PERMALITE TUBE FITTINGS	C	
	GAMPS2509	INSTALLATION OF DMC MINIATURE END (DME) FITTINGS ONTO TUBING	B	
	GAMPS2515	SWAGING OF WIGGINS TUBE CONNECTORS TO TUBING	A	
	GAMPS2601	INSTL OF HEAT SHRINKABLE MATERIALS	-	
	GAMPS2603	INSTL OF HEAT SHRINKABLE SOLDER SLEEVES	A	
	GAMPS2605	ELECTRICAL BONDING REQUIREMENTS	F	
	GAMPS2606	FABRICATION OF CONNECTOR/CABLE DETAILS	M	
	GAMPS2607	INSTALLATION OF FEEDTHRU - HEAT SHRINKABLE APERSEAL	A	
	GAMPS2608	FABRICATION AND INSTALLATION OF FIBER OPTIC CABLE ASSEMBLIES	G	
	GAMPS2701	CHEMICAL MILLING OF ALUMINUM ALLOYS	B	
	GAMPS2702	CHEMICAL MILLING OF STEELS	-	
	GAMPS2703	ELECTRO CHEMICAL MILLING OF STEEL	-	
	GAMPS3101	ZINC CHROMATE PRIME APPLICATION	-	
	GAMPS3102	INTEGRAL FUEL TANK COATING, AMS-C-27725, APPLICATION OF	L	
	GAMPS3103	PRIMER COATING, EPOXY, PREP & APPL OF (INCLUDING FINISH	D	
	GAMPS3104	APPLICATION OF PRIMER CASTING	-	
	GAMPS3105	SANDING, SURFACING AND SEALING PRIMERS, PREPARATION AND APPL	B	
	GAMPS3107	PRIMER COATING-CELLULOSE-NITRATE MODIFIED ALKYD TYPE	-	
	GAMPS3108	PRIMER COATING-EPOXY POLYAMIDE	-	
	GAMPS3110	PRIMER COATING-EPOXY PREP & APP OF FOR USAF C-20	-	
	GAMPS3111	PRIMER CTG SANDING SURFACER PREP & APP FOR USAF C-20	-	
	GAMPS3112	PREPARATION & APPLICATION OF EPOXY ANTI-STK	B	
	GAMPS3113	PRIMER, EPOXY, ANTI-STATIC GENERAL APPLICATION	B	
	GAMPS3115	PRIMER, EPOXY, CHLORINATED SOLVENT, GENERAL	B	
	GAMPS3116	PRIMER, EPOXY , PREPARATION AND APPLICATION OF	F	
	GAMPS3117	PRIMER, EPOXY, FOR COMPOSITES, PREPARATION AND APPLICATION	A	
	GAMPS3201	CLEANING & CHEMICAL SURFACE	-	
	GAMPS3202	CLEAR DULL VINYL LACQUER APP TO CONTROL DISPLAY & PLACA	-	

	GAMPS3203	LACQUER: ACRYLIC, MIL-L-81352A, APPLICATION OF	A	
	GAMPS3204	COATING; EPOXY POLYAMIDE, APPLICATION OF	A	
	GAMPS3205	COATING; GLOSS EPOXY FINISH	C	
	GAMPS3206	COATINGS; NEOPRENE PROTECTIVE	A	
	GAMPS3207	PRESERVATION OF FERROUS & NON-FERROUS METAL SURFACES	A	
	GAMPS3208	CORROSION PREVENTIVE COMPOUND	A	
	GAMPS3209	POLYURETHANE ENAMEL, PREPARATION AND APPLICATION OF	E	
	GAMPS3210	PROTECTION AND HANDLING OF MATERIAL AND PARTS	B	
	GAMPS3211	APPLICATION OF DESOTO SKINGARD	A	
	GAMPS3213	FUEL & OIL RESISTANT COATINGS TO POLYCARBONATE SURFACES	-	
	GAMPS3214	URETHANE TOPCOAT, DESOTO SERIES 1000	-	
	GAMPS3215	APPLICATION OF BOESHEILD T-9 WATER DISPLACING COMPOUND	-	
	GAMPS3216	EPOXY TOPCOAT,HIGH-SOLIDS,PHOSPHATE ESTER FLUID RESISTA	C	
	GAMPS3217	COATING:POLYURETHANE,RAIN EROSION RESISTANT,APPLICATION	-	
	GAMPS3218	POLYURETHANE ENAMEL, PREPARATION AND APPLICATION OF INTERIOR	B	
	GAMPS3219	TOUCH UP OF FASTENERS TO MATCH SURROUNDING STRUCTURE	-	
	GAMPS3301	DRY FILM LUBRICANT-RESIN BONDED TETRAFLUROETHYLENE EMRALON	A	
	GAMPS3302	APPLICATION OF DRY FILM LUBE	A	
	GAMPS3303	ABRASION RESISTANT(ANTI CHAFE)	A	
	GAMPS3304	POLYMER COATING - FLUIDIZED BED PROCESS	A	
	GAMPS3305	EPOXY COATING FLUID BED PROCESS	-	
	GAMPS3306	SOLID DRY FILM LUBRICANT	A1	
	GAMPS3307	APP OF FUSED DRY FILM LUBRICANT-TFL-POLYETRA-FLUROETHY	A	
	GAMPS4000	SURFACE PREPARATION AND PAINTING PROCEDURE FOR EXTERIORS	G	
	GAMPS4001	COSMETIC POLISHING OF AIRCRAFT METALLIC SURFACES	F	
	GAMPS4002	SURFACE PREPARATION AND PAINTING PROCEDURE FOR EXTERIORS OF	D	
	GAMPS4101	PREPARATION OF SURFACES BY ABRASIVE METHODS	B	
	GAMPS4102	ACID CLEANING-ALUMINUM AND ALUMINUM ALLOYS	B2	
	GAMPS4103	ACID CLEANING AND PASSIVATION OF FERROUS AND NICKEL-BASE PAR	D	
	GAMPS4104	SURFACE PRE-TREATMENT OF MATERIALS PRIOR TO ADHESIVE BON	D	
	GAMPS4105	ALKALINE CLEANING OF FERROUS & NONFERROUS ALLOYS	C2	
	GAMPS4106	IMMERSION STRIPPING OF PAINT	-	
	GAMPS4107	CLEANING AND DESCALING OF TITANIUM AND TITANIUM ALLOYS	F	

	GAMPS4108	PREP OF SURFACES PRIOR TO STRUCTURAL ADHESIVE BDG	B	
	GAMPS4109	PRE-TREATMENT & ETCHING OF FLUOROCARBON SURFACE	A	
	GAMPS4110	STRIPPING OF CADMIUM FROM FERROUS, CRES, COPPER, AND COPPER	A	
	GAMPS4111	STRIPPING OF CHROME PLATING	A	
	GAMPS4112	VAPOR DEGREASING	B	
	GAMPS4113	CLEANING & REFINISHING OF CONTAMINTED ALUMINUM	-	
	GAMPS4114	CHROMATE CONVERSION TREATMENT FOR CADMIUM PLATING	-	
	GAMPS4121	PRECISION CLEANING OF OXYGEN SYSTEM TUBING	C	
	GAMPS4122	SOLVENT WIPE CLEANING	B	
	GAMPS5101	HEAT TREATMENT OF LOW ALLOY STEELS	C	
	GAMPS5102	HEAT TREATMENT OF WROUGHT PRECIPITATION HARDENABLE	C	
	GAMPS5103	HEAT TREATMENT OF MARTENSITIC	B	
	GAMPS5104	HEAT TREATMENT OF AUSTENITIC	A	
	GAMPS5105	HEAT TREATMENT OF TITANIUM & TITANIUM ALLOYS	C	
	GAMPS5108	HEAT TREATING OF ALUMINUM ALLOYS	E	
	GAMPS5111	HOT ISOSTATIC (HIP) OF CASTING	-	
	GAMPS6101	PLATING OF ALUMINUM ALLOYS	-	
	GAMPS6102	CADMIUM PLATING FOR FERROUS PARTS HEAT	A	
	GAMPS6103	BRUSH PLATING OF FERROUS & NON-FERROUS ALLOYS	F	
	GAMPS6104	COPPER PLATING (ELECTRODEPOSITED) FOR FERROUS	B	
	GAMPS6105	CHROMIUM PLATING	B	
	GAMPS6106	CHEMICAL CONVERSION TREATMENT	-	
	GAMPS6108	CHROMATE CONVERSION COATING	F	
	GAMPS6109	APPLICATION OF HEAVY PHOSPHATE	-	
	GAMPS6110	APPLICATION OF PLASMA SPRAY COATING	-	
	GAMPS6111	ELECTROLESS NICKEL-BORON PLATING	-	
	GAMPS6112	TUNGSTEN CARBIDE/CARBON COATING	-	
	GAMPS6113	CHEMICAL CONVERSION COATINGS ON ALUMINUM	A	
	GAMPS6114	HIGH VELOCITY OXY-FUEL (HVOF) COATING FOR GIV AND GV LANDING	-	
	GAMPS6115	THERMAL SPRAYING OF HIGH VELOCITY OXYGEN- FUEL(HVOF)COATINGS	-	
	GAMPS6201	ANODIC COATING (TYPE I - CHROMIC ACID) FOR ALUMINUM AND ALUM	F	
	GAMPS6203	ABRASION-RESISTANT ANODIC COATINGS (TYPE III)	B	
	GAMPS6204	PHOSPHORIC ACID ANODIZING OF ALUMINUM FOR BONDING	L	
	GAMPS6205	CHROMIC ACID ANODIZING OF ALUMINUM FOR STRUCTURAL METAL BOND	A	
	GAMPS6206	ANODIC COATINGS (TYPE IC - BORIC SULFURIC ACID)	C	
	GAMPS7101	SEALING & PRESSURIZED AREAS-SKIN JOINT	D	
	GAMPS7102	SEALING OF SURFACES FOR AERODYNAMIC SMOOTHNESS	E	
	GAMPS7103	POLYSULFIDE RUBBER COATING	-	
	GAMPS7104	SEALING THE GULFSTREAM GIV WING	D	

	GAMPS7105	SEALING OF INTEGRAL FUEL TANKS	B	
	GAMPS7106	ACID SEALING & ENVIRONMENTAL SEALING (COMPOSITE RUDDER)	B	
	GAMPS7107	AERODYNAMIC SMOOTHING & FAIRING OF AIRCRAFT	B	
	GAMPS7115	REQUIREMENTS FOR SEALING PRESSURIZED, UNPRESSURIZED	M	
	GAMPS7116	REQUIREMENTS FOR SEALING GVII INTEGRAL FUEL TANKS	D	
	GAMPS7120	SEALING PROCESS FOR NON-PRESSURIZED STATIC JOINTS	B	
	GAMPS7121	SEALING AND AERO FILL APPLICATION PROCEDURE FOR GAP BAND	B	
	GAMPS7201	APPLICATION OF HIGH TEMPERATURE SEALANTS	B	
	GAMPS7203	APPLICATION OF FLAME RESISTANT SEALANTS	C	
	GAMPS7301	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7302	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7303	DIELECTRIC SEALING (POTTING & MOLDING)	A	
	GAMPS7304	ENCAPSULATION OF ELECTRICAL COMPONENTS EPOXY BASED	-	
	GAMPS7401	INJECTION SEALING WITH GROOVE TYPE SEALANTS	-	
	GAMPS7501	WELD THROUGH SEALING	-	
	GAMPS7601	CONDUCTIVE ADHESIVES AND SEALANTS	B	
	GAMPS8101	STRUCTURAL ADHESIVE BONDING	C	
	GAMPS8102	STRUCTURAL ADHESIVE BONDING FM-47 ADHESIVE SYSTEM	-	
	GAMPS8103	STRUCTURAL ADHESIVE BONDING FM-61 ADHESIVE SYSTEM	-	
	GAMPS8104	STRUCTURAL ADHESIVE BONDING FM-58 ADHESIVE SYSTEM	-	
	GAMPS8105	STRUCTURAL ADHESIVE	-	
	GAMPS8106	STRUCTURAL ADHESIVE BONDING HT-424 ADHESIVE SYS	-	
	GAMPS8108	STRUCTURAL ADHESIVE BONDING FOR 67 DEG F TO 420 DEG F	-	
	GAMPS8109	STRUCTURAL ADHESIVE BONDING	C	
	GAMPS8110	STRUCTURAL ADHESIVE BONDING DETAIL	A	
	GAMPS8111	METAL TO METAL BONDING (ONE PART)	-	
	GAMPS8112	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8113	BONDING COMPOSITES PROCESS FOR COMPOSITE RUDDER	B	
	GAMPS8114	STRUCTURAL ADHESIVE BONDING USING 3M AF - 163 ADHESIVE	C	
	GAMPS8115	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8116	STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8118	FABRICATION PROCEDURES FOR CO-CURING AND SECONDARY	H	
	GAMPS8121	EDGE FILLING AND PRE-BOND POTTING OF METAL AND COMPOSITE	C	
	GAMPS8124	APPLICATION OF ADHESIVE PRIMER FOR STRUCTURAL BONDING	D	
	GAMPS8125	AUTOCLAVE PROCESSING OF BONDED ALUMINUM ASSEMBLIES	G	

	GAMPS8126	APPLICATION OF PHENOLIC PRIMER FOR STRUCTURAL BONDING	-	
	GAMPS8127	STRUCTURAL BONDING OF METALLIC STRUCTURE WITH PASTE	C	
	GAMPS8130	CONTROLLED CONTAMINATION AREA (CCA) FACILITY REQUIREMENTS-BO	A	
	GAMPS8201	ADHESIVE BONDING	-	
	GAMPS8202	ADHESIVE BONDING OF RUBBER	-	
	GAMPS8203	ADHESIVE BONDING OF EPOXY ICE GUARDS	-	
	GAMPS8204	ADHESIVE BONDING OF ACRYLONITRILE	A	
	GAMPS8205	NON-STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8206	NON-STRUCTURAL ADHESIVE BONDING	A	
	GAMPS8207	NON-STRUCTURAL ADHESIVE BONDING USING RUBBER CEMENTS	A	
	GAMPS8209	APPLICATION OF ANAEROBIC ADHESIVES FOR THREADLOCKING,	A	
	GAMPS8210	ADHESIVE BONDING OF METALLICS AND NON-METALLICS, GENERAL PUR	C	
	GAMPS8305	SOLID LAMINATE CARBON/EPOXY COMPOSITE PREPREGS, ELEVATED	D	
	GAMPS8306	FABRICATION PROCEDURES FOR COMPOSITE SANDWICH STRUCTURES	G	
	GAMPS8307	FABRICATION PROCEDURES FOR 350 F CURE 5H SATIN EPOXY	A	
	GAMPS8308	FABRICATION PROCEDURES FOR COMPOSITE SANDWICH STRUCTURES	B	
	GAMPS8309	FABRICATION PROCEDURES FOR 250 DEG F CURE COMPOSITE SANDWICH	A	
	GAMPS8310	STANDARD MACHING, DRILLING AND TRIMMING PRACTICES FOR COMPOS	B	
	GAMPS8311	COMPOSITE MANUFACTURING ACCEPTANCE CRITERIA	E	
	GAMPS8316	MATCH DRILLING AIRCRAFT STRUCTURE	C	
	GAMPS8317	AUTOMATED CARBON/EPOXY PREPREG PROCESSING OF HORIZONTAL STAB	H1	
	GAMPS8318	FABRICATION PROCEDURE FOR CARBON FIBER/ EPOXY COMPRESSION MO	A	
	GAMPS8319	FABRICATION PROCEDURE FOR FIBER GLASS/ PHENOLIC COMPRESSION	A	
	GAMPS8401	VORTEX GENERATORS & BOUNDARY LAYER ENERGIZERS	C	
	GAMPS8404	APPLICATION OF SEALING TAPE ON COMPOSITE FAIRINGS	-	
	GAMPS8405	SEAL TAPE FOR PRESSURE AND NON-PRESSURE APPLICATIONS	A	
	GAMPS8501	GLASS FIBER BLANKET INSULATION SYSTEMS,FABRICATION	-2	
	GAMPS8502	INSULATION SYSTEM ON DUCTS AND TUBES,FAB AND ASSY OF	A	
	GAMPS8503	ACOUSTIC BLANKET SEALING AND REPAIR	D	
	GAMPS9101	ULTRASONIC QUALITY REQUIREMENT FOR ALUMINUM ALLOY PRODU	B	
	GAMPS9102	ULTRASONIC INSPECTION LOW ALLOY & STAINLESS	C	

	GAMPS9103	ULTRASONIC QUALITY REQ FOR TITANIUM AND TITANIUM ALLOYS	B	
	GAMPS9104	ULTRASONIC INSPECTION OF COMPOSITE STRUCTURES	C	
	GAMPS9105	ULTRASONIC INSPECTION OF METAL-BOND STRUCTURES	B	
	GAMPS9501	VACUUM TESTING OF FASTENERS	-	
	GAMPS9502	NITAL ETCH OF LOW ALLOY STEEL PARTS	A	
	GAMPS9503	WEDGE TEST	A	
	GAMPS9504	CLAD TEST METHOD, FOR 2024 ALUMINUM ALLOY	B	
	GAMPS9505	CORROSION TEST METHOD, GENERAL, METALS	-	
	GAMPS9506	STANDARD METHODS FOR FIRST PART QUALIFICATION	B	
	GAMPS9507	STANDARD PROCEDURES FOR TESTING OF ADHESIVES SYSTEMS	A	
	GAMPS9508	STANDARD PROCEDURES FOR TESTING OF FIBER REINFORCED, POLYME	-	
	GAMPS9509	STANDARD METHODS FOR FIRST PART QUALIFICATION AND REQUALIFIC	A	
	GAMPS9510	STANDARD METHOD FOR FIRST PART QUALIFICATION AND REQUALIFICA	A	
	GAN10A	NUT-MINIATURE, PLATE TWO LUG, 550 F	-	
	GAN10AC	NUT-PLATE CORNER, 550 F	-	
	GAN10AJ	NUT-SELF-LOCKING, EXTERNAL WRENCHING	A	
	GAN10AP	NUT, HIGH TENSILE, 12-POINT, 220 KSI, 232 C	-	
	GAN10AU	NUT HYDRAULIC TERMINAL LOCKING	A	
	GAN10C	NUT-MINIATURE, PLATE CORNER 550 F	-	
	GAN10F	NUT PLATE TWO LUG 550 F	-	
	GAN10FG	NUT, HYDRAULIC CYLINDER, LOCKING	A	
	GAN10FM	NUT-HYDRAULIC CYLINDER, MIL-S8879 THREAD	-	
	GAN10U	NUT - HEX, 450 DEG F	B	
	GAN10V	NUT - HEX ALUM. ALLOY, 250 F	-	
	GAN10W	NUT, THIN HEX, ALUMINUM ALLOY, 250 F	B	
	GAN10Y	NUT PLATE TWO LUG FLOATING, 550 F	-	
	GAN11A	PLATE-IDENTIFICATION, SERIAL NUMBER, CONTROLLED PARTS	A	
	GAN11AB	COMPONENT IDENTIFICATION PRESSURE SENSITIVE ALUM	-	
	GAN11AC	NAMEPLATE OVERCOAT, PLACARD & PANEL PROTECTIVE COATING	-	
	GAN11CC	NAMEPLATE COMPONENT IDENTIFICATION	-	
	GAN11D	NAMEPLATE COMMERCIAL ASSYS, AL ALY & CRES	-	
	GAN11GN	NAMEPLATE - PART AND SERIAL NUMBER IDENTIFICATION	C.	
	GAN11J	NAMEPLATE PART & SERIAL NUMBER	A	
	GAN11M	NAMEPLATE, COMMERCIAL ASSEMBLIES	-	
	GAN500A	NUT PLATE, ANCHOR, TWO LUG, METAL CAP, 250 F, REG & INCREASE	A	
	GAN500D	NUTPLATE, SELF-LOCKING, TWO LUG, 232 C & 427 C, CAPPED	-	
	GAN500E	NUT PLATE, SELF LOCKING, DEEP CBORE TWO LUG	-	

	GAN500F	NUT PLATE, SELF-LOCKING, FLOATING, REMOVABLE NUT,450	-	
	GAN500G	NUTPLATE-SELF-LOCKING, FLOATING, 450 F AND 900 F	-	
	GAN500M	NUT PLATE, SELF LOCKING, REDUCED RIVET SPACING 450 F	A	
	GAN500N	NUT ANCHOR, NYLON CAP	A	
	GAN500U	NUT-DOME,LOCKING,TWO LUG,REDUCED RIVET SPACING	-	
	GAN502A	NUT, DOME, TWO LUG, SELF-SEALING, SELF-LOCKING, FLOATING 125	B	
	GAN502AF	NUT PLATE, TWO LUG, CAPPED, FLOATING SELF LOCKING BASE	A	
	GAN502CD	NUT PLATE SELF LOCKING BEAM LOCK 2 LUG FLOATING 160 KSI	-	
	GAN502CJ	NUT PLATE	-	
	GAN503A	NUT PLATE, ANCHOR, MINIATURE, SELF-SEALING DOME	A	
	GAN504A	NUT - CAP ANCHOR, SELF-LOCKING, FLOATING	-	
	GAN504B	NUT-ANCHOR, 2 LUGS, S/L, FLOATING, MINI, XTR DEEP CNT BORE	-	
	GAN510AA	NUT-COLLAR,SHEAR,ALUMINUM ALLOY	C	
	GAN510AD	NUT-COLLAR, 7075-T73 ALUMINUM ALLOY, SPECIAL APPLICATION	B	
	GAN510AE	NUT HEX , SELF-ALIGNING SELF-LOCKING	A	
	GAN510AF	NUT - COLLAR,SHEAR, ALUMINUM ALLOY, STANDARD & 1/32OVERSI	-	
	GAN510AG	NUT-COLLAR, STAINLESS STEEL, STANDARD AND 1/32	-	
	GAN510AH	NUT-COLLAAR ,SHEAR,A-286 HIGH TEMP ALLOY,STD & 1/64 OVERS	-	
	GAN510AJ	NUT - COLLAR,TENSION, STAINLESS STEEL, 1/64 OVERSIZE	-	
	GAN510AL	NUT	-	
	GAN510AN	NUT COLLAR ASSEMBLY - SHEAR, A286 CRES	-	
	GAN510AP	NUT COLLAR ASSEMBLY - SELF-ALIGNING, TENSION	-	
	GAN510AR	NUT-COLLAR,SHEAR,7075-T73 ALUMINUM ALLOY	-	
	GAN510AS	NUT-COLLAR,ALUMINUM ALLOY,1/64 AND 1/32 OVERSIZE	-	
	GAN510AT	NUT - COLLAR, SHEAR, A-286 HIGH TEMP ALLOY, 1/32 OVERSIZE	-	
	GAN510AW	NUT-COLLAR,SHEAR APPLICATION, ALUMIN ALLOY	A	
	GAN510AZ	NUT - COLLAR, SHEAR, TITANIUM	-	
	GAN510BF	NUT COLLAR ASSEMBLY - SELF-LOCKING, TORQUE OFF HEX	-	
	GAN510BH	NUT - COLLAR, SHEAR, STAINLESS STEEL,STANDARD & 1/32 OVERS	-	
	GAN510BJ	NUT - TENSION, STAINLESS STEEL, 1/32 OVERSIZE	A	
	GAN510BL	NUT COLLAR ASSEMBLY-SELF-LOCKING,TORQUE OFF HEX,	A	
	GAN510C	NUT,CAP-HEX,NYLON CAP,SELF LOCKING,250 DEG.	A	
	GAN510CA	NUT-HEX-LOE HEIGHT, SELF-LOCKING, A-286 CRES (125KSIFTU	-	

	GAN510DA	NUT-COLLAR ASSEMBLY,TENSION,CRES, SELF-ALIGNING	-	
	GAN510F	NUT, FIRE DETECTION SYS, CONTINUOS, HEX	-	
	GAN510H	NUT, PUSH-PULL CONTROLS, 20 F FLARED CONDUIT, HEX, CONN	A	
	GAN511A	NUT-SELF-LOCKING, LIGHT WEIGHT, THIN, CASTELLATED, CRES	-	
	GAN511AB	NUT,12 PT, SELF-LOCKING A-286 CRES, SILVER PLATED	-	
	GAN511AC	NUT-SHEAR,REDUCED HEX.,LIGHTWEIGHT,SELF-LOCKING	A	
	GAN511AD	NUT, 12 POINT EXTERNAL WRENCHING, SELF LOCKING, INCO	B	
	GAN511AE	NUT,12 PT, EXTERNAL WRENCHING DOUBLE DURABILITY	A	
	GAN511AG	NUT,12 PT, FEATHER WEIGHT EXT WRENCHING SELF-LOCKING	-	
	GAN511B	NUT 12 POINT, EXTERNAL WRENCHING, SELF LOCK SHEAR, 450F	B	
	GAN511C	NUT - SELF-LOCKING, BARREL, FLOATING	-	
	GAN511D	RETAINER - NUT, SELF-LOCKING,BARREL,FLOATING, .190-32UNJF	-	
	GAN511E	NUT, 12-POINT, HIGH STRENGTH, EXTERNAL WRENCHING, SELF-	A	
	GAN511F	NUT -SIX POINT, SELF-LOCKING,SHEAR APPLICATION	A	
	GAN511FB	NUT - SIX POINT,SELF-LOCKING,TENSION APPLICATION	-	
	GAN511FC	NUT-SIX POINT,SELF-ALIGNING,SELF-LOCKING,SHEAR APPLICATION	A	
	GAN511FG	NUT - SIX POINT, SELF-LOCKING, SHEAR APPLICATION	B	
	GAN511FH	NUT - SIX POINT, SELF-LOCKING TENSION APPLICATION	A	
	GAN511FJ	NUT - SIX POINT, SELF-ALIGNING, SELF-LOCKING SHEAR APPLICATI	-	
	GAN511FK	NUT - SIX POINT, SELF-ALIGNING, SELF-LOCKING TENSION APPLICA	-	
	GAN511FL	NUT SIX POINT, TENSION	B	
	GAN512AB	NUT COLLAR,TENSION,SELF-LOCKING TORQUE OFF HEX 371 DEG	-	
	GAN512AN	NUT COLLAR,TORQUE OFF HEX, SELF-LOCKING TENSION	A	
	GAN512B	NUT BLIND, 100 COUNTERSUNK HEAD, INTERNAL THREAD, CLOSE	B	
	GAN512BG	NUT, 100 F COUNTERSUNK HEAD, INTERNAL THREAD, OPEN OR C	-	
	GAN512C	NUT,BLIND,PROTRUDING HEAD,INTERNAL THREAD,OPEN END KEYL	-	
	GAN512CV	NUT COLLAR SHEAR, SELF-LOCK, TORQUE OFF HEX, CRES REG	A	
	GAN512D	NUT,BLIND,100 COUNTERSUNK HEAD,INTERNAL THREAD OPEN END	A	
	GAN512DE	NUT, COLLAR, SELF LOCKING, TORQUE OFF HEX, ALUM, SHEAR	A	

	GAN512DF	NUT COLLAR-SELF LOCKING.TORQUE OFF HEX,ALUM,SHEAR	-	
	GAN512F	NUT-BLIND, 80 KSI, 100 FL HEAD, INTERNAL THD, CLOSED	-	
	GAN512FJ	NUT,REDUCED HEX, THIN, LTWEIGHT, CASTELLATED 450 DEG F	A	
	GAN512FK	NUT-SHEAR,REDUCED HEXAGON,LIGHTWEIGHT,SELF-LOCKING	-	
	GAN512FP	NUT,SELF-LOCKING,LIGHTWEIGHT,CASTELLATED,450 DEGREES F	C	
	GAN512H	NUT COLLAR SHEAR SELF-LOCKING,TORQUE OFF HEX ALUM	A	
	GAN512HU	NUT CORNER CLIP ON	-	
	GAN512J	NUT-COLLAR,TENSTION,SELF-LOCKING,TORQUE OFF HEX,	A	
	GAN512JC	NUT,BARREL,SELF-LOCKING,NON-FLOATING,STEEL CAD PLATE	A	
	GAN512JD	NUT COLLAR CRES, LUBRICATED,TENSION 450 DEG F	A	
	GAN512JE	NUT COLLAR SHEAR, SELF-LOCKING,TORQUE-OFF HEX	-	
	GAN512LC	NUT COUPLING FOR PERMASWAGE SLEEVE	A	
	GAN512LD	NUT - TUBE, SLEEVE COUPLING, FLARED & FLARENESS	-	
	GAN512NA	NUT,COLLAR TORQUE OFF HEX SHEAR	B	
	GAN512NB	NUT CLR SLF ALIGN,TOQUE-OFF HEX,REDUC HGT SHEAR,ALU COL CR	A	
	GAN512NC	NUT COLLAR, TORQUE OFF HEX, SELF-LOCKING TENSION	D	
	GAN512PA	NUT-CLIP-ON,AND INSTALLATION	B	
	GAN512R	NUT,BLIND,PROTRUDING HEAD,INTERNAL THREAD CLOSE END	A	
	GAN512RN	NUTPLATE - RIVETLESS	-	
	GAN512W	NUT ASSY-SELF-ALIGNING,SELF-LOCKING, TORQUE OFF HEX	A	
	GAN515A	NUT, RETAINER, FOR EXTERNAL WRENCHING NUT, TWO LUG	A	
	GAN515C	NUT RETAINER, TWO LUG, HEX HEAD	A	
	GAN515C9	NUT RETAINER,TWO LUG,HEX HEAD	-	
	GAP105A	PLASTIC SHEET - THERMOPLASTIC, ACRYLIC/PVC, FIRE RET.	A	
	GAP105AA	PLASTIC NYLON, WEAR RESISTANT	D	
	GAP105AH	PLASTIC, SHEET ACRYLIC/FIBERGLASS LAMINATED	A	
	GAP105AT	PLASTIC POLYCARBONATE MOLDING & EXTRUDING	A	
	GAP105AU	PLASTIC,POLYAMIDE MOLDING & EXTRUDING	B	
	GAP105AV	PLASTIC MOLDING MATERIAL, NETHACRYLATE	-	
	GAP105BG	PLASTIC SHEET,THERMOPLASTIC-ABS,ABS/PVC AND PVC/ACRYLIC,RIGI	A	
	GAP105F	PLASTIC,SHEET AND FILM,POLYTETRAFLUOROETHYLENE (PTFE)	C	
	GAP105FA	PLASTIC-POLYURETHANE,POLYESTER-BASED	-	
	GAP105FR	PLASTIC-FILM, REINFORCED,SELF-EXTINGUISHING,HEAT SEALABLE, P	A	
	GAP105FS	PLASTIC- FILM ,REINFORCED, SELF-EXTINGUISHING,HEAT SEALABLE	A	

	GAP105FT	PLASTIC- FILM,REINFORCED,SELF-EXTINGUISHING,HEAT SEALABLE,	A	
	GAP105K	PLASTIC, THERMOPLASTIC, MODIFIED VINYL SPONGE, CLOSED	E	
	GAP105U	PLASTIC, SPONGE, CLOSED CELL, NITRILE/PVC	A	
	GAP105W	PLASTIC MATERIAL,PRESS SENSITIVE ADHESIVE, MIL-P-38477	A	
	GAP106T	PLASTIC SHEET LAMINATED THERMOSETTING COTTON FABRIC	A	
	GAP10E	PLATE,ELECT SINGLE TERMINAL BOARD MOUNTING	-	
	GAP10F	PLATE,ELECT DOUBLE TERMINAL BOARD MOUNTING	-	
	GAP110AH	PAINT,SILK SCREEN PASTE,FLAT CLEAR	-	
	GAP110AR	COATING,URETHANE,ALIPHATIC ISOCYANATE,FOR AREOSPACE	A	
	GAP110AU	PAINT SILK SCREEN PASTE	A	
	GAP110AV	PAINT SILK SCREEN PASTE	-	
	GAP110B	PAINT,ENAMEL,ALKYD,GLOSS,TT-E-489 CLASS A	-	
	GAP110BS	PAINT, ALITHATIC POLYURETHANE LOW REFLECTANCE	-	
	GAP110C	PAINT,ENAMEL,ALKYD,LUSTRELESS,AIR-DRYING AND BAKED	-	
	GAP110H	PAINT LACQUER ACRYLIC	A	
	GAP110K	PAINT, MARKING	D	
	GAP110M	PAINT, MARKING	C	
	GAP110MA	PAINT - EPOXY, TOP COAT	-	
	GAP110N	PAINT, MARKING	-	
	GAP110R	PAINT	-	
	GAP110S	PAINT - LACQUER TORQUE SEAL COMPOUND	E	
	GAP110TR	PAINT,ALUMINUM,HEAT RESISTING	A	
	GAP111A	PRIMER, FOR SILICONE RUBBER	C	
	GAP111BD	PRIMER FOR EPOXY ADHESIVE	-	
	GAP111C	PRIMER,SYNTHETIC ELASTOMER MOLDING & POTTING COMPOUND	-	
	GAP111G	PRIMER - SILICONE	C	
	GAP111M	PRIMER-SILICONE, RTV	B	
	GAP111N	PRIMER, FOR EPOXY ADHESIVES	-	
	GAP111P	PRIMER, FOR EPOXY ADHESIVES	-	
	GAP111W	PRIMER-ADHESION PROMOTER	C	
	GAP111Y	PRIMER - GENERAL PURPOSE, SOLVENT-SYNTHETIC RESIN BASED	-	
	GAP11B	PLUG	-	
	GAP11D	PLUG, RUBBER	-	
	GAP11E	PLUG INSTL GROOVED,PIN EXPANDING	-	
	GAP11K	PLUG, SEALING, SKYDROL RESISTANT	A	
	GAP11P	PLUG-EMI BLANKING,HEXASHEILD	-	
	GAP12A	PAD BELLCRANK MOUNTING	C	
	GAP13E	PIN HINGE RETENTION OF MECHANICAL & NON-MECHANICAL	-	
	GAP14A	PAINT MARKING, EPOXY, FLAT OR GLOSS	C	
	GAP500AA	PLATE - CONNECTING	-	
	GAP510EA	PIN, HINGE	-	
	GAP510RP	RIGGING PIN - GROUND SUPPORT EQUIPMENT	-	
	GAP515AA	PLATE - WING SKIN	D	

	GAP525A	PLUG, GROOVED, PIN EXPANDING	B	
	GAP525B	PLUG, FLARELESS, TUBE FITTING	A	
	GAP830B	PLATE, ELECTRICAL, MOUNTING, CABLE STRAP	-	
	GAP830C	PLATE MOUNTING, CABLE, NYLON	A	
	GAP830H	PLATE	-	
	GAR100A	RUBBER, CELLULAR, CHEMICALLY BLOWN SHT MIL-R-6130	A	
	GAR100AH	RUBBER, FLUOROCARBON ELASTOMER, SHEET MIL-R-83248	-	
	GAR100B	RUBBER, SYNTHETIC, SHEET	B	
	GAR100E	RUBBER, SILICONE CLOSED CELL, SHEET AND STRIP (AMS 3195)	-	
	GAR100F	RUBBER, SYNTHETIC BUTYL TYPE, SHEET AND STRIP (AMS 3237)	-	
	GAR100G	RUBBER, SYNTHETIC BUTYL TYPE, SHEET AND STRIP (AMS 3238)	-	
	GAR100R	RUBBER,FLUROSILICONE ELASTOMER OIL & FUEL RESISTANT	-	
	GAR10F	RIVET SPECIAL FLUSH	-	
	GAR10H	RIVET, UNIVERSAL HEAD, SEALING	-	
	GAR10J	RIVET ASSY UNIVERSAL HEAD SEALING	-	
	GAR110CR	SILICONE SEALANT, HIGH TEMERATURE	E	
	GAR110MY	RESIN-FAIRING COMPOUND,EPOXY,FLEXIBLE,TWO COMPONENT	A	
	GAR110V	RESIN, EPOXY, POTTING AND CASTING	A	
	GAR110VK	RESIN, FILLER COMPOUND, HEXAVALENT CHROMIUM FREE	-	
	GAR111A	RELEASE AGENT-HARD TOOLING WAX,NON SILICONE MOLD	A	
	GAR111C	RELEASE AGENT-ALL PURPOSE,WAX-BASED,TWO PART	C	
	GAR111D	RELEASE AGENT-DRY FILM LUBE & MOLD RELEASE (TFE)	C	
	GAR250RR	RETAINING RING (FRICTION	-	
	GAR500A	RIVET-PROTRUDING HEAD CONICAL KEYSTONE LOCK	-	
	GAR500AC	RIVET,BLIND,PROTRUDING HEAD,NUTPLATE,HOLLOW,.093 DIA,	A	
	GAR500AP	RIVET MODIFIED UNIVERSAL HD	-	
	GAR500AR	RIVET SOLID-UNIVERSAL HEAD, A286 CRES, RADIUS/CHAMFERON	-	
	GAR500B	RIVET,BLIND PROTRUDING HD, MECH.LOCKING SELF PLUGGING	-	
	GAR500C	RIVET-SOLID, STRUCT, 100 DEG COUNTERSUNK HD, ALUM ALLOY	-	
	GAR500D	RIVET-SOLID, STRUCTURAL, UNIVERSAL HEAD, ALUMINUM ALLOY	-	
	GAR500E	RIVET - BLIND, STRUCTURAL,LOCKED SPINDLE, PROTRUDING HEAD	-	
	GAR500L	RIVET, BLIND PROTRUDING HEAD, MECHANICALLY LOCKED SPIND	-	
	GAR500W	RIVET, SOLID, SHEAR, UNIVERSAL HEAD A286	-	
	GAR501A	RIVET-100 CSK HD.,CONICAL KEYSTONE LOCK,BLIND	-	

	GAR501AB	RIVET BLIND POSITIVE MECHANICAL LOCK, 100 DEGREES FLUSH-SHAL	C	
	GAR501AC	RIVET BLIND FLUSH HEAD NUT PLATE	A	
	GAR501AT	RIVET 100 DEG FLUSH SHEAR HD	-	
	GAR501AU	RIVET 100 DEG FLUSH HD 7050 AL ALY	-	
	GAR501AV	RIVET, SOLID, MODIFIED HEAD ALUM ALLOY	A	
	GAR501B	RIVET, SEALING, 100 F CSK HEAD, ORING SEAL, SOLID,ALUM	-	
	GAR501BB	RIVET,BLIND MONEL,MECHANICALLY LOCKED,100DEG FLUSH HEAD	A	
	GAR501C	RIVET BLIND 100 CSK HEAD MCHC.LOCKED SPINDLE,SELF PLUGG	-	
	GAR501D	RIVET-SOLID,100 DEGREE FLUSH SHEAR HEAD,ALUM ALLOY	E	
	GAR501E	RIVET-SOLID,COUNTERSUNK 100 DEGREE PRECISION HEAD	D	
	GAR501F	RIVET-SOLID,UNIVERSAL HEAD,ALUMINUM ALLOY	E	
	GAR501G	RIVET - BLIND, STRUCTURAL, LOCKED SPINDLE, CSK FLUSH	-	
	GAR501H	RIVET - BLIND, STRUCTURAL, LOCKED SPINDLE, CSK FLUSH	-	
	GAR501L	RIVET BLIND 100 CSK HEAD MECHANICALLY LOCKED SPINDLE,AL	-	
	GAR501W	RIVET SOLID, SHEAR, ROUND TOP 100 COUNTERSUNK HEAD A286	-	
	GAR504E	ROLLER ASSY	-	
	GAR504F	ROLLER	-	
	GAR520AM	RECEPTACLE	-	
	GAR520C	RECEPTACLE, PANEL FASTENER, QUICK RELEASE, RIGID	C	
	GAR520G	RECEPTACLE STRIP, PANEL FASTENER QUICK RELEASE 90 ANGLE	B	
	GAR520M	RECEPTACLE HIGH STRENGTH,ROTARY QUICK OPERATINGFASTENER	A	
	GAR520MF	RECEPTACLE-NUTPLATE, STRUCTURAL QUICK RELEASE FASTENER	C	
	GAR521A	RECEPTACLE, PANEL FASTENER, QUICK RELEASE, 200 LB GOMME	-	
	GAR524K	RESTRICTOR HYD CRES FLARE ENDS	-	
	GAR530A	RECEPTACLE-QUICK RELEASE,POSITIVE LOCK,SINGLE ACTION, BALL-L	B	
	GAR540BB	RING, SNAP, GAMAH, FLEXIBLE COUPLING	-	
	GAR540BL	RING, NUT, CLOSED	-	
	GAR540BY	RING NUT, OPEN ELEC CONNECTOR	A	
	GAR540D	RING - RETAINING, PANEL FASTENER, QUICK RELEASE	C	
	GAR540E	RING, RETAINING, PANEL FASTENER, QUICK RELEASE, SPRING	C	
	GAR540K	RING, RETAINING, QUICK OPERATING, HIGH STRENGTH, ROTARY	-	
	GAR540MF	RING-RETAINING, SOLID, STRUCTURAL QUICK RELEASE FASTENER	-	
	GAR805SJ	CONNNECTOR, PLUG	B	
	GAR805TR	RESISTOR - TRIAX JACK, TERMINATION	A	

	GAR810A	RESISTOR-MODULE	C	
	GAR810C	MODLE-RESISTOR/DIDODE, JUNCTION ASSEM-SPECAIL	C	
	GAR835MA	RELAY - 5AMPS, 28VDC, 6 POLE DOUBLE-THROW (6PDT)	A	
	GAR835NH	RELAY-TIME DELAY,FOUR POLE,DOUBLE THROW (4 PDT),10 AMP	C	
	GAR835NJ	RELAY-FOUR POLE DOUBLE THROW (4PDT), AMP, HERMETICALLY	C	
	GAR835NK	RELAY-TWO POLE DOUBLE THROW (2PDT) 10 AMP,	D	
	GAR835NL	RELAY - THREE POLE THROW (3PDT), AC 400HZ COIL, 25 AMP	B	
	GAR835NM	RELAY	B	
	GAR835NP	RELAY, TIME DELAY, 10 AMP, 2 PDT	B	
	GAR835NR	RELAY - 2 PDT, 5 AMP, 28 VDC	C	
	GAR835NT	RELAY - FOUR POLE DOUBLE THROW (4PDT), 5 AMP, 28VDC	E	
	GAR835NV	CONTRACTOR - 3 POLE DOUBLE - THROW (3PDT), 115 VAC	A	
	GAR835SV	RELAY - TWO POLE DOUBLE THROW (2PDT) POLARIZED PIN, 10 AMP	E	
	GAR835SW	RELAY-TIME DELAY ON RELEASE,10 AMP,DOUBLE POLE-DOUBLE T	A	
	GAR836A	RAIL- COMPOSITE, MODULE MOUNT	A	
	GAS100A	SHIM PLASTIC MATERIAL,L-P-504	-	
	GAS100B	SHIM STOCK, LAMINATED MIL-S-22499	-	
	GAS105F	MESH-NON WOVEN, ELECTRICALLY CONDUCTIVE,(SCREENING)	-	
	GAS10A	SLEEVE, AIR DUCT, 275 F	A	
	GAS10C	SLEEVE, LANYARD	-	
	GAS10F	SLEEVE, AIR DUCT, 500 F	-	
	GAS111D	STEEL SHEET-PATTERENED	-	
	GAS115A	SOLVENT - SURFACE CLEANING AND SEALANT REMOVAL	A	
	GAS115B	SOLVENT COMPOUND - CLEANING, LIQUID	-	
	GAS115C	SOLVENT COMPOUND - CLEANING AGENT	-	
	GAS115E	SOLVENT, N-METHYL PYRROLIDONE	-	
	GAS115G	SOLVENT COMPOUND-CLEANER/DEGREASER	A	
	GAS115H	SOLVENT - CLEANER/DEGREASER - MIXED HYDROCARBONS	A	
	GAS115J	SOLVENT COMPOUND - AQUESOUS CLEANER/DEGREASER	-	
	GAS115K	SOLVENT - METHYL PROPYL KETONE (MPK)	A	
	GAS115PC	SOLVENT COMPOUND - CLEANER / DEGREASER	C	
	GAS115SW	CLEANING AND SURFACE PREPARATION WIPES - SOLVENT	-	
	GAS115VC	PRECISION CLEANING VERIFICATION FLUID	A	
	GAS115WW	SOLVENT - GENERAL SURFACE AND PARTS CLEANING	-	
	GAS11A	SEAL-SILICONE RUBBER,FABRIC COVERED	-	
	GAS11B	STRIP, ELECTRICAL, ANTI-CHAFING	A	
	GAS11C	STRIP, ANTICHAFE, GRAY, ABS PLASTIC	B	
	GAS11D	STRIP,RADIUS REINFORCEMENT-TITANIUM	-	
	GAS11E	STRIP RADIUS REINFORCEMENT	B	

	GAS11F	STRIP ELEC MOUNTING NUT INSULATING	-	
	GAS11P	STRIP, H-FILM RETAINER	-	
	GAS11R	STRIP, ELECTRICAL, MOUNTING NUT INSULATION	-	
	GAS12A	SHIM, MINIATURE PLATE NUT	A	
	GAS12D	SHIM ALUMINUM ALLOY AND CRES, LAMINATED	D	
	GAS12E	SHIM ALUMINUM ALLOY, TAPERED IN THICKNESS	D	
	GAS12G	SHIM, FLAT, RECTANGULAR ALUMINUM ALLOY, SOLID	C	
	GAS12J	SHIM LATCH ALUMINUM ALLOY	-	
	GAS13AF	SEAL FASTENER O RING	-	
	GAS13AH	SEAL, FASTENER, ORING, FLUOROSILICONE	-	
	GAS13AJ	SEAL, O-RING, TEFLON	A	
	GAS13AN	SEAL BUTTON STRIP	C	
	GAS13F	SEAL, CONTROL CABLE, AIR	A	
	GAS13G	SEAL INSTALLATION PROCEDURES-CONTROL CABLE, AIR	-	
	GAS13H	SEAL, O-RING	-	
	GAS13P	SEAL, BUTTONED STRIP	-	
	GAS14K	SLEEVE, SEALING CAPABILITY, PROCESS WIRE DIAMETER BUILDUP	B	
	GAS150AA	SHAPE - CLEVIS, FLANGED	B	
	GAS150AB	SHAPE - CLEVIS, FLANGED	C	
	GAS150AC	SHAPE-CLEVIS, FLANGED	B	
	GAS15A	STAKE BEARING TITANIUM & HIGH TREATED STEEL	-	
	GAS16B	SPACER ASSEMBLY, BEARING INNER RACE, TWO WASHER	-	
	GAS179A	SHAPE-BULB & END INSERT (CORNER), RUBBER/DACRON	-	
	GAS179AP	SHAPE CHANNEL EXTRUDED RUBBER	-	
	GAS179B	SHAPE, BULB EXTRUDED, RUBBER	A	
	GAS179C	SEAL, SILICONE RUBBER, REINFORCED	B	
	GAS179D	SHAPE-BULB SEAL, RUBBER, EXTRUDED, ACOUSTIC	B	
	GAS179E	SHAPE-RUBBER BUMPER, SILICONE	-	
	GAS179GA	SEAL - BULB, SILICONE RUBBER, FABRIC COVERED, AERODYNAMIC	B	
	GAS179GB	SEAL, BULB, SILICONE RUBBER, FABRIC COVERED	A	
	GAS179GC	SHAPE, SPECIAL, SEAL, TRAILING EDGE, COVE	C	
	GAS179GD	SHAPE, SPECIAL, SEAL, TRAILING EDGE, BLADE	-	
	GAS179GE	SHAPE, SPECIAL, SEAL, TRAILING EDGE, RUDDER	A	
	GAS179GF	SHAPE, SPECIAL, SEAL, TRAILING EDGE, BLADE	B	
	GAS179GG	SHAPE - SPECIAL, BULB SEAL, GREY, FLIGHT CONTROLS	A	
	GAS179GH	SHAPE, SPECIAL, SEAL, TRAILING EDGE, COVE	-	
	GAS179GJ	SHAPE, SPECIAL, SEAL, HORIZONTAL STABILIZER, COVE PANEL	B	
	GAS179GK	SEAL - BULB, BUTTON STRIP, AERODYNAMIC	-	
	GAS179M	SHAPE - BULB SEAL, RUBBER EXTRUDED, COVERED	E	
	GAS179N	SHAPE - SPECIAL BULB, RUBBER EXTRUDED	-	
	GAS180A	SHAPE, ANGLE, EXTRUDED EQUAL LEG & THICKNESS	L	
	GAS180AA	SHAPE ANGLE EXTRUDED	-	
	GAS180AB	SHAPE TEE EXTRUDED	A	
	GAS180AC	SHAPE CHANNEL EXTRUDED	-	
	GAS180AH	SHAPE-ANGLE, EXTRUDED, SPECIAL	-	

	GAS180AR	SHAPE, ANGLE, EXTRUDED, UNEQUAL LEGS AND UNEQUAL THICK	-	
	GAS180B	SHAPE-ANGLE EXTRUDED, UNEQUAL LEGS & EQUAL THICKNESS	L	
	GAS180BE	SHAPE, ANGLE, EXTRUDED, SPECIAL	-	
	GAS180C	SHAPE, ANGLE, EXTRUDED, UNEQUAL LEGS & EQUAL THICKNESS	K	
	GAS180D	SHAPE, ANGLE, EXTRUDED, UNEQUAL LEGS AND UNEQUAL THICKNES	F	
	GAS180E	SHAPE, ANGLE, EXTRUDED, CLOSE	A	
	GAS180F	SHAPE, ANGLE, EXTENDED, OPEN	C	
	GAS180H	SHAPE - ANGLE, EXTRUDED, SPECIAL	A	
	GAS180J	SHAPE, ANGLE EXTRUDED, BULB SECTION	B	
	GAS180K	SHAPE-ANGLE EXTRUDED, SPECIAL	B	
	GAS180M	SHAPE, ANGLE, EXTRUDED, SPECIAL	A	
	GAS180R	SHAPE, ANGLE, EXTRUDED, OPEN, SPECIAL	A	
	GAS180S	SHAPE - ANGLE EXTRUSION SPECIAL, ALUMINUM ALLOY	A	
	GAS180SA	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	A	
	GAS180SB	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	A	
	GAS180SC	SHAPE, ANGLE, SPECIAL, TRAILING EDGE	-	
	GAS182A	SHAPE, CHANNEL EXTRUDED	J	
	GAS182AA	SHAPE-CHANNEL, SEAT TRACK & ANCHOR PLATE	A	
	GAS182AH	SHAPE, CHANNEL - EXTRUDED, DOUBLE RETURN, SPECIAL	B	
	GAS182AH	SHAPE, CHANNEL - EXTRUDED, DOUBLE RETURN, SPECIAL	B	
	GAS182C	SHAPE, CHANNEL EXTRUDED, EXTENDED BASE	-	
	GAS182D	SHAPE-CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182F	SHAPE, CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182H	SHAPE - CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182LR	SHAPE-CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182LS	SHAPE-CHANNEL, EXTRUDED, SPECIAL	A	
	GAS182M	SHAPE, CHANNEL, EXTRUDED, SPECIAL	-	
	GAS182ST	SHAPE-CHANNEL, SEAT TRACK, THICK	A	
	GAS182SU	SHAPE - CHANNEL, SEAT TRACK, NEAR NET	-	
	GAS182SV	SHAPE - CHANNEL, SEAT TRACK, ANCHOR PLATE	A	
	GAS182WS	SHAPE, CHANNEL, EXTRUDED, WING SKIN	-	
	GAS183A	SHAPE TEE EXTRUDED	U	
	GAS183B	SHAPE, TEE, EXTRUDED, ANGLED TOP	F	
	GAS183BA	SHAPE-TEE, EXTRUDED-SPECIAL	-	
	GAS183BP	SHAPE, TEE, EXTRUDED, BULB SECTION	A	
	GAS183BY	SHAPE TEE EXTRUDED	A	
	GAS183C	SHAPE-TEE, EXTRUDED	-	
	GAS183D	SHAPE - TEE, EXTRUDED	G	
	GAS183DD	SHAPE-TEE, EXTRUDED, ANGLED TOP SPECIAL	-	
	GAS183F	SHAPE, TEE, EXTRUDED, SPECIAL	A	
	GAS183H	SHAPE, TEE, EXTRUDED, UNEQUAL THICKNESS	H	
	GAS183J	SHAPE - TEE, FLANGED		
	GAS183JA	SHAPE, TEE, SPECIAL	E	
	GAS183JT	SHAPE - TEE, FLANGED	A	
	GAS183R	SHAPE TEE EXTRUDED, SPECIAL	-	

	GAS183SS	SHAPE-TEE, STRINGER, SPECIAL	E	
	GAS183ST	SHAPE-TEE, STRINGER, SPECIAL	F	
	GAS183SU	SHAPE-TEE, STRINGER, SPECIAL	F	
	GAS183SV	SHAPE-TEE, STRINGER, SPECIAL	D	
	GAS183SW	SHAPE-TEE, STRINGER, SPECIAL	A	
	GAS184A	SHAPE -H-BEAM, UNEQUAL LEGS, EQUAL & UNEQUAL THICKNESS	C	
	GAS184B	SHAPE-H-BEAM,EQUAL LEGS AND THICKNESS	C	
	GAS184D	SHAPE-I-BEAM, LONGERON	-	
	GAS185A	SHAPE - CRUCIFORM BEAM, ALUMINUM ALLOY	F	
	GAS185B	SHAPE - BAR, BEAD	A	
	GAS186A	SHAPE - ZEE, EXTRUDED	G	
	GAS186C	SHAPE, ZEE, EXTRUDED, SPECIAL	-	
	GAS186SS	SHAPE-ZEE, FRAME, SPECIAL	A	
	GAS186ST	SHAPE-ZEE, FRAME, SPECIAL	A	
	GAS186SU	SHAPE - ZEE, LONGERON, SPECIAL	G	
	GAS186SV	SHAPE - ZEE, FRAME, THICK	C	
	GAS186TA	SHAPE, ZEE, SPECIAL	D	
	GAS187AC	SHAPE, TUBE, EXTRUDED, SPECIAL	-	
	GAS187BA	SHAPE-SHAFT SUPPORT,LINER BEARING	C	
	GAS187HR	SHAPE, EXTRUDED, SPECIAL	B	
	GAS187HS	SHAPE - EXTRUDED, SPECIAL	A	
	GAS187LR	SHAPE-EXTRUDED,SPECIAL	-	
	GAS187LS	SHAPE-EXTRUDED, SPECIAL	-	
	GAS188A	SHAPE - HAT, EXTRUDED	A	
	GAS189A	SHAPE - HAT, EXTRUDED	B	
	GAS189GA	SHAPE, HAT, SPECIAL, VENT	D	
	GAS18A	SHAPE-SILICONE RUBBER-TEAR DROP	A	
	GAS18BS	SEAL-FLOUROSILICONE,EXTRUDED	-	
	GAS18BT	SEAL, TAPE, ELASTOMER	A	
	GAS18BU	SEAL, TAPE, PTFE	-	
	GAS18D	SEAL,FAIRING TAPE	B	
	GAS18K	SEAL, EXTRUSION	-	
	GAS18M	SEAL, CHANNEL, RUBBER EXTRUSION	-	
	GAS18W	SEAL, EXTRUSION, SYNTHETIC RUBBER	A	
	GAS190A	SHAPE, ANGLE, FORMED, EQUAL LEGS	-	
	GAS190B	SHAPE, ANGLE, FORMED, UNEQUAL LEGS	A	
	GAS190C	SHAPE, ANGLE, FORMED, DOUBLE RETURN	A	
	GAS191A	SHAPE, CHANNEL, FORMED	-	
	GAS191B	SSHAPE-CHANNEL, FORMED, UNEQUAL SIDES	-	
	GAS192A	SHAPE, HAT, FORMED ROUND DOME	-	
	GAS192B	SHAPE-HAT,FORMED,FLAT DOME	B	
	GAS192C	SHAPE HAT FORMED DOUBLE RETURN	E	
	GAS193A	SHAPE, ZEE FORMED	-	
	GAS193C	SHAPE, ZEE FORMED, DOUBLE RETURN	-	
	GAS24A	SPLICE-CAP ASSY ELEC PARALLEL SPLICE, HEAT SHRINKABLE	D	
	GAS28A	SURFACE ROUGHNESS & MISMATCH ALUMINUM, TITANIUM & STEEL	-	
	GAS28B	SURFACE FINISH DISCONTINUITY DEFINITION & CRITICAL PART	B	
	GAS30BF	MATERIAL SUBSTITUTION LIST	N	

	GAS30E	GVI ELECTRICAL MATERIAL SUBSTITUTIONS FOR MANUFACTURING	D	
	GAS30FR	AIRCRAFT INTERIOR NON-METALLIC MATERIALS, MISC	D	
	GAS30J	SUBSTITUTION LIST FOR FASTENERS AND RELATED HARDWARE	E	
	GAS30K	GVI PROGRAM PIN SUBSTITUTION LIST	A	
	GAS30L	GVI ALTERNATE LIST FOR FASTENERS AND RELATED HARDWARE	-	
	GAS30MR	METALLIC REPAIR STOCK	C	
	GAS30TV	WROUGHT METALLIC MATERIAL ACCEPTABLE STOCK SIZE SUBSTITUTION	E	
	GAS31A	GULSTREAM AEROSPACE STANDARD INDEX	G	
	GAS31B	GULFSTREAM STANDARD NUMBERING SYSTEM	A	
	GAS31D	SHOP PRACTICES & MATERIALS SUBSTITUTION	J	
	GAS31F	APPROVED VENDORS LIST FOR FASTENERS	-	
	GAS500E	SPACER, STRUCTURAL, PANEL FASTENER, THROUGH-BOLT	A	
	GAS500EA	SPACE, HONEYCOMB SANDWICH PANEL	-	
	GAS500G	SPACER, STRUCTURAL, PANEL FASTENER, SELF-LOCKING	-	
	GAS500HA	STANDOFF-2 LUG,SELF-LOCKING	-	
	GAS501A	SPACER,GROMMET TYPE,THRU-BOLT FASTENER,ALUMINUM ALLOY	C	
	GAS501AP	SPACER - POTTED-IN, HONEYCOMB PANEL INSERT,COUNTERSUNK	C	
	GAS501B	SPACER-POTTED-IN, BLIND- THREADED, FLOATING COMPOSITE	-	
	GAS503A	SPACER, GROMMET TYPE THREADED SELF LOCKING FASTENER, AL	C	
	GAS503B	SPACER, STRUCTURAL,PANEL FASTENING, SELF LOCKING	-	
	GAS503C	SPACER, GROMMET TYPE, NON-METALLIC LOCKING ELEMENT, ALU	A	
	GAS504A	SPACER - ALUMINUM ALLOY	A	
	GAS515AA	SHEET - ALUMINUM ALLOY	-	
	GAS520B	STUD, PANEL FASTENER, QUICK RELEASE, SLOTTED	J	
	GAS520C	STUD-PANEL FASTENER, QUICK RELEASE, FLUSH HEAD	B	
	GAS520E	STUD - PANEL FASTENER, QUICK RELEASE, SPRING LOCKING	C	
	GAS520F	STUD-PANEL FASTENER, QUICK RELEASE,SPRING LOCK RING HD	B	
	GAS520H	STUD-PANEL FASTENER,QUICK RELEASE	D	
	GAS520MF	STUD-QUICK RELEASE, STRUCTURAL, FLUSH SHEAR 100 DEGREE HEAD	B	
	GAS520MG	STUD - QUICK RELEASE, STRUCTURAL, PROTRUDING HEX HEAD, A286	-	
	GAS520N	STUD,FLUSH,HIGH STRENGTH,ROTARY,QUICK OPERATING FASTENE	A	
	GAS520U	STUD ASSEMBLY - PANEL FASTENER, QUICK RELEASE STRIP TYPE, PR	G	
	GAS521B	STUD, PANEL FASTENER, QUICK RELEASE, 200 POUNDS, GROMME	-	

	GAS530B	SLEEVE,100 CSK HEAD, BLIND BOLT	B	
	GAS530BT	SLEEVE COUPLING PERMASWAGE MS	A	
	GAS530BU	SLEEVE - TUBE,EXTERNAL SWAGE TO FLARED	-	
	GAS530BV	SLEEVE-STRAIGHT,TUBE,REDUCER,EXTERNAL SWAGE TO FLARED	-	
	GAS530C	SLEEVE, BLIND NUT, 100 F CSK HEAD	A	
	GAS530D	SLEEVE BLIND NUT 100 DEG CSK SHALLOW	A	
	GAS530E	SLEEVE, HOSE, FIRE SHIELD, ASBESTOS	-	
	GAS530F	SLEEVE-FLARELESS TUBING FITTING, INTERNALLY SWAGED, 15-	-	
	GAS530M	SLEEVE - 100 DEG COUNTERSUNK REDUCED HEAD, ALUMINUM ALLOY	-	
	GAS530U	SLEEVE,BLIND BOLT 100 CSK HEAD,CRES	A	
	GAS540A	SHIM-HIGH STRENGTH,ROTARY,QUICK ACTING FASTENER	-	
	GAS540B	SHIM-STK LAMINATED	-	
	GAS540C	SHIM - POLYIMIDE, LAMINATED	-	
	GAS540D	SHIM-SOLID RECTANGULAR	A	
	GAS540E	SHIM-LAMINATED,ALININUM,BRASS, CRES,AND TITANIUM	-	
	GAS540Y	SHIM-2 LUG RECEPTACLE, ALUMINUM ALLOY	-	
	GAS550D	SCREW ROUND RECESSED HEAD,SELF LOCKING 250F FINE THREAD	-	
	GAS550E	SCREW, WASHER HEAD, SELF LOCKING, 250 F	A	
	GAS550F	SCREW - 100 DEG REDUCED CSK HEAD, TITANIUM ALLOY, ANODIZED	A	
	GAS551B	SCREW, MACHINE, FLAT RECESSED HEAD, CSK 100 F SELF LOCK	B	
	GAS551C	SCREW INSERT, CORROSION RESISTANT STEEL	-	
	GAS551D	SCREW-100 DEG. FLUSH HEAD, ALLOY STEEL, 150 KSI FTU	-	
	GAS560A	SECTION - ANGLE	-	
	GAS570A	SEAL, HOT AIR DUCT	-	
	GAS570B	SEAL,ROD,MEMORIZED,PLASTIC	-	
	GAS570BT	SEAL, STAT-O-SEAL	A	
	GAS570G	SEAL FLUID & AIR MS 33649 PORT CRES	-	
	GAS570K	SEAL	-	
	GAS580C	SPRING, PANEL FASTENER, QUICK RELEASE, STRIP TYPE, STUD	C	
	GAS580D	SPRING,PANEL FASTENER,QUICK RELEASE,RECEPTACLE	D	
	GAS580L	SPRING, NEGATOR	-	
	GAS580S	SPRING	-	
	GAS581A	SPRING, COMPRESSION	A	
	GAS805A	SPLICE,ELECT,WIRE RANGE26-10,CRIMP STYLE INSULATED BUTT	A	
	GAS805AU	SPLICE-ELECTRICAL, INSULATING, HEAT SHRINKABLE, KYNAR,	A	
	GAS805BB	SPLICE, CRIMPED ENVIRONMENTALLY SEALED	B	
	GAS805G	SPLICE,ELECT NON-INSULATED,CRIMP STYLE,BUTT	-	
	GAS805H	SPLICE,ELECT NON-INSUL,CRIMP STY,BUTT WIRE RGE 26-10AWG	-	

	GAS805K	SPLICE, ELECTRICAL, CRIMP STYLE, NON-INSULATED, PARALLE	A	
	GAS805L	SPLICE, ELECTRICAL, CRIMP STYLE, PRE-INSULATED, HIGH TP	-	
	GAS805N	SPLICE,ELECT PERMANENT,CRIMP INSULATED	-	
	GAS820AA	SOCKET-SLEEVE MOUNT,427 SERIES,TWO POLE AND 428 SERIES	E	
	GAS825AC	SOCKET, RELAY - ELECTRICAL, 2 POLE	D	
	GAS825BA	SOCKET, RELAY-ELECTRICAL, 3 POLE	-	
	GAS825BC	SOCKET, RELAY - ELECTRICAL, 4 POLE	B	
	GAS825BD	SOCKET, RELAY - ELECTRICAL, 2 POLE, TIME DELAY	-	
	GAS825BE	SOCKET - RELAY, ELECTRICAL, 4-POLE, 10 AMP	A	
	GAS830AH	SLEEVE, SOLDER - SHIELD TERMINATOR, WIRE SPLICING	K	
	GAS830AJ	SLEEVE-SHIELD TERMINATION, HEAT SHRINKABLE, WIRE BRAID LEAD	D	
	GAS830CM	CABLE MARKER, ELECTRICAL	G	
	GAS830CU	SLEEVE, ELECTRICAL, CONVOLUTED, FLEXIBLE, HELICAL	-	
	GAS830CV	SLEEVE - ELECTRICAL, FLEXIBLE, SELF-EXTINGUISHING, HEAT	E	
	GAS830D	INSULATION TUBING-ELECTRICAL,PTFE RESIN,NONRIDGE	A	
	GAS830DR	SLEEVE, ELECTRICAL, PROTECTIVE, SELF-WRAPPING	-	
	GAS830DT	SLEEVE,ELECT HEAT SHRINKABLE,BARRIER,SELF SEALING	-	
	GAS830DU	SLEEVE,ELECT CONTACT SUPPORT	-	
	GAS830HA	SLEEVE-ELECTRICAL,BRAIDED,EXPANDABLE	D	
	GAS830K	SLEEVE,ELECT SHRINKABLE INSULATED,SOLDER TYPE DBL LEAD	-	
	GAS830L	SLEEVE,ELECT INSULATING, PVC,105 C	-	
	GAS840BA	SOLENOID-VALVE,ELECTROMAGNETIC,OPERATED NORM CLOSED	-	
	GAS850A	SWITCH - ASSEMBLY, LIGHTED	H	
	GAS850AD	SWITCH-SINGLE POLE DOUBLE-THROW (SPDT)(2)	-	
	GAS850BE	SWITCH-PRESSURE	A	
	GAS850DA	SWITCH - ENGINE FIRE SHUT-OFF	B	
	GAS850DF	SWITCH AIR, THERMAL, SINGLE POLE, 28 VDC	B	
	GAS850DG	SWITCH - PRESSURE	A	
	GAS850DT	SWITCH - ENGINE FIRE SHUTOFF	A	
	GAS850EF	SWITCH-HERMETIC,LEDEX,13 POLE DOUBLE-THROW (13PDT)	A	
	GAS850EW	SWITCH-PUSHBUTTON, TWO CIRCUIT, MOM	A	
	GAS850FC	SWITCH-TOGGLE, MINIATURE, DOUBLE POLE- DOUBLE THROW	A	
	GAS850G	SWITCH-MINIATURE, MOMENTARY PUSH TPYE (SP-NO)	-	
	GAS850L	SWITCH,LIMIT,4PDT	A	
	GAS874A	STRAP, CABLE, ELECTRICAL, ADJUSTABLE, SELF-CLINCHING,	-	
	GAS874AA	STRAP-INSULATED GROUND	B	
	GAT/0001	SEALING OF FUEL TANKS	A	

	GAT/0002	PRODUCTION AND INSTALLATION OF AIRCRAFT PIPE SYSTEMS	A	
	GAT/0003	DRIVMATIC AUTOMATIC RIVETING PROCESS	A	
	GAT/0004	SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE	A	
	GAT/0005	MAGNETIC PARTICLE FLAW DETECT OF MATERIALS & COMPONENTS	A	
	GAT/0006	CADMIUM PLATING PROCESS	A	
	GAT/0007	GENERAL PREPARATION AND INSTALLATIO OF RIVETS	A	
	GAT/0008	BONDING WITH 3MS AF163-2 STRUCTURAL FILM ADHESIVE	A	
	GAT/0009	MEASUREMENT OF PEENING AND BLASTING INTENSITY	A	
	GAT/0010	SEALING OF INTEGRAL FUEL TANKS	A	
	GAT/0011	CHROMIC ACID ANODISING	E	
	GAT/0012	DEGREASING WITH TRICHLOROETHYLENE	D	
	GAT/0013	DEOXIDATION OF ALUMINIUM ALLOYS	A	
	GAT/0014	SURFACE PREPARATION OF ALUMINUM ALLOYS BY PICKLING	D	
	GAT/0015	ALKALINE CLEANER	C	
	GAT/0016	PENETRANT FLAW DETECTION	B	
	GAT/0017	BRUSH ALOCROM 1200	C	
	GAT/0018	HARD CHROMIUM PLATING	A	
	GAT/0019	SEALING OF INTEGRAL FUEL TANKS	A	
	GAT/0020	VACU-BLASTING (WITH DRY ALUMINA GRIT)	A	
	GAT/0021	INSTALLATION OF PERMASWAGE FITTINGS	A	
	GAT/0022	CHEMICAL MILLING ALUMINIUM ALLOYS	A	
	GAT/0023	CHROMIC ACID ANODISING OF ALUMINIUM ALLOYS	C	
	GAT/0024	PENETRANT FLAW DETECTION	A	
	GAT/0025	PROTECTIVE TREATMENT, INTERNAL PAINT PROCESS AND INITIA	A	
	GAT/0026	CHROMIC ACID ANODISING OF ALUMINUM & ALUMINUM ALLOYS	A	
	GAT/0027	BRUSH ALOCROM 1200	A	
	GAT/0028	DEGREASING WITH TRICHLOROETHYLENE	A	
	GAT/0029	DEOXIDATION OF ALUMINUM ALLOYS	A	
	GAT/0030	SURFACE PREP OF ALUMINUM ALLOYS BY ACID PICKLING	A	
	GAT/0031	ALKALINE CLEANER (TURCO ALUMICLEAN 2623)	A	
	GAT/0032	PENETRANT FLAW DETECTION	A	
	GAT/0033	PASSIVATION OF CORROSION RESISTING STEELS & NICKEL	A	
	GAT/0034	METHODS OF MARKING AIRCRAFT PARTS & ASSEMBLIES	A	
	GAT/0035	HARD ANODIZING OF ALUMINIUM ALLOYS	A	
	GAT/0036	SHOT PEENING FOR IMPROVED FATIGUE RESISTANCE	A	
	GAT/0037	HARD ANODISING OF ALUMINIUM & ALUMINIUM ALLOYS	A	
	GAT/0038	PROTECTIVE TREATMENT, INTERNAL PAINT PROCESS & INITIAL	A	
	GAT/0039	CHEMICAL MILLING OF ALUMINIUM ALLOYS	A	
	GAT100AA	TAPE LACING & TYING MIL-T-43435	C	
	GAT100AB	TAPE-FLATBACK MASKING	A	

	GAT100AC	TAPE-FINELINE, MASKING	-	
	GAT100AD	TAPE ANTISIEZE,PTFE,WITH DISPENSER,MIL-T-27730	A	
	GAT100AP	TAPE PRESSURE SENSITIVE ADHESIVE,POLYESTER FILM,L-T-100	A	
	GAT100AS	TAPE, FASTENER, HOOK AND LOOP	G	
	GAT100BA	TAPE - IDENTIFICATION MARKER BLANKS	C	
	GAT100BB	TAPE-PERMANENT IDENTIFICATION	F	
	GAT100BC	TAPE - PRESSURE SENSITIVE ACRYLIC ADHESIVE, ALUMINUM	-	
	GAT100BE	TAPE, ELECTRICAL, TEDLAR	-	
	GAT100BL	TAPE, PRESSURE SENSITIVE CONDUCTIVE	A	
	GAT100BP	TAPE IDENTIFICATION MARKER	B	
	GAT100BU	TAPE, MASKING, PROTECTIVE	-	
	GAT100DL	TAPE WET YARN WOVEN ACRYLIC RESIN	-	
	GAT100FB	BLANKET, ACOUSTIC, SOUND BARRIER HIGH MASS TAPE	B	
	GAT100FR	TAPE-PLASTIC, REINFORCED,SELF-EXTINGUISHING,POLYVINYL	C	
	GAT100FS	TAPE-PLASTIC, FEINFORCED, SELF-EXTINGUISHING, POLYIMIDE (PI)	A	
	GAT100FU	TAPE - GLASS CLOTH, FLAME RETARDANT	-	
	GAT100FV	TAPE, FIBERGLASS, SELF-EXTINGUISHING	-	
	GAT100FW	TAPE,FASTENER,HOOK AND LOOP FAR 25.856(A) COMPLIANT	-	
	GAT100GA	TAPE - SILICONE SPONGE	-	
	GAT100J	TAPE,INSUL ELECT HIGH TEMP PTFE, PRESSURE SENSITIVE	-	
	GAT100K	TAPE, INSULATION- PRESSURE-SENSITIVE, THERMOSETTING, GLASS F	A	
	GAT100PA	TAPE-ACRYLIC ADHESIVE BASED POLYPROPYLENE	B	
	GAT100R	TAPE PRESSURE SENSITIVE ADHESIVE VINYL PLASTIC FILM	A	
	GAT115D	TITANIUM & TITANIUM ALLOY SHT, PLATE, & STRIP	-	
	GAT11C	TERMINAL-BALL FITTING	-	
	GAT11D	TERMINAL, 3/8 CONTROL TUBE FEMALE, SOLID END	-	
	GAT11F	TERMINAL INSTALLATION-ELECTRICAL GROUNDING & BONDING	P	
	GAT11H	TERMINAL, STUD, ELECTRICAL, NON-INSULATED	-	
	GAT12AA	TUBING	B	
	GAT13C	LANYARD TAB	-	
	GAT15A	TAPE-FLUID LINES, ARROW WARNING & PRESSURE IDENT.	A	
	GAT16A	THREAD ROLLING REQ	-	
	GAT21B	TORQUE VALUES,MECHANICALLY ATTACHED,METAL SEAL FITTINGS	-	
	GAT21F	TORQUE VERIFICATION INSTALLATION OF THREADED FASTENERS	B	
	GAT21G	TORQUE INSTALLATION-BOLT/NUT COMBINATIONS	-	
	GAT23A	TEST NONDESTRUCTIVE,PENETRANT METHOD OF INSPECTION	-	
	GAT23B	TEST NON DESTRUCTIVE RADIOGRAPHIC AND ULTRASONIC	-	

	GAT510B	TERMINAL CABLE EYE END	-	
	GAT511A	TUBE-ACCOUSTIC,ALUMINUM (6061)	-	
	GAT511B	TUBE-ACOUSTIC, STAINLESS STEEL	B	
	GAT511M	TUBE,NYLON,FLEXIBLE,SPECIAL OD TOLERANCE	C	
	GAT511N	TUBING,TEFLON	A	
	GAT511P	TUBE-SILICONE RUBBER,POLYESTER BRAID REINFORCED	A	
	GAT511R	TUBING-SILICONE,INLET TUBE,AIR CONDITION SYS	-	
	GAT515B	TEE, TUBE FITTING, FLARELESS TUBE ENDS	A	
	GAT515DA	TEE-TUBE,REDUCER,EXTERNAL SWAGE	-	
	GAT515DB	TEE-TUBE,SIDE ADAPTER,MALE EXTERNAL SWAGE TO FLARELESS	-	
	GAT515DC	TEE-TUBE,REDUCER,SIDE ADAPTER,MALE EXTRNL SWAGE TO FLAR	-	
	GAT515DD	TEE,STD & REDUCER,TUBE,BLKHD,MALE FLARELESS ON RUN,EXTR	-	
	GAT515DE	TEE TUBE,SIDE ADAPTER,BLKHD,EXT SWGE TO FLARELESS,STD	-	
	GAT515DF	TEE,STD & REDUCER-TUBE,EXTERNAL SWAGE TO MS ON RUN	-	
	GAT515DG	TEE ASSY SWIV,ADAP TUBE EXT SWAGE /FLRLESS ON RUN EXT	-	
	GAT515DH	TEE ASSY SWIV,ADAP TUBE EXT SWAGE /FLRLESS ON RUN EXT	-	
	GAT515DJ	TEE-TUBE, EXTERNAL SWAGE ON RUN TO SIDE BOSS	-	
	GAT515DK	TEE REDUCER -TUBE EXTERNAL SWAGE	-	
	GAT515DL	TEE ASSY SIDE ADAPTER SWIVEL REDUCER TUBE,EXT SWAK	-	
	GAT515DM	TEE ASSY REDUCER SWIVEL TUBE EXTERNAL SWAGE	-	
	GAT515DN	TEE - TUBE,EXTERNAL SWAGE	-	
	GAT515DT	TEE-PERMANENT,AXIAL SWAGE,STAINLESS STEEL,OXYGEN SERVIC	A	
	GAT535AP	TAPE AIRCRAFT TUBING IDENTIFICATION MARKET	-	
	GAT535AT	TAPE, GLASS CLOTH, SILICONE ADHESIVE	-	
	GAT535C	TAPE-FUNCTION IDENT & SYMBOL, SOLVENT RESIST, NON-CORR.	C	
	GAT535HT	TAPE - IDENT AND SYMBOL, HIGH TEMP, COLOR CODED	-	
	GAT800AA	TRANSDUCER-PRESSURE,0-2000 PSIG	A	
	GAT805A	TERMINAL ELECT,UPRIGHT RING TORQUE TYPE,CRIMP STYLE	-	
	GAT805B	TERMINAL-TIN-PLATED, INSULATED FOR CABLE SIZE AWG 8-000	-	
	GAT805C	TERMINAL, ELEC, UPRIGHT RING TONGUE TYPE, INSULATED	-	
	GAT805CP	TERMINAL,ELEC THERMOCOUPLE RING TONGUE,CRIMP,CONTACT	-	
	GAT805CY	TERMINAL	-	
	GAT805D	TERMINAL-TIN-PLATED, INSULATED, FOR CABLE SIZE AWG26-10	-	
	GAT805DB	TERMINAL	-	
	GAT805EL	TERMINAL, NON-INSULATED, RING TONGUE, CRIMP	B	

	GAT805G	TERMINAL,LUG,ELECTRICAL,FLAG TYPE, CRIMP STYLE	-	
	GAT805H	TERMINAL, ELEC, LUG RING TONGUE, NYLON INS, GRIMP STYLE	A	
	GAT805M	TERMINAL, ELECTRICAL, RING TONGUE TYPE, NON-INSULATED	-	
	GAT805P	TERM ELEC RING TONGUE TYPE, CRIMP STYLE INSULATED RANGE	A	
	GAT805Y	TERM ELEC RING TONGUE, CRIMP STYLE WIRE RANGE 22-16 AWG	-	
	GAT806A	TERMINAL, ELECTRICAL SOLDER	-	
	GAT835AF	TAPE RUBBER RESIN ADHESIVE PRESS SENSITIVE THERMOSET	A	
	GAT835AL	TAPE	-	
	GAU500B	UNION ASSEMBLY, TUBE FITTING, BULKHEAD	A	
	GAU500DA	UNION - TUBE, EXTERNAL SWAGE TO MALE FLARED	-	
	GAU500DB	UNION-TUBE,EXTERNAL SWAGE TO BULKHEAD,MALE FLARELESS	-	
	GAU500DC	UNION - TUBE, EXTERNAL SWAGE	A	
	GAU500DD	UNION,BLKHD,REDUCER-TUBE,EXTERNAL SWAGE TO FLARELESS	-	
	GAU500DE	UNION - TUBE, REDUCER, EXTERNAL SWAGE	-	
	GAU500DF	ADAPTER ASSY,TUBE,FLARELESS SWIVEL TO EXTERNAL SWAGE	-	
	GAU500DL	UNION-PERMANENT,AXIAL SWAGE,STAINLESS STEEL,OXYGEN	A	
	GAU500DM	UNION,FLARELESS,SWIVEL NUT,AXIAL SWAGE,STAINLESS STEEL	A	
	GAU500DN	UNION,REDUCER,FLARELESS,SWIVEL NUT,AXIAL SWAGE,STAINLES	A	
	GAU500DP	UNION-BULKHEAD,MALE,FLARELESS,AXIAL SWAGE,STAINLESS STE	A	
	GAU500DR	UNION-MALE,FARELESS,AXIAL SWAGE,STAINLESS STEEL,OXYGEN	A	
	GAV500A	VALVE-ASSEMBLY,CHECK	-	
	GAW10A	WASHER ELECT ALUMINUM TERMINAL	A	
	GAW10B	WASHER-NAS 1598 FASTENER COLLAR BACKUP	-	
	GAW10C	WASHER - ELECTRICAL BONDING	-	
	GAW10CA	WASHER,CUSTOM,CRES	-	
	GAW10D	WASHER - FLAT, RIVETED JOINTS	-	
	GAW10E	WASHER-FLAT, LARGE OUTSIDE DIAMETER	A	
	GAW10F	WASHER-NAS 1598 FASTENER HEAD BACKUP	-	
	GAW10G	WASHER,BACK UP FOR NAS1523 SEALING WASHER UNDER SWAGGED	A	
	GAW10H	WASHER-FLAT, THICK, ALUMINUM ALLOY	-	
	GAW10U	WASHER,FLAT,ALUMINUM ALLOY,CRES AND STEEL SPECIAL	A	
	GAW10V	WASHER, FLAT - CRES VERSION OF AN970	-	
	GAW11A	WIPER RING DACRON FELT, 275 F MAX	-	
	GAW20A	WICKS,STATIC DISCHARGE	B	
	GAW20B	RETAINER - STATIC WICK DISCHARGER	F	
	GAW20C	RETAINER-STATIC WICK DISCHARGER FOR COMPOSITE	C	
	GAW502G	WASHER-SPRING,CONE SHAPE(BELLEVILLE)	A	

	GAW502S	WASHER	-	
	GAW805A	WIRE, ELEC, COPPER, INSULATED, 26-10 GAGE, SOFT, DRAWN,	-	
	GAW805AB	RADIATION CROSS LINKED,MODIFIED, FLUOROPOLYMER INSULATED, 15	G	
	GAW805AC	WIRE-ELECTRICAL,AIRFRAME,RADIATION CROSS LINKED, MODIFIED	F	
	GAW805AR	WIRE ELEC, SOLID TEE INSULATION, 200 DEG C, 600V RMS	-	
	GAW805BP	WIRE ELEC, TFE INSULATION POLYIMIDE COATED	-	
	GAW805BS	WIRE, ELECTRICAL,INSULATED, MEDIUM WEIGHT, COPPER	-	
	GAW805BT	WIRE, FILTER LINE (MIL-C-85485 & ASTM F777)	A	
	GAW805YB	WIRE-ELECTRICAL, AIRFRAME RADIATION CROSS LINKED, MODIFIED	A	
	GAW805YC	WIRE-ELECTRICAL, AIRFRAME RADIATION CROSS LINKED, MODIFIED	-	
	GAW815A	WIRE ELEC FLUOROPOLYMER-INSULATED EXTRUDED ETFE 600 VOL	B	
	GAW815B	WIRE - ELECTRICAL, FLEXIBLE, MODIFIED ETFE, 150 C ALUM COND	E	
	GEM1601	ABBREVIATIONS AND ACRONYMS	H	
	GEM5100	3D MBD PRODUCT DEFINITION AND BUSINESS RULES	A	
	GER-0012	SUPPLIER ANNOUNCEMENT	-	
	GER-7818	THE OMNIPART KNOWLEDGBASE ENVIRONMENT EXTERNAL SUPPLIER REV	P	
	GMS1000	INDEX, GMS	E	
	GMS1001	STEEL,4330 VANADIUM MODIFIED VACUUM MELTED	A	
	GMS1002	STEEL,4340 SILICON MOD (300M)	-	
	GMS2001	ALUMINUM ALLOY-2024 & 2124 PLATE	A	
	GMS2002	ALUMINUM ALLOY 2024 HONEYCOMB CORE MATERIAL	-	
	GMS2003	ALUMINUM ALLOY 2014 ALCLAD ONE SIDE, SHEET AND PLATE	A	
	GMS2004	CORE MATERIAL,5052ALUMINUM ALLOY, CORRISON & HEAT RES.	-	
	GMS2005	7050 ALUMINUM WIRE OR ROD FOR FASTENER STOCK	-	
	GMS2006	2024 ALCLA ALUMINUM SHEET,HIGH FORMABILITY,MILL POLISHE	A	
	GMS2007	ALUMINUM ALLOY 7050-T7451 PLATE FOR FATIGUE RESISTANT	-	
	GMS2008	7475 ALCLAD ALUMINUM ALLOY SHEET	-	
	GMS2009	2024-O ALCLAD ALUMINUM SHEET,ONLY T42 SKIN APPLICATIONS	-	
	GMS2010	7055-0 ALUMINUM ALLOY EXTRUSIONS	A	
	GMS2011	7136 ALUMINUM ALLOY EXTRUSIONS	-	
	GMS2012	7075-T73511 ALUMINUM ALLOY EXTRUSIONS WITH THICKNESS FROM	-	
	GMS2013	ALUMINUM ALLOY 7040-T7451 PLATE FOR FATIGUE RESISTANT	-	
	GMS3009	INCONEL 625 TUBING, CORROSION & HEAT	-	
	GMS3101	TITANIUM 6A1-4V DIE FORGINGS ANNEALED	-	
	GMS3102	TITANIUM 6A1-4V-6A1-6V-2SN SPECIAL GRADE	-	

	GMS3103	TITANIUM 3A1-2.5V TUBING SEAMLESS	-	
	GMS3104	TITANIUM 6A1-6V-2SN	-	
	GMS3105	TITANIUM ALLOY SHT,STRIP,& PL 6A1-2SN-4ZR-2MO-0.08SI DA	-	
	GMS3106	TITANIUM ALLOY FORGING 6AL-2SN-4ZR-2MO SOL PPT HT	-	
	GMS3107	WELDED TITANIUM TUBE FOR VACUUM WASTE SYSTEM	-	
	GMS3201	POWDER FOR HIGH VELOCITY OXYGEN-FUEL (HVOF) COATINGS	A	
	GMS4001	GLASS FABRIC, PREIMPREGNATED, EPOXY RESIN	H	
	GMS4002	PLASTIC SHEET RIGID	A	
	GMS4003	SHIM MATERIAL,CAST PLASTIC,EPOXY RESIN	D	
	GMS4004	MOLDING COMPOUND COMPRESSION	-	
	GMS4005	FASTENER INSERT AND EDGE SEALING MATERIALS, HONEYCOMB	C	
	GMS4006	ELCRG ENCAP CMPD-RESIN SYMS,EPOXY,ELEV.TEMP.CURE	-	
	GMS4007	FOAM, RIGID, FOAM-IN-PLACE, POLYURETHANE TYPE	-	
	GMS4008	PRE-IMPREGNATED FIBERGLASS CLOTH (PREPREG)	F	
	GMS4009	PROCUREMENT OF EPOXY-RESIN IMPREGNATED	E	
	GMS4010	PROC OF EPOXPY RESIN IMPRG ARAMID FIBER MATERIAL	-	
	GMS4011	CORE MATERIAL PLASTIC	A	
	GMS4012	THERMOPLASTIC FILAMENT FOR ADDITIVE MANUFACTURING	-	
	GMS4013	GLASS FABRIC,PREIMPREGNATED EPOXY RESIN(COMP RUDDER)	B	
	GMS4014	TAPE,UNIDIRECTIONAL,GRAPHITE FIBER,EPOXY RESIN IMPREGNATED,	D	
	GMS4015	FILM AND TAPE,PLASTIC,SELF EXTINGUISHING,HEAT SEALABLE	B	
	GMS4016	COMPOSITE SURFACING FILM - UV RESISTANT	B	
	GMS4017	ELECTRICALLY CONDUCTIVE SURFACE FILM FOR USE IN COMPOSITE AP	B	
	GMS4018	350◆F AUTOCLAVE CURE EPOXY RESIN PREIMPREGNATED GLASS FABRIC	C	
	GMS4019	CORE, HONEYCOMB, PARA-ARAMID PAPER BASE, PHENOLIC COATED	F	
	GMS4020	350 DEG F AUTOCLAVE CURE, TOUGHENED EPOXY CARBON FIBER	B	
	GMS4024	250 DEG. F CURE QUARTZ/ EPOXY PREPREG	C	
	GMS4028	CARBON FIBER/ EPOXY COMPRESSION MOLDING COMPOUNDS	B	
	GMS4029	BONDABLE MOISTURE BARRIERS	B	
	GMS4030	350◆ F AUTOCLAVE CURE, 5H SATIN CARBON FIBER EPOXY PREPREG	B	
	GMS4031	FIBER GLASS/ PHENOLIC COMPRESSION MOLDING COMPOUNDS	A	
	GMS4032	250 DEG F CURE EPOXY RESIN PREIMPREGNATED GLASS FABRIC	B	
	GMS4101	D/ELECTRIC SEALANTS (POTTING)	-	

	GMS4102	SEALANT GROOVE INJECTION TYPE	-	
	GMS4103	SEALING COMPOUND WELD-THROUGH	-	
	GMS4104	COMPOUND INJECTION MOLDING	-	
	GMS4107	SEALING COMPOUND,FUEL RESISTANT,INTERMITTEN	E	
	GMS4108	FAYING SURFACE SEALING COMPOUND	A	
	GMS4109	NON-SETTING, CORROSION INHIBITING JOINTING COMPOUND	C	
	GMS4112	SEALING COMPOUND,POLYTHIOETHER ELASTOMERIC,TWO PART,	-	
	GMS4113	LIGHT LENSE AND WINDSHIELD SEALANT, POLYTHIOETHER	-	
	GMS4114	AERODYNAMIC SMOOTHING COMPOUND, POLYTHIOETHER, RAPID-CURING	A	
	GMS4115	FAYING SURFACE SEALING COMPOUND, EXTENDED ASSEMBLY TIME	-	
	GMS4116	AERODYNAMIC GAP-FILLING SEALANT, SILICONE	-	
	GMS4201	ABRASION RESISTANT (ANTI-CHAFE) COATING MATERIAL	A	
	GMS4202	EPOXY ICEGUARD PROTECTIVE	-	
	GMS4204	COATING POLYURETHANE	-	
	GMS4301	FILM ADHESIVE, STRUCTURAL, METAL & THERMOSET PLASTIC	D	
	GMS4302	ADHESIVE CORE SPLICE STRUCTURAL	C	
	GMS4303	ADHESIVE HIGH PEEL STRENGHT	-	
	GMS4304	ADHESIVE STRUCTRAL BONDING METAL TO METAL	-	
	GMS4305	ADHESIVE, STRUCTURAL HEAT	-	
	GMS4306	INK, SILK SCREEN ACRYLIC	A	
	GMS4307	ADHESIVE STRUCTURAL HIGH TEMP. RESISTANT 500 F	-	
	GMS4308	ADHESIVE,CORE SPLICE,STRUCTURAL,INTERIOR USE	A	
	GMS4309	FILM ADHESIVE,STRUCTRAL,METAL AND THERMOSET PLASTIC	D	
	GMS4310	ADHESIVE, PASTE, NON-FLOW SERVICE RANGE-67 TO 160 DEG F	B	
	GMS4311	FILM ADHESIVE, 250 F CURE, 300 F SERVICE, METAL AND THERMOSE	A	
	GMS4313	250 DEG. F CURE FILM ADHESIVE FOR RADOME APPLICATIONS	B	
	GMS4315	ADHESIVE PRIMER, STRUCTURAL, METAL SUBSTRATES	-	
	GMS4316	ADHESIVE PRIMER, PHENOLIC, STRUCTURAL, METAL SUBSTRATES	-	
	GMS5001	EPOXY PRIMER COATING, HYDRAULIC	-	
	GMS5002	EPOXY TOPCOAT	B	
	GMS5003	EPOXY PRIMER, ANTI-STATIC	B	
	GMS5004	PRIMER COATINGS-EPOXY, CHLORINATED, SOLVENTS	A	
	GMS5005	EPOXY PRIMER COATING, LOW VOC, DIPHOSPHATE ESTER HYDRAULIC F	C	
	GMS5006	EPOXY TOPCOAT, HIGH-SOLIDS, DIPHOSPHATE ESTER	-	
	GMS5007	EPOXY SMOOTHING PRIMER, TROWELABLE	A	
	GMS5008	COATING SYSTEM, HEXAVALENT CHROMIUM FREE, FOR EXTERIOR APPLI	A	
	GMS5009	PRIMERS, EPOXY, FOR THERMOSET COMPOSITE PARTS	A	
	GMS6001	CASTINGS, METALLIC CLASSIFICATION & INSDCL	-	

	GMS6002	PRE-IMPREGNATED SILICONE RUBBER	B	
	GMS6004	STRUCTURAL DIE FORGING (EXCEPT)	-	
	GMS7001	WIRE ELECTRICAL FLUOROCARBON	-	
	GMS7002	WIRE,ELECT, COPPER&COPPER ALY, FCP INSULATED	-	
	NTR-PS1005	PROCESS SPECIFICATION FOR PREPARATION AND CHEMICAL CONVERSIO	-	
	SPS-103170-TGI	FABRICATION OF COMPOSITE PARTS, 350F CURE	B	